

Census
Demographics

Housing and
Community
Development

Children
and Family
Health

SPRING 2016
VITAL SIGNS 14

Crime and
Safety

Measuring Progress Toward
a Better Quality of Life in
Every Neighborhood

Workforce and
Economic
Development

Education
and Youth

Arts and
Culture

Sustainability




BNIA
BALTIMORE NEIGHBORHOOD
INDICATORS ALLIANCE
Jacob France Institute

ub UNIVERSITY
OF BALTIMORE



VITAL SIGNS 14 IS MADE POSSIBLE
BY THE GENEROUS SUPPORT OF:



THE ANNIE E. CASEY
FOUNDATION

VITAL SIGNS 14 IS ALSO SUPPORTED BY:



BNIA-JFI would like to thank the following: **University of Baltimore, Jacob France Institute, Merrick School of Business, Baltimore Corps, and BNIA-JFI Steering Committee Members** and organizations who generously provided Data Stories.

BNIA-JFI Staff who contributed to *Vital Signs 14*:

Seema Iyer, PhD, Associate Director, Jacob France Institute

Brandon Nida, PhD, Research Associate

Cheryl Knott, GIS Analyst

Nancy Jones, Data Manager

Christine Hwang, Baltimore Corps Fellow

Evan Mahone, Statistician

Alange' Jacobs, Student Assistant

Cynthia Green, Student Assistant

David Carpenter, Web Developer

Report design by **Zak Bickel**

Cover photos contributed by **Dorret Oosterhoff**

Healthy children and families are the cornerstone of good quality of life in neighborhoods, and research has provided growing evidence that the places where we live, work and play every day significantly impact the ability to lead a healthy lifestyle. The differences by neighborhood is most dramatically evident in the ultimate quality of life indicator, life expectancy, which shows a 20-year difference from the highest to the lowest levels in Baltimore. In early 2016, the Baltimore City Health Department released the State of Health white paper¹ which identifies eight priority public health areas for reducing health disparities and increasing more equitable health outcomes. Key issues include youth health and wellness,² addressing substance abusive, and chronic disease prevention. In addition to these initiatives, Baltimore City has also had a long-term strategy to improve birth outcomes³ coordinated by the *B'More for Healthy Babies* initiative. Baltimore has also become a leader for addressing food insecurity with the establishment of the Baltimore Food Policy Initiative to ensure healthy food availability in all neighborhoods.

Vital Signs 14 tracks many indicators identified

by these initiatives as key to achieving greater health equity for Baltimore's residents across all neighborhoods. In order to ensure consistent communication of health-related data to Baltimore communities, analysis of indicators in this chapter has been closely coordinated with the Baltimore City Health Department.

Data

Children & Family Health data for *Vital Signs 14* indicators come from several sources. State sources include the Maryland Department of Vital Statistics, Maryland Department of the Environment, and Maryland Department of Human Resources. City sources include Baltimore City Health Department, Baltimore City Liquor Board, and research partners at the Johns Hopkins Center for a Livable Future. Indicators are created by

normalizing data by the number of residents in a given area. This will reflect the concentration of an indicator within an area, and allow for comparison across neighborhoods and over time. *Vital Signs 14* includes eighteen indicators for Community Statistical Areas⁴ (CSAs) designed to track the health of adults, children, and infants in Baltimore City and its neighborhoods. These indicators are grouped into the following categories: *birth outcomes; life expectancy and mortality; lead poisoning; built environment and food security; and social assistance programs.*

¹ State of Health in Baltimore (Winter 2016). health.baltimorecity.gov/state-health-baltimore-winter-2016

² Baltimore Youth Health and Wellness Strategy (2015) www.baltimoreyouthhealthandwellness.com


³ Strategy to Improve Birth Outcomes in Baltimore City (2009) www.healthybabiesbaltimore.com/uploads/file/pdfs/SIBO%20Strategy%202009.pdf

⁴ CSAs are groups of census tracts that correspond to neighborhoods which vary in size. See *Vital Signs 14* Introduction

Birth Outcomes⁵

Vital Signs 14 tracks four birth outcome indicators for Baltimore's Community Statistical Areas (CSAs): *teen birth rate*; *percent of births delivered at term*; *percent of babies born with satisfactory birth weight*; and *percent of births where the mother received early prenatal care*. From 2013 to 2014, the trends for each of these indicators are mixed for Baltimore City as a whole.

- Baltimore City's teen birth rate (the number of girls aged 15-19 who have given birth per 1,000 females aged 15-19) has continued to decrease over the past several years and declined further from 36.1 in 2013 to 33.8 in 2014. From 2013 to 2014, the teen birth rate declined in 30 CSAs, remained the same in 3 CSAs, and increased in 22 CSAs.
- In 2014, the CSAs with the highest teen birth rates were Greenmount East (90.0), Patterson Park North & East (87.1), and Westport/Mount Winans/Lakeland (72.5). Three CSAs with zero teen births are Greater Roland Park/Poplar Hill, North Baltimore/Guilford/Homeland, and Canton.
- The percentage of births that were delivered at term (at least 37 weeks gestation) in Baltimore City remained steady from 87.5% in 2013 to 87.3% in 2014. In 2014, the CSAs with the highest percentage of births at term were Greater Roland Park/Poplar Hill (96.4%) and Cross-Country/Cheswolde (95.3%).



From 2013 to 2014, the greatest increases in the percentage of births at term occurred in Greater Govans (+8.6%), Claremont/Armistead (+8.4%), and Westport/Mount Winans/Lakeland (+7.5%). From 2013 to 2014, the greatest declines in the percentage of births at term occurred in Midtown (-13.6%), Northwood (-10.4%), and Southeastern (-6.2%).

- The percentage of births where the child was of satisfactory weight (at least 5.5lbs) in Baltimore City increased slightly from 88.1% in 2013 to 88.5% in 2014. In 2014, the CSAs with the highest percentage of births with satisfactory birth weight were Greater Roland Park/

Poplar Hill (100%) and Fells Point (97.9%); the CSA with the lowest percentage of births with satisfactory birth weight was Poppleton/The Terraces/Hollins Market (78.9%).

- From 2013 to 2014, the greatest increases in the percentage of births with a satisfactory birth weight occurred in Claremont/Armistead (+8.2%), Fells Point (+6.8%) and Downtown/Seton Hill (+6.7%). From 2013 to 2014, the greatest declines in the percentage of births with a satisfactory birth weight occurred in Northwood (-8.4%), Poppleton/The Terraces/Hollins Market (-7.0%), and Harbor East/Little Italy (-6.5%).

⁵ Birth outcome data comes from the Maryland Department of Vital Statistics
⁶ Data and methodology provided by the Baltimore City Health Department



Range of Age-Specific Mortality Rates Among Communities

The range in age-specific mortality is an indicator of health disparities that exist across neighborhoods in Baltimore.

Source: Baltimore City Health Department

Indicator	Lowest Rate	Baltimore City Rate	Highest Rate
Infant Mortality	<3.0*	10.4	23.2
Mortality by Age (1-14 years old)	0.0	2.1	20.7
Mortality by Age (15-24 years old)	0.0	10.4	29.3
Mortality by Age (25-44 years old)	2.6	23.0	55.9
Mortality by Age (45-64 years old)	29.6	117.5	160.5
Mortality by Age (65-84 years old)	163.2	379.4	584.5
Mortality by Age (85 and over)	641.6	1,300.9	1,850.7

- The percentage of births where the mother received early prenatal care (early being care that began in the first trimester) in Baltimore City decreased from 49.5% in 2013 to 48.5% in 2014. In 2014, the CSAs with the highest percentage of births where the mother received early prenatal care were South Baltimore (73.8%) and North Baltimore/Guilford/Homeland (72.3%). The CSAs with the lowest percentages of mothers received early prenatal care included Sandtown-Winchester/Harlem Park (35.0%), Westport/Mount Winans/Lakeland (36.7%), and Pimlico/Arlington/Hilltop (36.6%).
- From 2013 to 2014, the percentage of births where the mother received early prenatal care increased in 17 CSAs, with the greatest increases occurring in Dorchester/Ashburton (+13.5%),

The Waverlies (+12.5%), and Edmondson Village (+11.4%). From 2013 to 2014, the greatest declines in the percentage of births where the mother received early prenatal care occurred in Midtown (-12.8%), Downtown/Seton Hill (-11.5%), and Northwood (-10.4%).

Life Expectancy and Mortality⁶

Life expectancy (how long one might expect to live) and mortality rates (chances of dying) are fundamental health outcomes that are increasingly correlated with other indicators about a person's neighborhood (See Data Story). *Vital Signs 14* reports life expectancy at birth and mortality rates for five age categories. These two indicators are inversely related; CSAs with low life expectancy have high

rates of mortality in the younger age categories.

- In 2014, the life expectancy at birth in Baltimore City was 73.8 years. The CSAs with the highest life expectancy were Cross-Country/Cheswolde (89.6 years), North Baltimore/Guilford/Homeland (83.9 years), Greater Roland Park/Poplar Hill (83.8 years), and Glen-Fallstaff (82.5 years). The CSAs with the lowest life expectancy were Clifton-Berea (67.2 years), Downtown/Seton Hill (67.5 years), Greenmount East (67.8 years), and Upton/Druid Heights (67.9 years).
- The infant mortality rate measures the average number of deaths over a 5-year period in persons under the age of one per 1,000 live births. From 2010-2014, the infant mortality rate was 10.4 per 1,000 live births in Baltimore City. The CSAs with the highest infant mortality rate were Pimlico/Arlington/Hilltop (23.2), Harbor East/Little Italy (20.5), and Greenmount East (19.9). Two CSAs experienced an infant mortality rate of zero: Mt. Washington/Coldspring and Canton.
- From 2010-2014, Baltimore City's age-specific mortality rate for persons aged 1-14 was 2.1 per 10,000 persons. There were 19 CSAs with zero deaths of persons in this age group. The CSAs with the highest mortality rates were Downtown/Seton Hill (20.7) and Midway/Coldstream (10.5).
- From 2010-2014, Baltimore City's age-specific mortality rate for persons aged 15-24

Data Story: Geography Should Not Be Destiny

Where you live greatly affects your health and your ability to learn, work, and play. While geography should not be destiny, data at the community level show how challenging neighborhood context can be to healthy life outcomes. In many Community Statistical Areas (CSAs), communities face not one or two obstacles, but multiple layers of disadvantage. Although single hurdles may be cleared, research and experience demonstrate that an individual's ability to overcoming all of these barriers remains difficult.


To visualize the impact of the social determinants of health by neighborhoods, the Baltimore City Health Department (BCHD) created an interactive web map using data from the *Vital Signs* report: arcg.is/1JuiBJz

In many CSAs, there is a strong, detrimental relationship between neighborhood indicators (e.g., rent affordability, percent of students expelled, employment, liquor store density) and population outcomes (e.g., teen birth rate, violent crime rate, life expectancy). However, sometimes layers of indicators and outcomes don't match perfectly. These differences generate more questions about problems and possible solutions.

The variation in life expectancy by neighborhood are astonishing, not just for the 19-years difference between some CSAs, but that these areas often border each other, or are within a short walk or drive. West to east, Baltimore City is less than 10 miles wide. The alleviation of all forms of disparity remains crucial to improving the health of Baltimore City residents. BCHD addresses disparity through programs and initiatives like *B'more for Healthy Babies* (healthybabiesbaltimore.com), home visiting programs, school-based health clinics, the virtual supermarket *Baltimarket* (baltimarket.org), the violence interrupters of *Safe Streets* (health.baltimorecity.gov/safestreets), and drug overdose prevention programs such as *Don't Die* (dontdie.org).



Life Expectancy at Birth, 2014



was 10.4 per 10,000 persons. The CSAs with the highest rates were Clifton-Berea (29.3) and Dorchester/Ashburton (24.5).

- From 2010-2014, Baltimore City's age-specific mortality rate for persons aged 25-44 was 23.0 per 10,000 persons, with Cross-Country/Cheswolde (2.6) and Inner Harbor/Federal Hill (4.6) reporting the lowest rates. The CSAs with the highest rates were Clifton-Berea (55.9) and Southwest Baltimore (49.9).
- From 2010-2014, Baltimore City's age-specific mortality rate for persons aged 45-64 was 117.5 per 10,000 persons. The CSAs with the highest rates were Poppleton/The Terraces/Hollins Market (198.9), Clifton-Berea (182.5), and Downtown/Seton Hill (177.8). The CSAs with the lowest rates were Greater Roland Park/Poplar Hill (33.2), Cross-Country/Cheswolde (43.5), and Mt. Washington/Coldspring (43.8).
- From 2010-2014, Baltimore City's age-specific mortality rate for persons aged 65-84 was 379.4 per 10,000 persons. The CSAs with the highest rates were Downtown/Seton Hill (584.5) and Washington Village (537.3). The CSAs with the lowest rates were Cross-Country/Cheswolde (163.2) and North Baltimore/Guilford/Homeland (193.5).
- From 2010-2014, Baltimore City's age-specific mortality rate for persons 85 and over was 1,300.9 per 10,000 persons. The CSAs with the highest rates were South Baltimore

(1,850.7) and Belair-Edison (1,811.0). The CSAs with the lowest rates were Cross-Country/Cheswolde (641.6), Morrell Park/Violetville (898.1), and Glen-Fallstaff (942.4).

Lead Poisoning⁷

Although lead-based paint has been banned in the United States since 1978, many Baltimore homes were constructed prior to the ban and continue to contain paint and other sources of lead toxic to human health. When human blood lead levels are high, it can affect many organs and tissues including heart, kidneys, bones, and the nervous system. In children, elevated levels of lead in the blood can lead to permanent learning and behavior disorders.

- From 2013 to 2014, the total number of children between the ages of 0 and 6 tested for elevated levels of lead in their blood decreased by 3.1%, from 18,535 to 17,961.⁸ In 2014, the greatest number of children tested for elevated blood lead were in Harford/Echodale (404 children), Patterson Park North & East (401 children), Medfield/Hampden/Woodberry/Remington (271 children), and Cedonia/Frankford (253 children).
- From 2013 to 2014, the percent of children age 0-6 with elevated blood lead levels decreased slightly from 1.2% to 1.1% of chil-

dren tested. Of the 52 CSAs that reported having children tested for elevated levels of blood lead in 2014, only 8 CSAs had children found to have elevated blood lead levels. The CSAs where the greatest percentage of children who were tested and were found to have elevated blood lead levels included Midway/Coldstream (6.3%), Greater Rosemont (5.2%) and Clifton-Berea (5.5%).

Built Environment and Food Security

A neighborhood's built environment (buildings, streets, parks, etc) provide the context for human activity and can directly or indirectly impact the ability of residents to live healthy lives. *Vital Signs 14* tracks two indicators of the density of off-premise liquor outlets.⁹ In coordination with the Johns Hopkins Center for a Livable Future, the fast food/prepared-food index and the average healthy food availability index is reported from previous editions of *Vital Signs*.

- Between 2013 and 2014, the density of off-premise liquor outlets in Baltimore City remained the same at 1.1 per 1,000 persons. The density of these stores ranged from 7.3 per 1,000 persons in the Downtown/Seton Hill CSA to 0.0 in Cross-Country/Cheswolde and Dickeyville/Franklintown.

⁷ The number of children 0 to 6 years old that are tested for elevated levels of blood lead are reported by the Maryland Department of the Environment Lead Poisoning Prevention Program www.mde.state.md.us/programs/land/Pages/index.aspx

⁸ Due to either non-reporting lead testing for census tracts with low numbers (8,031 children are in census tracts with < 5) or no information on the location of children tested (1,741 children are in unknown census tracts), only half of the total citywide number of children tested are available at the CSA-level

⁹ Rachel L. Johnson Thornton, et al (2011). Zoning for a Healthy Baltimore: A Health Impact Assessment of the Transform Baltimore Comprehensive Zoning Code Rewrite

- In 2014, the total number of off-premise liquor outlets in Baltimore was 662. The largest numbers of establishments were located in Downtown/Seton Hill (47), Fells Point (40), Southwest Baltimore (38), and Highlandtown (35). The fewest numbers of establishments were located in Cross-Country/Cheswolde (0), Dickeyville/Franklinton (0), Cherry Hill (1), Beechfield/Ten Hills/West Hills (1) and Edmondson Village (3).
- In 2012, the average healthy food availability index ranking of Baltimore City was 10.3. The CSAs with the highest average healthy food availability index ranking were Mt. Washington/Coldspring (24.8), South Baltimore (18.1), and Canton (16.9). The CSAs with the lowest average healthy food availability index ranking included Cross-Country/Cheswolde (0.0) Dickeyville/Franklinton (0.0), and Edmondson Village (6.4).

From Previous Vital Signs:

The Johns Hopkins Center for Livable Future (CLF) has been mapping¹⁰ and conducting primary research on food security and accessibility in Baltimore for many years. CLF prepared community-based indicator on fast food/prepared-food and average healthy food availability index.

- From 2011 to 2013, the density of fast or prepared food in Baltimore increased from 1.4 stores per 1,000 residents to 1.5 stores per 1,000 residents. In 2013, the CSAs with the highest density of fast food outlets per 1,000 residents were Downtown/Seton Hill (25.6), Madison/East End (5.0), and Inner Harbor/Federal Hill (4.4). Twenty-two CSAs had less than 1.0 fast food outlets per 1,000 residents. The CSAs with the lowest density of fast food outlets per 1,000 residents included Cross-Country/Cheswolde (0.0), Dickeyville/Franklinton (0.0) and Edmondson Village (0.1).

Social Assistance Programs¹¹

Baltimore residents have access to several federal programs aimed at assisting people during times of financial distress. The uptake of these programs ebbs and flows with economic cycles but also varies by neighborhoods in the City. *Vital Signs 14* tracks Temporary Assistance to Needy Families (TANF) a program administered through the Maryland Department of Human Resources.


- In 2014, 9.7% of the families in Baltimore City received TANF support at some point during the year, which is a 0.1% decrease from 2013 (9.8%). The CSAs with the highest percentage of families receiving TANF were Madison/East End (29.1%), Clifton-Berea (27.0%), and Upton/Druid Heights (24.8%). The CSAs with the lowest percentage included Greater Roland Park/Poplar Hill (0.1%), and South Baltimore and Mt. Washington/Coldspring (0.5%).

¹⁰ The Maryland Food System Map is a project of the Johns Hopkins Center for a Livable Future and is available at mdfoodsystemmap.org

¹¹ Source of data is the Maryland Department of Human Resources through a data sharing agreement with the Jacob France Institute. Research has shown that administrative records yield significantly higher counts of participation in government safety-net programs compared with survey (Census) estimates. Lynch et al (2008) "Differences in Estimates of Public Assistance Reciprocity Between Surveys and Administrative Records" www.ubalt.edu/jfi/jfi/reports/TANFJan2008.pdf

Children and Family Health:

Indicator Definitions and Rankings



For each indicator reported in *Vital Signs 14*, we provide the data source, the years for which it is reported, and the five CSAs with the highest and lowest values for the indicator; these may not correspond to positive or negative trends.

Birth Outcome Indicators

Teen Pregnancy Rate

Measure of birth among young persons.

Definition: The rate of female teens aged 15–19 that gave birth per 1,000 females aged 15–19.
(MARYLAND DEPARTMENT OF VITAL STATISTICS, 2010, 2011, 2012, 2013, 2014; U.S. CENSUS, 2010)

Five Highest:

1. Greenmount East
2. Patterson Park North & East
3. Westport/Mount Winans/Lakeland
4. Orangeville/East Highlandtown
5. Howard Park/West Arlington

Five Lowest:

Two CSAs did not have any teenage births in 2014: Greater Roland Park/Poplar Hill, Canton

1. North Baltimore/Guilford/Homeland
2. Midtown
3. Cross-Country/Cheswolde

Percent of Births Delivered at Term

Measures the portion of births that are considered to be full-term and likely to result in a healthier baby.

Definition: The percentage of births delivered at term measures the percentage of births in a calendar year where the baby is delivered between 37 and 42 weeks of gestation.

(MARYLAND DEPARTMENT OF VITAL STATISTICS 2010, 2011, 2012, 2013, 2014)

Five Highest:

1. Greater Roland Park/Poplar Hill
2. Cross-Country/Cheswolde
3. Downtown/Seton Hill
4. Fells Point
5. Mt. Washington/Coldspring

Five Lowest:

1. Northwood
2. Midtown
3. Brooklyn/Curtis Bay/Hawkins Point
4. Poppleton/The Terraces/Hollins Market
5. Madison/East End

Percent of Babies Born with a Satisfactory Birth Weight

Measure of babies born at a healthy weight.

Definition: The percentage of children born with a birth weight of at least 5 ½ pounds out of all births in the area.

(MARYLAND DEPARTMENT OF VITAL STATISTICS 2010, 2011, 2012, 2013, 2014)

Five Highest:

1. Greater Roland Park/Poplar Hill
2. Fells Point
3. Downtown/Seton Hill
4. Cross-Country/Cheswolde
5. Inner Harbor/Federal Hill

Five Lowest:

1. Poppleton/The Terraces/Hollins Market
2. Northwood
3. Clifton-Berea
4. Sandtown-Winchester/Harlem Park
5. Forest Park/Walbrook

Lead Poisoning Indicators

Percent of Births Where the Mother Received Early Prenatal Care

Measure of healthy pregnancies and healthy babies.

Definition: The percentage of births where the mother received prenatal care during the first trimester of the pregnancy in a calendar year out of all births within an area. This information is calculated by the Vital Statistics registration information collected from each live birth.

(SOURCE: MARYLAND DEPARTMENT OF VITAL STATISTICS 2010, 2011, 2012, 2013, 2014)

Five Highest:

1. South Baltimore
2. North Baltimore/Guilford/Homeland
3. Canton
4. Medfield/Hampden/Woodberry/Remington
5. Greater Roland Park/Poplar Hill

Five Lowest:

1. Sandtown-Winchester/Harlem Park
2. Pimlico/Arlington/Hilltop
3. Westport/Mount Winans/Lakeland
4. Upton/Druid Heights
5. Downtown/Seton Hill

Number of Children Tested for Elevated Blood Lead Levels

Measure of child testing for the potential of elevated blood lead levels.

Definition: This indicator reflects the total number of children aged 0-6 who are tested for the presence of blood lead in a calendar year.

(SOURCE: MARYLAND DEPARTMENT OF THE ENVIRONMENT, LEAD POISONING PREVENTION PROGRAM, 2010, 2011, 2012, 2013, 2014)

Five Highest:

1. Harford/Echodale
2. Patterson Park North & East
3. Medfield/Hampden/Woodberry/Remington
4. Canton
5. Hamilton

Five Lowest:

Three CSAs did not report (N/A)

1. Harbor East/Little Italy
2. Southwest Baltimore

Percent of Children with Elevated Blood Lead Levels

Measure of high exposure to lead for young children.

Definition: The number of children aged 0-6 that are found to either have elevated blood lead levels (≥ 10 Mg/dL) or lead poisoning (≥ 20 Mg/dL) out of the number of children tested within an area in a calendar year.

(SOURCE: MARYLAND DEPARTMENT OF THE ENVIRONMENT, LEAD POISONING PREVENTION PROGRAM, 2010, 2011, 2012, 2013, 2014)

Five Highest:

1. Midway/Coldstream
2. Greater Rosemont
3. Clifton-Berea
4. Greenmount East
5. Dorchester/Ashburton

Five Lowest:

Forty-seven CSAs had no children found to have elevated blood lead levels in 2014.

Life Expectancy and Mortality Indicators

Life Expectancy at Birth

Summarizes health over the entire lifespan.

Definition: The average number of years a newborn can expect to live, assuming he or she experiences the currently prevailing rates of death through their lifespan.

(SOURCE: VITAL STATISTICS MORTALITY DATA, 2007-2011, 2008-2012, 2009-2013, 2010-2014)

ANALYSIS BY: BALTIMORE CITY HEALTH
DEPARTMENT

Five Highest:

1. Cross-Country/Cheswolde
2. North Baltimore/Guilford/Homeland
3. Greater Roland Park/Poplar Hill
4. Glen-Fallstaff
5. Mt. Washington/Coldspring

Five Lowest:

1. Clifton-Berea
2. Downtown/Seton Hill
3. Greenmount East
4. Pimlico/Arlington/Hilltop
5. Southwest Baltimore

Infant Mortality

Measure of death rate in persons under one year of age.

Definition: The number of infant deaths (babies under one year of age) per 1,000 live births within the area in a five year period. This is the most stable and commonly measured indicator of mortality in this age group.

(SOURCE: VITAL STATISTICS MORTALITY DATA, 2007-2011, 2008-2012, 2009-2013, 2010-2014)

ANALYSIS BY: BALTIMORE CITY HEALTH
DEPARTMENT

Five Highest:

1. Pimlico/Arlington/Hilltop
2. Harbor East/Little Italy
3. Greenmount East
4. Cherry Hill
5. Northwood

Five Lowest:

1. Canton
1. Mt. Washington/Coldspring
2. North Baltimore/Guilford/Homeland
3. South Baltimore
4. Westport/Mount Winans/Lakeland

Mortality by Age (1-14 years old)

Measure of death rate for persons between one and 14 years old.

Definition: The number of deaths of persons between the ages of one and 14 per 10,000 persons within the area in a five year period.

(SOURCE: VITAL STATISTICS MORTALITY DATA, 2007-2011, 2008-2012, 2009-2013, 2010-2014)

ANALYSIS BY: BALTIMORE CITY HEALTH
DEPARTMENT

Five Highest:

1. Downtown/Seton Hill
2. Midway/Coldstream
3. Madison/East End
4. Oldtown/Middle East
5. Southwest Baltimore

Five Lowest:

Nineteen CSAs reported zero deaths for this age in 2014.

Mortality by Age (15-24 years old)

**Measure of death rate for persons
between 15 and 24 years old.**

Definition: The number of deaths of persons between the ages of 15 and 24 per 10,000 persons within the area in a five year period.
(SOURCE: VITAL STATISTICS MORTALITY DATA, 2007-2011, 2008-2012, 2009-2013, 2010-2014)

**ANALYSIS BY: BALTIMORE CITY HEALTH
DEPARTMENT**

Five Highest:

1. Clifton-Berea
2. Dorchester/Ashburton
3. Harbor East/Little Italy
4. Upton/Druid Heights
5. Sandtown-Winchester/Harlem Park

Five Lowest:

1. Greater Roland Park/Poplar Hill
2. North Baltimore/Guilford/Homeland
3. Southeastern
4. Midtown
5. Greater Charles Village/Barclay

Mortality by Age (25-44 years old)

**Measure of death rate for persons
between 25 and 44 years old.**

Definition: The number of deaths of persons between the ages of 25 and 44 per 10,000 persons within the area in a five year period.
(SOURCE: VITAL STATISTICS MORTALITY DATA, 2007-2011, 2008-2012, 2009-2013, 2010-2014)

**ANALYSIS BY: BALTIMORE CITY HEALTH
DEPARTMENT**

Five Highest:

1. Clifton-Berea
2. Southwest Baltimore
3. Pimlico/Arlington/Hilltop
4. Greater Rosemont
5. Greenmount East

Five Lowest:

1. Cross-Country/Cheswolde
2. Inner Harbor/Federal Hill
3. Greater Roland Park/Poplar Hill
4. Canton
5. Fells Point

Mortality by Age (45-64 years old)

**Measure of death rate for persons
between 45 and 64 years old.**

Definition: The number of deaths of persons between the ages of 45 and 64 per 10,000 persons within the area in a five year period.
(SOURCE: VITAL STATISTICS MORTALITY DATA, 2007-2011, 2008-2012, 2009-2013, 2010-2014)

**ANALYSIS BY: BALTIMORE CITY HEALTH
DEPARTMENT**

Five Highest:

1. Poppleton/The Terraces/Hollins Market
2. Clifton-Berea
3. Downtown/Seton Hill
4. Madison/East End
5. Greenmount East

Five Lowest:

1. Greater Roland Park/Poplar Hill
2. Cross-Country/Cheswolde
3. Mt. Washington/Coldspring
4. North Baltimore/Guilford/Homeland
5. Glen-Fallstaff

Mortality by Age (65-84 years old)

Measure of death rate for persons
between 65 and 84 years old.

Definition: The number of deaths of persons
between the ages of 65 and 84 per 10,000
persons within the area in a five year period.
(SOURCE: VITAL STATISTICS MORTALITY DATA,
2007-2011, 2008-2012, 2009-2013, 2010-2014)

ANALYSIS BY: BALTIMORE CITY HEALTH
DEPARTMENT

Five Highest:

1. Downtown/Seton Hill
2. Washington Village
3. Brooklyn/Curtis Bay/Hawkins Point
4. Claremont/Armistead
5. Upton/Druid Heights

Five Lowest:

1. Cross-Country/Cheswolde
2. North Baltimore/Guilford/Homeland
3. Glen-Fallstaff
4. Greater Roland Park/Poplar Hill
5. Mt. Washington/Coldspring

Mortality by Age (85 and Over)

Measure of death rate for persons
between 85 years old and above.

Definition: The number of deaths of persons 85
years and older per 10,000 persons within the
area in a five year period.
(SOURCE: VITAL STATISTICS MORTALITY DATA,
2007-2011, 2008-2012, 2009-2013, 2010-2014)

ANALYSIS BY: BALTIMORE CITY HEALTH
DEPARTMENT

Five Highest:

1. South Baltimore
2. Belair-Edison
3. Midway/Coldstream
4. Claremont/Armistead
5. Chinquapin Park/Belvedere

Five Lowest:

1. Cross-Country/Cheswolde
2. Morrell Park/Violetville
3. Glen-Fallstaff
4. Medfield/Hampden/Woodberry/Remington
5. Greater Charles Village/Barclay

Social Assistance Indicators

Percentage of Families Receiving TANF

Measure of uptake of federal cash assistance.

Definition: Temporary Assistance for Needy
Families (TANF) is a federal assistance program.
The Act provides temporary financial assistance
while aiming to get people off of that assistance,
primarily through employment.

(SOURCE: MARYLAND DEPARTMENT OF HUMAN
RESOURCES, 2011, 2012, 2013, 2014
U.S. CENSUS, 2010)

Five Highest:

1. Madison/East End
2. Clifton-Berea
3. Upton/Druid Heights
4. Sandtown-Winchester/Harlem Park
5. Greenmount East

Five Lowest:

1. Greater Roland Park/Poplar Hill
2. Mt. Washington/Coldspring
3. South Baltimore
4. North Baltimore/Guilford/Homeland
5. Canton

Built Environment and Food Security

Liquor Outlet Density

Measures the concentration of access to off-premise liquor.

Definition: This indicator reflects the number of business establishments that possess a Class A (Off Sale package goods no on-premises consumption - 6 days, 6:00 a.m.- Midnight. No Sunday sales except Sundays between Thanksgiving Day and New Year's Day upon issuance of a special license for each Sunday) or BD7 (tavern) business license that allows them to sell beer, wine, or liquor. Other liquor licenses to restaurants or on-premise consumption were not included in this analysis. This number is provided by 1,000 residents to allow for comparison across neighborhoods.

(SOURCE: BALTIMORE CITY LIQUOR BOARD 2011, 2012, 2013, 2014 U.S. CENSUS 2010)

Five Highest:

1. Downtown/Seton Hill
2. Highlandtown
3. Fells Point
4. Canton
5. South Baltimore

Five Lowest:

1. Dickeyville/Franklintown
1. Cross-Country/Cheswolde
2. Beechfield/Ten Hills/West Hills
3. Northwood
4. Cherry Hill

Fast Food Outlet Density (From *Vital Signs 13*)

Measures the concentration of prepared foods (ready-made, to-go meals and snacks) locations.

Definition: The Johns Hopkins Center for a Livable Future (CLF) obtained the food permit list from the Baltimore City Health Department in August 2011, which includes all sites that sell food, such as stores, restaurants and temporary locations such as farmers' market stands and street carts. The restaurants were grouped into three categories, including full service restaurants, fast food chains and carryouts. Carryout and fast food chain restaurants were extracted from the restaurant layer and spatially joined with the 2010 Community Statistical Area (CSA) data layer, provided by BNIA-JFI. The prepared foods density, per 1,000 people, was calculated for each CSA using the CSA's population and the total number of carryout and fast food restaurants, including vendors selling prepared foods in public markets, in each CSA.

(SOURCE: BALTIMORE CITY HEALTH DEPARTMENT, 2011, 2013)

ANALYSIS BY: JOHNS HOPKINS CENTER FOR A LIVABLE FUTURE

Five Highest:

1. Downtown/Seton Hill
2. Madison/East End
3. Inner Harbor/Federal Hill
4. Oldtown/Middle East
5. Harbor East/Little Italy

Five Lowest:

1. Cross-Country/Cheswolde
2. Dickeyville/Franklintown
3. Edmondson Village
4. Loch Raven
5. Forest Park/Walbrook

Average Healthy Food Availability Index (from *Vital Signs* 12)

Quantitative depiction of the availability of healthy and whole food in supermarkets, small groceries & corner stores, convenience stores, and other stores that sell food.

Definition: The Johns Hopkins Center for a Livable Future (CLF) calculated the Baltimore City Healthy Food Availability Index (HFAI) scores for all food stores in Baltimore, in summer 2012, using an adapted version of the NEMS-S (Nutrition Environment Measures Survey in Stores) tool. The NEMS-S tool was developed by researchers at the Rollins School of Public Health at Emory University to measure the nutritional environment of food retail stores and was designed to assess healthy food availability in grocery and convenience stores. CLF obtained a food permit list from the Baltimore City Health Department in August 2011, which includes all sites that sell food, such as stores, restaurants, and temporary locations such as farmers' market stands and street carts. HFAI scores range from zero to 28.5, with higher scores indicating more availability of healthy and whole food in a food store.

(SOURCE: BALTIMORE CITY HEALTH DEPARTMENT, 2011)

ANALYSIS BY: JOHNS HOPKINS CENTER FOR A LIVABLE FUTURE

Five Highest:


1. Mt. Washington/Coldspring
2. South Baltimore
3. Canton
4. Beechfield/Ten Hills/West Hills
5. Greater Charles Village/Barclay

Five Lowest:

Two CSAs had an HFAI score of 0 in 2012:
Cross-Country/Cheswolde,
Dickeyville/Franklinton

1. Edmondson Village
2. Downtown/Seton Hill
3. Greater Rosemont

Children and Family Health: Tables



Children and Family Health: Birth Outcomes

Community Statistical Area (CSA)	Teen Birth Rate					Change (13-14)
	2010	2011	2012	2013	2014	
Allendale/Irvington/S. Hilton	55.0	58.1	45.9	38.2	30.6	-7.6
Beechfield/Ten Hills/West Hills	42.8	21.4	42.8	29.4	18.7	-10.7
Belair-Edison	67.6	56.8	58.1	33.8	45.9	12.2
Brooklyn/Curtis Bay/Hawkins Point	111.1	94.6	63.8	52.0	49.6	-2.4
Canton	46.5	23.3	0.0	46.5	0.0	-46.5
Cedonia/Frankford	48.9	42.1	38.7	45.5	28.4	-17.1
Cherry Hill	57.6	60.5	63.4	74.9	63.4	-11.5
Chinquapin Park/Belvedere	50.6	84.4	63.3	16.9	46.4	29.5
Claremont/Armistead	48.9	48.9	45.1	48.9	45.1	-3.8
Clifton-Berea	72.0	61.7	77.1	51.4	36.0	-15.4
Cross-Country/Cheswolde	0.0	15.5	6.7	11.1	6.7	-4.4
Dickeyville/Franklinton	21.1	28.2	35.2	70.4	28.2	-42.3
Dorchester/Ashburton	49.3	49.3	35.2	32.9	16.4	-16.4
Downtown/Seton Hill	65.2	43.5	21.7	10.9	43.5	32.6
Edmondson Village	89.5	64.8	49.4	52.5	24.7	-27.8
Fells Point	88.9	44.4	100.0	22.2	33.3	11.1
Forest Park/Walbrook	71.8	58.5	50.5	37.2	34.6	-2.7
Glen-Fallstaff	49.5	30.5	26.7	15.2	40.0	24.8
Greater Charles Village/Barclay	9.7	11.6	10.7	9.7	6.8	-2.9
Greater Govans	53.7	68.3	34.1	46.3	56.1	9.8
Greater Mondawmin	42.9	32.2	41.1	21.5	16.1	-5.4
Greater Roland Park/Poplar Hill	0.0	0.0	0.0	0.0	0.0	0.0
Greater Rosemont	80.8	64.7	58.5	57.2	44.8	-12.4
Greenmount East	99.2	79.9	55.1	74.4	90.9	16.5
Hamilton	25.3	10.5	27.4	33.7	18.9	-14.7
Harbor East/Little Italy	70.4	70.4	49.3	49.3	28.2	-21.1
Harford/Echodale	15.8	45.5	29.7	23.8	23.8	0.0
Highlandtown	77.6	77.6	94.8	103.4	43.1	-60.3
Howard Park/West Arlington	61.6	44.8	33.6	5.6	64.4	58.8
Inner Harbor/Federal Hill	30.0	30.0	10.0	30.0	10.0	-20.0
Lauraville	38.8	34.2	27.4	25.1	18.3	-6.8
Loch Raven	57.8	31.7	18.7	24.3	22.4	-1.9
Madison/East End	81.0	86.1	75.9	55.7	38.0	-17.7
Medfield/Hampden/Woodberry/Remington	58.8	44.1	44.1	7.4	14.7	7.4
Midtown	8.0	4.8	4.8	3.2	6.4	3.2
Midway/Coldstream	53.7	79.4	65.4	58.4	51.4	-7.0
Morrell Park/Violetville	78.8	14.8	39.4	34.5	49.3	14.8
Mt. Washington/Coldspring	10.9	10.9	0.0	0.0	10.9	10.9
North Baltimore/Guilford/Homeland	3.1	1.6	0.0	0.0	0.8	0.8
Northwood	15.6	13.4	18.6	16.4	11.2	-5.2
Oldtown/Middle East	74.2	47.5	38.6	41.5	50.4	8.9
Orangeville/East Highlandtown	106.1	111.1	45.5	90.9	65.7	-25.3
Patterson Park North & East	87.1	82.1	104.5	67.2	87.1	19.9
Penn North/Reservoir Hill	47.1	61.8	79.4	47.1	58.8	11.8
Pimlico/Arlington/Hilltop	63.7	46.6	53.9	56.4	56.4	0.0
Poppleton/The Terraces/Hollins Market	65.5	89.3	53.6	65.5	47.6	-17.9
Sandtown-Winchester/Harlem Park	69.8	61.9	73.0	46.0	60.3	14.3
South Baltimore	0.0	30.8	15.4	46.2	15.4	-30.8
Southeastern	68.0	68.0	43.7	53.4	63.1	9.7
Southern Park Heights	78.2	72.6	54.0	35.4	41.0	5.6
Southwest Baltimore	82.4	75.8	66.7	60.1	35.3	-24.8
The Waverlies	53.6	35.7	62.5	53.6	62.5	8.9
Upton/Druid Heights	97.4	92.1	76.3	39.5	31.6	-7.9
Washington Village/Pigtown	69.8	64.0	46.5	11.6	52.3	40.7
Westport/Mt. Winans/Lakeland	64.9	99.2	30.5	45.8	72.5	26.7
Baltimore City	51.1	46.6	41.5	36.1	33.8	-2.4

1 For more information on these indicators please visit <http://www.bniajfi.org>

Children and Family Health: Birth Outcomes

Community Statistical Area (CSA)	Percent of Births Delivered at Term					Change (13-14)
	2010	2011	2012	2013	2014	
Allendale/Irvington/S. Hilton	85.3	86.0	84.3	84.4	89.4	5.1
Beechfield/Ten Hills/West Hills	87.5	90.6	89.5	83.7	85.9	2.2
Belair-Edison	84.0	82.5	82.0	84.1	86.0	2.0
Brooklyn/Curtis Bay/Hawkins Point	83.1	82.3	85.0	87.1	81.2	-5.9
Canton	94.6	93.7	90.6	92.7	90.0	-2.7
Cedonia/Frankford	83.8	86.3	84.8	87.8	86.3	-1.6
Cherry Hill	80.9	79.6	83.1	84.6	84.0	-0.6
Chinquapin Park/Belvedere	87.0	89.3	89.4	89.3	84.6	-4.7
Claremont/Armistead	83.0	89.2	89.5	83.3	91.7	8.4
Clifton-Berea	82.8	85.6	85.7	82.2	87.3	5.1
Cross-Country/Cheswolde	93.2	95.9	92.5	95.1	95.3	0.2
Dickeyville/Franklinton	85.5	94.2	92.3	89.5	90.6	1.2
Dorchester/Ashburton	87.2	85.3	83.7	83.0	85.0	2.0
Downtown/Seton Hill	87.5	80.7	80.0	89.7	95.2	5.5
Edmondson Village	85.0	88.8	88.3	86.3	83.2	-3.1
Fells Point	94.2	96.2	93.7	89.8	94.5	4.7
Forest Park/Walbrook	85.9	85.0	80.4	86.5	85.5	-1.0
Glen-Fallstaff	90.4	89.4	88.8	90.9	90.0	-0.9
Greater Charles Village/Barclay	86.1	90.7	85.5	90.7	86.8	-3.9
Greater Govans	87.2	87.1	87.7	83.1	91.7	8.6
Greater Mondawmin	78.4	85.9	86.1	84.0	86.6	2.6
Greater Roland Park/Poplar Hill	94.3	91.1	83.6	94.4	96.4	1.9
Greater Rosemont	87.1	88.6	82.1	84.8	83.8	-1.0
Greenmount East	85.4	85.3	84.4	84.2	85.2	1.1
Hamilton	83.1	86.2	88.0	83.6	87.8	4.1
Harbor East/Little Italy	84.0	88.0	85.6	88.2	83.0	-5.3
Harford/Echodale	85.8	87.2	86.2	80.4	86.4	6.0
Highlandtown	92.4	87.9	93.5	93.3	88.6	-4.8
Howard Park/West Arlington	85.0	89.5	82.5	90.4	86.2	-4.3
Inner Harbor/Federal Hill	92.7	90.8	89.8	91.1	87.6	-3.5
Lauraville	85.8	84.8	86.0	89.6	89.9	0.4
Loch Raven	83.9	84.3	88.1	83.9	86.3	2.5
Madison/East End	83.6	85.6	81.8	87.5	82.6	-4.9
Medfield/Hampden/Woodberry/Remington	90.0	92.1	90.9	91.9	89.6	-2.3
Midtown	89.3	86.3	93.4	94.1	80.5	-13.6
Midway/Coldstream	85.7	81.8	80.9	88.2	88.2	-0.0
Morrell Park/Violetville	87.5	86.1	88.0	92.5	91.7	-0.9
Mt. Washington/Coldspring	89.6	90.9	95.3	87.0	92.4	5.5
North Baltimore/Guilford/Homeland	91.5	92.2	92.6	89.6	90.1	0.5
Northwood	85.9	85.7	88.1	87.9	77.5	-10.4
Oldtown/Middle East	87.8	90.7	84.6	84.3	87.2	2.9
Orangeville/East Highlandtown	87.6	92.9	88.4	92.3	87.2	-5.1
Patterson Park North & East	89.6	87.8	88.9	86.9	87.6	0.7
Penn North/Reservoir Hill	79.3	82.9	86.0	81.9	85.6	3.7
Pimlico/Arlington/Hilltop	83.4	83.1	84.8	88.1	85.0	-3.1
Poppleton/The Terraces/Hollins Market	89.0	92.3	82.4	87.9	81.7	-6.2
Sandtown-Winchester/Harlem Park	80.4	82.1	81.3	81.9	85.8	3.8
South Baltimore	97.1	90.2	92.6	95.7	92.1	-3.7
Southeastern	83.0	89.1	88.1	94.2	87.9	-6.2
Southern Park Heights	85.4	91.6	84.3	83.9	86.8	2.9
Southwest Baltimore	85.8	85.5	86.4	89.8	87.2	-2.6
The Waverlies	82.1	89.2	88.6	87.4	88.1	0.7
Upton/Druid Heights	88.3	82.4	86.6	88.5	87.1	-1.4
Washington Village/Pigtown	84.8	89.0	80.7	84.8	91.6	6.8
Westport/Mt. Winans/Lakeland	86.8	82.5	85.7	77.5	85.0	7.5
Baltimore City	86.5	87.4	86.6	87.5	87.3	-0.2

1 For more information on these indicators please visit <http://www.bniajfi.org>.

Children and Family Health: Birth Outcomes

Community Statistical Area (CSA)	Percent of Babies Born with a Satisfactory Birth Weight					Change (13-14)
	2010	2011	2012	2013	2014	
Allendale/Irvington/S. Hilton	87.4	83.8	83.8	85.3	88.5	3.3
Beechfield/Ten Hills/West Hills	91.7	90.6	90.1	85.6	85.9	0.3
Belair-Edison	87.7	84.5	83.8	87.0	87.7	0.8
Brooklyn/Curtis Bay/Hawkins Point	89.9	86.7	91.4	86.3	85.0	-1.3
Canton	94.6	97.6	92.9	95.5	92.0	-3.5
Cedonia/Frankford	84.4	85.7	86.5	91.4	86.6	-4.8
Cherry Hill	88.8	79.0	89.8	84.0	89.3	5.4
Chinquapin Park/Belvedere	92.6	87.7	90.2	91.3	89.4	-1.8
Claremont/Armistead	83.0	90.0	91.1	84.2	92.4	8.1
Clifton-Berea	83.6	88.1	90.3	81.5	80.3	-1.2
Cross-Country/Cheswolde	95.1	96.8	93.8	95.1	96.3	1.2
Dickeyville/Franklinton	85.5	94.2	88.5	88.2	87.5	-0.7
Dorchester/Ashburton	85.7	84.5	87.0	82.1	88.2	6.0
Downtown/Seton Hill	80.4	82.5	80.0	89.7	96.4	6.7
Edmondson Village	85.0	86.9	86.5	84.3	86.3	2.0
Fells Point	94.2	94.0	97.2	91.2	97.9	6.8
Forest Park/Walbrook	87.3	83.5	79.0	86.5	84.0	-2.5
Glen-Fallstaff	94.5	90.4	92.5	91.3	92.0	0.7
Greater Charles Village/Barclay	88.3	90.7	89.1	91.5	89.3	-2.2
Greater Govans	87.9	87.1	87.7	83.1	89.2	6.1
Greater Mondawmin	85.6	87.5	87.8	90.6	85.7	-4.9
Greater Roland Park/Poplar Hill	94.3	89.3	88.5	96.3	100.0	3.7
Greater Rosemont	87.8	90.5	81.3	84.8	85.7	0.8
Greenmount East	82.6	82.4	84.4	88.5	84.6	-3.9
Hamilton	86.4	89.9	91.1	86.1	89.1	3.1
Harbor East/Little Italy	85.1	89.2	87.8	90.6	84.1	-6.5
Harford/Echodale	88.1	89.7	89.2	83.0	89.0	6.0
Highlandtown	91.6	89.2	92.0	92.7	91.0	-1.8
Howard Park/West Arlington	86.0	94.2	81.6	89.4	86.9	-2.4
Inner Harbor/Federal Hill	92.1	93.5	92.1	93.9	94.6	0.7
Lauraville	86.6	87.4	87.3	90.3	87.9	-2.4
Loch Raven	88.6	86.0	88.1	86.3	88.1	1.8
Madison/East End	85.4	83.1	89.4	85.3	84.8	-0.5
Medfield/Hampden/Woodberry/Remington	91.0	93.4	91.8	94.6	91.7	-2.9
Midtown	90.2	90.4	91.7	91.1	85.6	-5.5
Midway/Coldstream	79.4	85.5	84.2	87.5	88.2	0.7
Morrell Park/Violetville	92.5	92.2	93.2	92.5	94.4	1.9
Mt. Washington/Coldspring	92.5	92.7	96.9	89.9	89.4	-0.5
North Baltimore/Guilford/Homeland	90.7	89.4	94.1	88.1	94.3	6.3
Northwood	84.0	86.3	91.4	88.5	80.1	-8.4
Oldtown/Middle East	87.2	87.9	79.7	86.6	85.3	-1.4
Orangeville/East Highlandtown	91.0	93.4	91.0	94.4	88.1	-6.3
Patterson Park North & East	91.9	88.8	88.9	86.9	90.3	3.4
Penn North/Reservoir Hill	84.3	87.1	84.9	86.1	91.4	5.3
Pimlico/Arlington/Hilltop	84.7	84.4	81.2	86.6	85.0	-1.6
Poppleton/The Terraces/Hollins Market	84.9	91.0	83.8	85.9	78.9	-7.0
Sandtown-Winchester/Harlem Park	86.8	85.4	82.8	81.1	83.7	2.6
South Baltimore	95.1	91.7	94.9	94.3	92.9	-1.4
Southeastern	83.0	89.1	89.8	92.5	89.7	-2.8
Southern Park Heights	87.7	91.1	83.3	82.0	84.1	2.1
Southwest Baltimore	87.0	86.1	88.5	86.7	89.7	3.0
The Waverlies	83.8	92.8	87.6	88.5	90.8	2.3
Upton/Druid Heights	88.3	82.4	88.1	88.5	85.9	-2.6
Washington Village/Pigtown	92.9	90.2	88.6	83.7	89.2	5.5
Westport/Mt. Winans/Lakeland	92.6	83.2	86.6	83.3	87.5	4.2
Baltimore City	88.3	88.4	88.2	88.1	88.5	0.4

1 For more information on these indicators please visit <http://www.bniajfi.org>.

Children and Family Health: Birth Outcomes

Community Statistical Area (CSA)	Percent of Births Where Mother Received Prenatal Care					Change (13-14)
	2010	2011	2012	2013	2014	
Allendale/Irvington/S. Hilton	51.9	55.3	57.0	47.3	42.3	-5.0
Beechfield/Ten Hills/West Hills	64.3	67.1	63.0	49.0	58.8	9.7
Belair-Edison	63.9	63.3	63.2	44.9	45.8	0.8
Brooklyn/Curtis Bay/Hawkins Point	50.9	47.2	49.6	43.9	39.7	-4.1
Canton	73.9	79.4	79.5	66.4	68.7	2.3
Cedonia/Frankford	56.6	61.6	63.8	48.7	46.4	-2.3
Cherry Hill	57.2	52.5	57.2	47.4	46.7	-0.7
Chinquapin Park/Belvedere	63.9	58.2	49.2	54.4	54.8	0.4
Claremont/Armistead	47.2	50.8	63.7	47.4	50.3	3.0
Clifton-Berea	52.2	56.9	64.0	42.2	38.7	-3.5
Cross-Country/Cheswolde	60.2	68.3	62.5	63.3	58.5	-4.8
Dickeyville/Franklintown	63.6	57.7	55.8	51.3	54.7	3.4
Dorchester/Ashburton	56.4	58.9	61.0	39.3	52.8	13.5
Downtown/Seton Hill	69.6	70.2	64.0	50.0	38.6	-11.4
Edmondson Village	62.6	55.1	60.4	40.2	51.6	11.4
Fells Point	59.1	69.2	76.2	62.6	56.6	-6.0
Forest Park/Walbrook	52.8	42.9	63.6	51.9	45.0	-6.8
Glen-Fallstaff	56.4	60.6	62.6	47.2	42.5	-4.7
Greater Charles Village/Barclay	56.2	63.6	70.3	55.0	46.3	-8.8
Greater Govans	61.0	57.1	59.4	42.3	43.9	1.7
Greater Mondawmin	49.6	57.8	65.2	42.5	42.9	0.4
Greater Roland Park/Poplar Hill	74.3	73.2	86.9	64.8	65.5	0.6
Greater Rosemont	52.3	49.6	58.2	45.5	44.1	-1.3
Greenmount East	48.6	64.0	62.6	40.3	40.3	-0.0
Hamilton	68.6	71.7	65.8	55.2	45.6	-9.6
Harbor East/Little Italy	61.7	57.8	64.4	50.6	46.6	-4.0
Harford/Echodale	58.0	64.9	66.4	57.0	56.0	-1.0
Highlandtown	62.6	58.6	74.6	60.0	50.6	-9.4
Howard Park/West Arlington	48.6	69.8	68.0	46.8	42.3	-4.5
Inner Harbor/Federal Hill	74.4	77.7	76.3	65.6	64.5	-1.0
Lauraville	66.1	59.6	62.7	61.9	53.0	-8.9
Loch Raven	54.4	62.8	58.5	46.0	44.0	-1.9
Madison/East End	50.3	53.8	65.3	41.2	39.9	-1.3
Medfield/Hampden/Woodberry/Remington	66.5	69.0	67.9	61.5	66.3	4.7
Midtown	67.9	58.9	66.1	66.3	52.5	-13.8
Midway/Coldstream	45.2	53.3	51.4	38.9	42.8	3.9
Morrell Park/Violetville	61.7	65.2	58.1	52.2	58.3	6.1
Mt. Washington/Coldspring	64.2	70.9	70.3	71.0	65.2	-5.9
North Baltimore/Guilford/Homeland	63.6	69.5	75.7	67.2	72.3	5.2
Northwood	58.3	55.9	57.6	52.1	41.7	-10.4
Oldtown/Middle East	53.8	63.6	67.8	43.6	48.1	4.5
Orangeville/East Highlandtown	40.4	45.1	58.3	42.6	45.4	2.8
Patterson Park North & East	50.8	56.6	70.6	52.7	45.6	-7.0
Penn North/Reservoir Hill	54.3	62.1	61.6	38.9	49.6	10.8
Pimlico/Arlington/Hilltop	51.0	57.8	52.9	41.0	36.6	-4.4
Poppleton/The Terraces/Hollins Market	53.4	48.7	67.6	44.4	52.1	7.7
Sandtown-Winchester/Harlem Park	58.3	59.2	62.2	37.4	35.0	-2.4
South Baltimore	71.8	70.5	80.9	71.4	73.8	2.4
Southeastern	50.9	55.4	57.6	43.3	49.1	5.8
Southern Park Heights	52.4	47.5	48.1	41.0	40.0	-1.0
Southwest Baltimore	50.0	45.7	51.2	41.6	39.9	-1.8
The Waverlies	55.6	63.1	68.6	47.1	59.6	12.5
Upton/Druid Heights	60.8	49.7	57.2	38.3	38.0	-0.2
Washington Village/Pigtown	65.7	59.8	67.0	45.7	47.0	1.3
Westport/Mt. Winans/Lakeland	47.1	51.8	57.1	36.7	36.7	0.0
Baltimore City	57.0	59.0	62.7	49.5	48.5	-1.0

1 For more information on these indicators please visit <http://www.bniajfi.org>.

Children and Family Health: Lead Poisoning

Community Statistical Area (CSA)	Percent of Children (aged 0-6) with Elevated Blood Lead Levels					
	2010	2011	2012	2013	2014	Change (13-14)
Allendale/Irvington/S. Hilton	0.0	0.0	0.0	0.0	0.0	0.0
Beechfield/Ten Hills/West Hills	0.0	0.0	0.0	0.0	0.0	0.0
Belair-Edison	7.5	2.0	1.4	NA	0.0	
Brooklyn/Curtis Bay/Hawkins Point	0.0	0.0	0.0	0.0	0.0	0.0
Canton	0.0	0.0	0.0	0.0	0.0	0.0
Cedonia/Frankford	0.0	0.0	0.0	0.0	0.0	0.0
Cherry Hill	0.0	0.0	0.0	0.0	0.0	0.0
Chinquapin Park/Belvedere	0.0	0.0	0.0	0.0	0.0	0.0
Claremont/Armistead	0.0	0.0	0.0	0.0	0.0	0.0
Clifton-Berea	0.0	0.0	0.0	NA	5.0	
Cross-Country/Cheswolde	0.0	0.0	0.0	NA	0.0	
Dickeyville/Franklinton	0.0	0.0	0.0	0.0	0.0	0.0
Dorchester/Ashburton	0.0	0.0	0.0	5.5	4.5	-1.0
Downtown/Seton Hill	0.0	0.0	0.0	0.0	0.0	0.0
Edmondson Village	0.0	0.0	5.3	0.0	0.0	0.0
Fells Point	0.0	0.0	0.0	0.0	0.0	0.0
Forest Park/Walbrook	4.6	3.0	0.0	NA	4.5	
Glen-Fallstaff	0.0	1.7	0.0	0.0	0.0	0.0
Greater Charles Village/Barclay	0.0	0.0	0.0	0.0	0.0	0.0
Greater Govans	0.0	0.0	0.0	2.6	0.0	-2.6
Greater Mondawmin	0.0	0.0	0.0	0.0	0.0	0.0
Greater Roland Park/Poplar Hill	0.0	0.0	0.0	0.0	0.0	0.0
Greater Rosemont	1.0	1.6	5.3	0.0	5.2	5.2
Greenmount East	3.8	3.6	3.8	4.8	4.8	0.0
Hamilton	0.0	0.0	0.0	0.0	0.0	0.0
Harbor East/Little Italy	0.0	0.0	0.0	0.0	0.0	0.0
Harford/Echodale	0.0	0.0	0.0	0.0	0.0	0.0
Highlandtown	0.0	0.0	0.0	0.0	0.0	0.0
Howard Park/West Arlington	0.0	0.0	0.0	N/A	NA	
Inner Harbor/Federal Hill	0.0	0.0	0.0	0.0	0.0	0.0
Lauraville	0.0	0.0	0.0	0.0	0.0	0.0
Loch Raven	0.0	0.0	0.0	0.0	0.0	0.0
Madison/East End	6.1	5.9	4.4	3.8	4.0	0.2
Medfield/Hampden/Woodberry/Remington	0.0	0.0	0.0	0.0	0.0	0.0
Midtown	0.0	0.0	0.0	0.0	0.0	0.0
Midway/Coldstream	6.1	5.5	6.1	5.4	6.3	0.9
Morrell Park/Violetville	0.0	0.0	0.0	0.0	0.0	0.0
Mt. Washington/Coldspring	0.0	0.0	0.0	0.0	0.0	0.0
North Baltimore/Guilford/Homeland	0.0	0.0	0.0	0.0	0.0	0.0
Northwood	0.0	0.0	0.0	0.0	0.0	0.0
Oldtown/Middle East	0.0	0.0	0.0	0.0	0.0	0.0
Orangeville/East Highlandtown	0.0	0.0	0.0	1.8	0.0	-1.8
Patterson Park North & East	3.4	2.3	0.0	0.0	0.0	0.0
Penn North/Reservoir Hill	0.0	0.0	0.0	0.0	0.0	0.0
Pimlico/Arlington/Hilltop	0.0	3.1	0.0	0.0	0.0	0.0
Poppleton/The Terraces/Hollins Market	0.0	0.0	0.0	0.0	NA	
Sandtown-Winchester/Harlem Park	6.9	0.0	7.4	0.0	2.8	2.8
South Baltimore	0.0	0.0	0.0	0.0	0.0	0.0
Southeastern	0.0	0.0	0.0	NA	0.0	
Southern Park Heights	0.0	0.0	0.0	NA	0.0	
Southwest Baltimore	5.3	6.9	3.7	5.5	0.0	-5.5
The Waverlies	0.0	0.0	0.0	0.0	0.0	0.0
Upton/Druid Heights	0.0	0.0	0.0	0.0	0.0	0.0
Washington Village/Pigtown	0.0	0.0	0.0	0.0	0.0	0.0
Westport/Mt. Winans/Lakeland	0.0	0.0	0.0	0.0	NA	
Baltimore City	1.6	1.4	1.2	1.2	1.1	-0.1

¹ For more information on these indicators please visit <http://www.bniajfi.org>.

Children and Family Health: Lead Poisoning

Community Statistical Area (CSA)	Number of Children (aged 0-6) Tested for Elevated Blood Lead Levels					
	2010	2011	2012	2013	2014	Change (13-14)
Allendale/Irvington/S. Hilton	386	166	187	336	69	-79.5%
Beechfield/Ten Hills/West Hills	0	199	0	301	205	-31.9%
Belair-Edison	200	256	356		82	
Brooklyn/Curtis Bay/Hawkins Point	0	360	374	115	194	68.7%
Canton	96	124	130	129	125	-3.1%
Cedonia/Frankford	240	199	320	287	253	-11.8%
Cherry Hill	198	322	382	149	207	38.9%
Chinquapin Park/Belvedere	146	233	138	105	180	71.4%
Claremont/Armistead	240	222	244	155	162	4.5%
Clifton-Berea	0	0	0		141	
Cross-Country/Cheswolde	408	351	391		140	
Dickeyville/Franklinton	110	0	0	80	100	25.0%
Dorchester/Ashburton	0	0	0	127	133	4.7%
Downtown/Seton Hill	49	47	76	38	94	147.4%
Edmondson Village	123	207	132	136	182	33.8%
Fells Point	137	215	114	160	156	-2.5%
Forest Park/Walbrook	109	169	191		111	
Glen-Fallstaff	164	302	158	162	143	-11.7%
Greater Charles Village/Barclay	84	0	107	112	151	34.8%
Greater Govans	54	123	64	194	63	-67.5%
Greater Mondawmin	203	59	34	154	96	-37.7%
Greater Roland Park/Poplar Hill	132	57	43	122	99	-18.9%
Greater Rosemont	479	496	95	101	115	13.9%
Greenmount East	183	167	185	209	229	9.6%
Hamilton	64	177	161	203	248	22.2%
Harbor East/Little Italy	199	154	39	142	52	-63.4%
Harford/Echodale	156	297	348	380	404	6.3%
Highlandtown	113	107	105	199	235	18.1%
Howard Park/West Arlington	0	237	0		NA	
Inner Harbor/Federal Hill	232	172	239	236	207	-12.3%
Lauraville	145	33	120	138	200	44.9%
Loch Raven	0	222	190	236	173	-26.7%
Madison/East End	377	353	318	312	173	-44.6%
Medfield/Hampden/Woodberry/Remington	156	275	283	313	271	-13.4%
Midtown	0	65	116	71	114	60.6%
Midway/Coldstream	114	328	114	242	112	-53.7%
Morrell Park/Violetville	65	119	108	202	190	-5.9%
Mt. Washington/Coldspring	90	122	112	98	103	5.1%
North Baltimore/Guilford/Homeland	239	107	46	256	178	-30.5%
Northwood	170	254	327	172	240	39.5%
Oldtown/Middle East	171	188	274	138	231	67.4%
Orangeville/East Highlandtown	0	96	0	279	175	-37.3%
Patterson Park North & East	410	217	171	228	401	75.9%
Penn North/Reservoir Hill	88	70	0	202	130	-35.6%
Pimlico/Arlington/Hilltop	0	161	236	237	124	-47.7%
Poppleton/The Terraces/Hollins Market	88	117	131	43	NA	
Sandtown-Winchester/Harlem Park	203	99	95	291	248	-14.8%
South Baltimore	121	97	72	163	137	-16.0%
Southeastern	202	65	64		65	
Southern Park Heights	0	297	0		164	
Southwest Baltimore	506	72	296	236	62	-73.7%
The Waverlies	100	72	166	146	155	6.2%
Upton/Druid Heights	85	0	68	220	113	-48.6%
Washington Village/Pigtown	0	0	50	159	171	7.5%
Westport/Mt. Winans/Lakeland	208	232	232	44	NA	
Baltimore City	19,702	19,036	18,723	18,535	17,961	-3.1%

1 For more information on these indicators please visit <http://www.bniajfi.org>.

Children and Family Health: Life Expectancy and Mortality

Community Statistical Area (CSA)	Life Expectancy					Infant Mortality Rate				
	2011	2012	2013	2014	Change (13-14)	2011	2012	2013	2014	Change (13-14)
Allendale/Irvington/S. Hilton	70.0	70.4	71.3	71.3	-0.0	14.8	16.9	14.1	11.4	-2.8
Beechfield/Ten Hills/West Hills	74.1	74.7	75.4	75.4	-0.1	12.8	11.8	14.7	9.3	-5.4
Belair-Edison	71.5	72.5	72.1	72.9	0.8	21.3	15.0	14.3	10.8	-3.4
Brooklyn/Curtis Bay/Hawkins Point	69.7	69.5	69.5	69.3	-0.2	7.7	7.9	10.2	9.9	-0.3
Canton	77.0	77.4	77.3	78.4	1.1	5.7	1.8	1.8	0.0	-1.8
Cedonia/Frankford	72.8	72.8	72.2	72.7	0.4	13.7	15.2	14.4	14.5	0.2
Cherry Hill	68.7	68.8	69.3	69.8	0.5	15.2	14.8	17.4	19.9	2.4
Chinquapin Park/Belvedere	75.4	74.9	75.0	75.2	0.3	11.1	11.3	11.8	10.6	-1.2
Claremont/Armistead	73.1	72.7	72.5	72.2	-0.3		3.1	4.9	6.3	1.4
Clifton-Berea	65.1	66.4	66.8	67.2	0.4	21.5	17.6	17.8	14.7	-3.1
Cross-Country/Cheswolde	88.0	84.2	85.3	89.6	4.3	9.2	2.1	2.1	7.7	5.7
Dickeyville/Franklintown	72.2	73.4	73.3	73.3	0.0	25.0	18.6	13.9	17.1	3.2
Dorchester/Ashburton	73.4	74.0	73.6	73.9	0.3	8.5	10.3	12.6	8.1	-4.5
Downtown/Seton Hill	64.0	65.0	66.0	67.5	1.5	12.9	9.0	9.4	12.2	2.8
Edmondson Village	73.2	73.5	72.9	72.4	-0.5	12.3	12.7	11.3	13.6	2.3
Fells Point	76.8	76.8	77.2	78.2	1.0		4.2	4.2	4.1	-0.0
Forest Park/Walbrook	73.9	73.4	74.5	74.7	0.2	6.1	10.8	10.6	10.2	-0.3
Glen-Fallstaff	95.6	78.5	78.6	82.5	3.9	6.8	7.4	8.4	9.8	1.3
Greater Charles Village/Barclay	76.2	75.1	73.1	74.7	1.6	14.3	15.2	9.7	12.4	2.6
Greater Govans	74.0	74.3	73.9	73.3	-0.6	15.1	12.4	12.8	10.1	-2.7
Greater Mondawmin	71.1	71.7	71.2	71.7	0.5	15.9	17.7	14.6	13.4	-1.2
Greater Roland Park/Poplar Hill	84.1	84.4	84.4	83.8	-0.5		3.3	3.4	3.4	-0.0
Greater Rosemont	69.2	70.1	70.0	70.2	0.2	11.1	13.6	15.2	13.3	-2.0
Greenmount East	67.0	67.4	66.1	67.8	1.7	20.5	18.2	20.5	19.9	-0.6
Hamilton	75.3	75.4	75.0	74.9	-0.1	13.2	15.0	16.0	8.3	-7.7
Harbor East/Little Italy	73.5	72.5	72.7	72.3	-0.3	15.5	19.5	20.3	20.5	0.1
Harford/Echodale	75.9	76.2	76.0	75.8	-0.2	6.3	6.4	4.1	2.7	-1.4
Highlandtown	74.0	74.4	74.3	74.0	-0.2	4.4	7.3	8.3	10.7	2.4
Howard Park/West Arlington	74.2	75.0	75.4	76.0	0.7	8.8	7.5	7.9	5.7	-2.2
Inner Harbor/Federal Hill	77.3	77.8	78.8	78.9	0.1	7.1	6.9	5.7	5.6	-0.1
Lauraville	74.2	75.0	75.3	76.1	0.9	18.0	14.7	9.7	5.6	-4.1
Loch Raven	75.2	75.9	76.2	76.6	0.5	13.6	13.7	14.6	13.8	-0.8
Madison/East End	66.8	67.4	68.2	68.7	0.5	14.0	14.4	15.5	12.9	-2.6
Medfield/Hampden/Woodberry/Remington	75.5	75.9	76.4	76.2	-0.2	6.3	7.1	4.4	7.1	2.6
Midtown	74.8	76.0	76.0	75.7	-0.3	11.5	7.6	7.8	11.2	3.5
Midway/Coldstream	66.1	67.9	68.8	69.4	0.6	10.6	15.4	8.8	13.0	4.2
Morrell Park/Violetville	72.2	72.7	72.7	73.0	0.3	11.3	11.6	10.2	10.1	-0.1
Mt. Washington/Coldspring	81.1	81.7	81.4	81.3	-0.1	3.2	3.1	3.1	0.0	-3.1
North Baltimore/Guilford/Homeland	82.2	83.2	83.8	83.9	0.2	4.1	0.0	0.0	1.5	1.5
Northwood	75.9	76.2	76.3	76.2	-0.2	12.6	13.1	14.9	17.7	2.8
Oldtown/Middle East	75.0	74.0	72.5	72.0	-0.5	10.0	10.0	10.4	11.6	1.2
Orangeville/East Highlandtown	72.3	72.9	72.6	72.3	-0.3	3.1	4.1	5.1	9.8	4.7
Patterson Park North & East	71.4	71.7	71.6	72.6	0.9	7.9	7.7	9.7	10.8	1.1
Penn North/Reservoir Hill	69.2	69.9	70.2	71.3	1.2	12.8	12.6	14.3	9.4	-4.9
Pimlico/Arlington/Hilltop	68.6	69.1	68.8	68.2	-0.6	18.9	21.0	18.4	23.2	4.8
Poppleton/The Terraces/Hollins Market	64.7	67.1	67.8	68.8	1.0	14.1	10.1	12.4	12.8	0.4
Sandtown-Winchester/Harlem Park	67.5	68.8	69.7	70.0	0.3	16.8	13.2	9.7	7.4	-2.3
South Baltimore	74.9	75.0	75.8	77.1	1.4	5.7	5.2	4.8	1.6	-3.2
Southeastern	73.5	74.0	72.3	73.8	1.5	9.1	9.0	9.0	8.9	-0.0
Southern Park Heights	68.3	69.2	69.6	69.6	-0.1	14.4	14.3	17.2	15.2	-2.0
Southwest Baltimore	67.3	67.8	68.3	68.3	-0.0	14.2	15.0	11.7	11.6	-0.1
The Waverlies	72.2	72.0	73.2	73.0	-0.2	13.5	14.0	11.3	11.3	0.0
Upton/Druid Heights	66.1	67.3	67.9	68.8	1.0	14.1	10.3	11.8	10.0	-1.8
Washington Village/Pigtown	70.3	69.8	69.6	70.2	0.6	13.9	13.3	8.9	4.5	-4.4
Westport/Mt. Winans/Lakeland	74.5	72.8	71.3	73.8	2.5	17.0	12.7	11.2	1.8	-9.4
Baltimore City	73.5	73.9	73.5	73.8	0.3	11.7	9.7	10.7	10.4	-0.4

1 For more information on these indicators please visit <http://www.bniajfi.org>.

Children and Family Health: Life Expectancy and Mortality

Community Statistical Area (CSA)	Mortality by Age (1-14 years old)					Mortality by Age (15-24 years old)				
	2007- 2011	2008- 2012	2009- 2013	2010- 2014	Change (13-14)	2007- 2011	2008- 2012	2009- 2013	2010- 2014	Change (13-14)
Allendale/Irvington/S. Hilton	3.2	1.9	1.9	2.6	0.6	18.2	19.0	14.9	14.9	0.0
Beechfield/Ten Hills/West Hills	1.8	1.8	0.9	0.9	0.0	18.7	15.2	12.9	11.7	-1.2
Belair-Edison	2.2	2.2	1.7	1.7	0.0	26.4	23.6	15.0	15.0	0.0
Brooklyn/Curtis Bay/Hawkins Point	3.1	4.4	3.1	3.1	0.0	17.2	13.4	11.5	14.4	2.9
Canton	0.0	0.0	0.0	0.0	0.0	6.6	8.8	8.8	6.6	-2.2
Cedonia/Frankford	2.3	2.3	2.3	1.4	-0.9	12.3	12.8	9.1	13.3	4.3
Cherry Hill	3.4	3.4	2.5	1.7	-0.8	21.9	21.9	16.1	16.1	0.0
Chinquapin Park/Belvedere	1.6	1.6	0.0	0.0	0.0	9.0	12.5	12.5	10.8	-1.8
Claremont/Armistead	1.1	0.0	0.0	0.0	0.0	11.7	10.1	6.7	8.4	1.7
Clifton-Berea	3.1	3.1	3.1	3.1	0.0	41.3	31.9	24.0	29.3	5.3
Cross-Country/Cheswolde	0.7	2.2	0.7	0.7	0.0	2.2	5.5	3.3	4.4	1.1
Dickeyville/Franklintown	2.4	2.4	2.4	2.4	0.0	24.8	12.4	12.4	3.1	-9.3
Dorchester/Ashburton	2.1	3.2	3.2	4.2	1.1	13.5	17.2	14.7	24.5	9.8
Downtown/Seton Hill	15.5	20.7	20.7	20.7	0.0	2.9	7.1	5.7	5.7	0.0
Edmondson Village	1.4	0.0	0.0	0.0	0.0	4.8	6.4	6.4	9.5	3.2
Fells Point	0.0	0.0	0.0	0.0	0.0	7.1	5.3	5.3	7.1	1.8
Forest Park/Walbrook	4.8	4.8	1.2	1.2	0.0	12.2	10.8	6.8	12.2	5.4
Glen-Fallstaff	0.0	2.4	1.6	1.6	0.0	2.0	5.0	4.0	4.0	0.0
Greater Charles Village/Barclay	0.0	3.9	3.9	3.9	0.0	2.4	2.4	2.1	2.4	0.3
Greater Govans	0.0	0.0	0.0	0.0	0.0	14.2	14.2	11.7	11.7	0.0
Greater Mondawmin	6.9	2.7	2.7	1.4	-1.4	21.6	15.1	10.8	9.7	-1.1
Greater Roland Park/Poplar Hill	1.8	0.0	0.0	0.0	0.0	5.7	2.8	0.0	0.0	0.0
Greater Rosemont	3.1	3.1	2.1	1.6	-0.5	16.3	12.4	10.4	15.0	4.6
Greenmount East	9.2	6.5	3.9	3.9	0.0	12.2	9.1	6.1	9.1	3.0
Hamilton	4.4	4.4	1.8	2.7	0.9	8.1	8.1	6.9	10.4	3.5
Harbor East/Little Italy	3.9	1.9	0.0	0.0	0.0	20.2	20.2	17.3	20.2	2.9
Harford/Echodale	3.3	3.3	2.7	3.3	0.7	10.6	8.8	7.0	10.6	3.5
Highlandtown	0.0	0.0	0.0	0.0	0.0	9.0	9.0	9.0	11.3	2.3
Howard Park/West Arlington	2.4	2.4	2.4	1.2	-1.2	10.9	9.6	8.2	8.2	0.0
Inner Harbor/Federal Hill	0.0	0.0	0.0	0.0	0.0	5.4	5.4	3.3	3.3	0.0
Lauraville	1.9	1.9	1.0	2.9	1.9	9.8	11.0	11.0	11.0	0.0
Loch Raven	1.5	0.8	0.0	0.8	0.8	15.4	12.0	8.6	7.7	-0.9
Madison/East End	1.0	2.1	2.1	5.2	3.1	23.1	20.4	12.2	9.5	-2.7
Medfield/Hampden/Woodberry/Remington	2.2	2.2	2.2	2.2	0.0	9.5	8.4	6.3	6.3	0.0
Midtown	2.9	2.9	2.9	2.9	0.0	4.0	2.9	2.9	2.3	-0.6
Midway/Coldstream	12.6	8.4	8.4	10.5	2.1	36.4	29.9	20.8	18.2	-2.6
Morrell Park/Violetville	2.8	0.0	0.0	0.0	0.0	21.4	21.4	17.5	19.5	1.9
Mt. Washington/Coldspring	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	5.7
North Baltimore/Guilford/Homeland	0.0	0.0	0.0	0.0	0.0	1.5	1.5	1.5	1.9	0.4
Northwood	0.0	0.0	0.0	0.0	0.0	5.5	5.1	4.2	5.5	1.3
Oldtown/Middle East	5.1	5.1	5.1	2.0	-3.1	4.9	6.1	6.1	9.7	3.6
Orangeville/East Highlandtown	0.0	0.0	0.0	0.0	0.0	9.9	8.2	4.9	11.5	6.6
Patterson Park North & East	4.0	2.4	2.4	0.8	-1.6	19.6	16.8	11.2	12.1	0.9
Penn North/Reservoir Hill	0.0	0.0	0.0	2.2	2.2	25.0	23.5	14.7	10.3	-4.4
Pimlico/Arlington/Hilltop	1.9	1.0	1.0	1.0	0.0	23.2	19.6	7.3	18.3	11.0
Poppleton/The Terraces/Hollins Market	4.0	2.0	2.0	2.0	0.0	23.9	21.2	18.6	10.6	-8.0
Sandtown-Winchester/Harlem Park	3.4	2.8	2.1	2.1	0.0	23.1	19.0	15.7	19.8	4.1
South Baltimore	4.0	4.0	4.0	4.0	0.0	2.7	2.7	0.0	2.7	2.7
Southeastern	0.0	1.8	1.8	3.6	1.8	13.6	6.8	6.8	2.3	-4.5
Southern Park Heights	6.1	4.6	2.3	2.3	0.0	20.8	17.9	12.3	13.2	0.9
Southwest Baltimore	5.4	5.4	3.8	4.9	1.1	22.0	22.0	16.3	17.0	0.7
The Waverlies	1.5	1.5	1.5	3.0	1.5	23.7	23.7	17.8	13.8	-4.0
Upton/Druid Heights	1.7	3.3	1.7	2.5	0.8	27.2	22.5	16.6	20.1	3.6
Washington Village/Pigtown	0.0	2.3	2.3	2.3	0.0	14.7	17.1	17.1	17.1	0.0
Westport/Mt. Winans/Lakeland	0.0	0.0	0.0	0.0	0.0	19.8	18.0	14.4	16.2	1.8
Baltimore City	2.8	2.5	1.9	2.1	0.2	13.5	11.9	9.1	10.4	1.4

1 For more information on these indicators please visit <http://www.bniajfi.org>.

Children and Family Health: Life Expectancy and Mortality

Community Statistical Area (CSA)	Mortality by Age (25-44 years old)					Mortality by Age (45-64 years old)				
	2007- 2011	2008- 2012	2009- 2013	2010- 2014	Change (13-14)	2007- 2011	2008- 2012	2009- 2013	2010- 2014	Change (13-14)
Allendale/Irvington/S. Hilton	41.9	39.8	29.6	35.2	5.6	134.3	129.4	102.3	126.7	24.5
Beechfield/Ten Hills/West Hills	24.0	19.8	13.8	15.0	1.2	89.2	96.1	71.5	94.3	22.9
Belair-Edison	30.1	26.2	22.3	27.1	4.8	100.6	105.6	86.5	106.0	19.5
Brooklyn/Curtis Bay/Hawkins Point	36.5	34.7	27.2	34.7	7.5	145.8	155.4	114.8	147.6	32.9
Canton	2.8	3.3	2.8	5.1	2.3	78.8	74.8	57.4	73.5	16.0
Cedonia/Frankford	27.8	28.7	22.8	27.1	4.3	95.7	95.4	79.8	97.9	18.0
Cherry Hill	47.2	47.2	33.8	35.9	2.1	140.2	142.7	113.4	135.4	22.0
Chinquapin Park/Belvedere	18.3	18.3	13.7	18.3	4.6	97.9	107.1	85.9	101.6	15.7
Claremont/Armistead	19.4	19.4	16.9	17.7	0.8	127.1	132.1	110.2	133.1	22.8
Clifton-Berea	66.8	59.5	48.7	55.9	7.2	195.0	185.6	146.0	182.5	36.5
Cross-Country/Cheswolde	2.6	5.8	3.2	2.6	-0.6	31.8	58.3	43.5	43.5	0.0
Dickeyville/Franklintown	19.9	19.9	18.3	23.3	5.0	106.9	108.9	88.4	106.9	18.5
Dorchester/Ashburton	33.3	28.9	22.2	28.9	6.7	113.2	112.6	89.7	111.4	21.7
Downtown/Seton Hill	22.0	15.3	8.6	13.5	4.9	214.5	203.5	157.7	177.8	20.2
Edmondson Village	39.7	35.0	28.0	30.4	2.3	120.2	120.2	95.6	124.9	29.3
Fells Point	7.7	8.6	6.8	6.4	-0.4	77.1	82.8	60.1	71.5	11.3
Forest Park/Walbrook	27.9	24.4	15.7	21.8	6.1	113.2	114.6	95.2	106.3	11.0
Glen-Fallstaff	13.9	23.1	17.3	16.8	-0.6	43.7	76.3	63.1	55.9	-7.3
Greater Charles Village/Barclay	10.7	11.5	10.7	11.5	0.8	109.5	118.7	107.0	131.5	24.5
Greater Govans	29.9	29.2	23.4	30.7	7.3	102.8	102.8	84.2	116.6	32.4
Greater Mondawmin	41.0	38.1	29.3	39.1	9.8	129.9	134.0	114.1	146.4	32.3
Greater Roland Park/Poplar Hill	3.2	2.1	2.1	4.3	2.1	33.2	33.2	29.7	33.2	3.5
Greater Rosemont	52.6	46.1	38.2	47.0	8.8	145.8	143.2	111.2	146.2	34.9
Greenmount East	54.1	48.4	41.7	45.0	3.4	167.0	175.2	160.5	173.6	13.1
Hamilton	19.4	16.7	10.2	17.2	7.0	71.6	76.4	56.7	89.3	32.6
Harbor East/Little Italy	17.9	19.9	16.9	18.9	2.0	116.9	118.5	97.4	125.0	27.6
Harford/Echodale	18.6	17.0	15.4	17.8	2.4	80.5	81.8	70.1	86.9	16.8
Highlandtown	11.1	10.6	8.2	10.6	2.3	118.2	109.5	93.4	119.7	26.3
Howard Park/West Arlington	40.0	30.7	22.1	24.7	2.6	108.6	108.6	82.2	98.6	16.3
Inner Harbor/Federal Hill	6.9	5.6	3.6	4.3	0.7	83.6	86.9	71.6	82.0	10.5
Lauraville	20.1	18.3	15.4	16.0	0.6	83.5	78.7	60.5	77.1	16.6
Loch Raven	24.2	23.7	18.8	21.7	3.0	86.9	84.1	67.9	81.3	13.4
Madison/East End	53.7	42.4	33.1	32.0	-1.0	166.0	176.2	142.1	174.0	31.8
Medfield/Hampden/Woodberry/Remington	17.4	14.8	11.5	15.0	3.5	98.7	97.2	76.2	95.1	18.9
Midtown	17.0	14.9	12.5	12.5	0.0	113.2	109.7	87.1	109.1	21.9
Midway/Coldstream	59.8	41.6	30.3	38.1	7.8	155.1	145.7	115.9	142.5	26.6
Morrell Park/Violetville	25.6	20.2	16.3	21.7	5.4	135.8	130.7	106.7	142.6	35.9
Mt. Washington/Coldspring	5.3	6.6	6.6	10.6	4.0	52.8	46.3	29.6	43.8	14.2
North Baltimore/Guilford/Homeland	9.4	7.2	6.1	7.2	1.1	54.7	53.2	39.4	51.3	11.8
Northwood	30.0	25.9	21.2	18.8	-2.4	90.9	89.9	72.2	90.4	18.2
Oldtown/Middle East	32.5	28.1	21.4	26.6	5.2	107.1	121.3	105.4	151.4	46.0
Orangeville/East Highlandtown	24.2	19.7	14.0	16.5	2.5	145.9	150.8	121.9	146.9	25.0
Patterson Park North & East	22.0	19.7	15.0	16.3	1.3	126.5	137.6	119.2	134.6	15.4
Penn North/Reservoir Hill	50.0	50.0	40.7	42.3	1.5	137.7	130.7	103.3	126.5	23.2
Pimlico/Arlington/Hilltop	44.4	41.3	35.8	49.9	14.0	155.3	157.7	128.9	166.1	37.2
Poppleton/The Terraces/Hollins Market	49.3	37.0	27.4	23.3	-4.1	217.2	197.4	151.9	198.9	47.1
Sandtown-Winchester/Harlem Park	56.1	44.3	30.3	43.7	13.5	158.5	165.5	126.1	161.0	34.9
South Baltimore	8.5	10.3	7.9	8.5	0.6	95.7	86.1	78.1	76.6	-1.6
Southeastern	29.1	27.9	23.5	24.6	1.1	122.1	122.1	101.8	128.5	26.7
Southern Park Heights	43.9	42.0	31.8	39.4	7.6	145.8	144.1	116.2	158.7	42.5
Southwest Baltimore	48.1	44.1	34.9	49.9	15.0	177.6	169.6	131.8	160.8	29.0
The Waverlies	30.4	30.4	19.7	23.2	3.6	114.1	121.7	95.1	117.0	21.9
Upton/Druid Heights	51.7	49.3	34.2	36.6	2.4	184.5	172.6	140.0	171.0	31.0
Washington Village/Pigtown	30.0	28.1	24.2	31.9	7.7	122.4	124.1	102.6	134.0	31.4
Westport/Mt. Winans/Lakeland	23.8	27.8	24.8	27.8	3.0	88.1	96.6	91.7	101.5	9.8
Baltimore City	27.3	24.0	18.9	23.0	4.1	117.9	114.1	92.8	117.5	24.8

1 For more information on these indicators please visit <http://www.bniajfi.org>.

Children and Family Health: Life Expectancy and Mortality

Community Statistical Area (CSA)	Mortality by Age (65-84 years old)					Mortality by Age (85 and over)				
	2007- 2011	2008- 2012	2009- 2013	2010- 2014	Change (13-14)	2007- 2011	2008- 2012	2009- 2013	2010- 2014	Change (13-14)
Allendale/Irvington/S. Hilton	453.8	430.3	336.1	440.3	104.2	1326.5	1381.4	1065.3	1292.1	226.8
Beechfield/Ten Hills/West Hills	339.4	329.0	268.4	353.2	84.8	1539.7	1349.2	904.8	1365.1	460.3
Belair-Edison	345.3	335.7	278.4	370.7	92.3	1984.3	1842.5	1574.8	1811.0	236.2
Brooklyn/Curtis Bay/Hawkins Point	466.6	468.9	378.3	532.3	154.0	1776.0	1568.0	1376.0	1568.0	192.0
Canton	373.3	384.2	310.6	384.2	73.6	1539.5	1407.9	1065.8	1276.3	210.5
Cedonia/Frankford	434.6	434.6	374.3	452.5	78.2	1560.0	1480.0	1184.0	1480.0	296.0
Cherry Hill	473.4	442.5	363.6	459.7	96.1	1423.1	1461.5	1269.2	1634.6	365.4
Chinquapin Park/Belvedere	316.3	311.3	256.5	321.3	64.8	1576.5	1694.1	1458.8	1717.6	258.8
Claremont/Armistead	500.0	522.9	380.0	528.6	148.6	1195.1	1268.3	1170.7	1756.1	585.4
Clifton-Berea	415.4	416.9	335.3	392.7	57.4	1449.3	1468.6	1227.1	1603.9	376.8
Cross-Country/Cheswolde	78.3	214.4	155.6	163.2	7.6	292.2	918.7	707.8	641.6	-66.3
Dickeyville/Franklinton	403.8	410.3	326.9	442.3	115.4	1488.4	1348.8	1069.8	1395.3	325.6
Dorchester/Ashburton	393.7	359.7	283.5	350.3	66.8	1294.1	1245.7	1003.5	1314.9	311.4
Downtown/Seton Hill	831.1	785.4	557.1	584.5	27.4	2384.6	2000.0	1153.8	1307.7	153.8
Edmondson Village	359.6	351.3	286.7	384.4	97.8	1264.7	1338.2	1176.5	1661.8	485.3
Fells Point	398.7	378.9	290.0	339.4	49.4	1644.4	1488.9	1200.0	1377.8	177.8
Forest Park/Walbrook	394.0	392.3	292.2	340.6	48.4	1169.8	1301.9	1113.2	1396.2	283.0
Glen-Fallstaff	137.3	278.3	218.3	217.4	-0.9	396.6	1185.5	980.8	942.4	-38.4
Greater Charles Village/Barclay	385.9	378.1	366.3	378.1	11.8	886.2	1029.9	1029.9	1018.0	-12.0
Greater Govans	357.3	360.5	295.3	371.9	76.7	1270.1	1313.9	1065.7	1518.2	452.6
Greater Mondawmin	425.2	418.3	316.3	382.0	65.7	1074.1	1118.5	866.7	1222.2	355.6
Greater Roland Park/Poplar Hill	213.1	209.7	161.1	218.1	57.0	1317.1	1280.5	1073.2	1390.2	317.1
Greater Rosemont	461.2	436.0	336.2	422.5	86.2	1323.7	1289.9	990.3	1236.7	246.4
Greenmount East	433.9	445.2	395.5	447.5	52.0	1546.2	1630.3	1395.0	1546.2	151.3
Hamilton	424.3	413.9	325.2	415.7	90.4	1417.6	1272.0	1034.5	1402.3	367.8
Harbor East/Little Italy	365.3	383.9	303.4	396.3	92.9	1117.6	1235.3	941.2	1235.3	294.1
Harford/Echodale	357.1	350.4	274.9	361.2	86.3	1589.7	1572.6	1205.1	1606.8	401.7
Highlandtown	434.8	398.6	286.2	373.2	87.0	1728.8	1711.9	1186.4	1372.9	186.4
Howard Park/West Arlington	348.0	348.0	273.3	340.3	67.0	1144.0	1198.4	957.2	1369.6	412.5
Inner Harbor/Federal Hill	343.3	336.7	258.7	326.7	68.0	1298.0	1245.0	1046.4	1311.3	264.9
Lauraville	422.9	401.1	321.2	372.1	50.8	1547.7	1527.6	1216.1	1477.4	261.3
Loch Raven	336.8	342.1	272.6	346.0	73.4	1263.5	1184.1	895.3	1075.8	180.5
Madison/East End	504.2	491.6	382.4	474.8	92.4	1578.9	1368.4	1157.9	1578.9	421.1
Medfield/Hampden/Woodberry/Remington	414.6	405.0	316.9	399.2	82.3	1041.3	1052.3	854.0	1016.5	162.5
Midtown	362.6	355.4	276.7	347.0	70.4	1058.8	983.2	764.7	1126.1	361.3
Midway/Coldstream	448.8	422.9	328.7	397.0	68.3	1657.1	1866.7	1390.5	1771.4	381.0
Morrell Park/Violetville	458.3	488.6	384.2	429.7	45.5	907.8	912.6	737.9	898.1	160.2
Mt. Washington/Coldspring	283.7	257.9	212.0	260.7	48.7	1562.0	1532.8	1226.3	1591.2	365.0
North Baltimore/Guilford/Homeland	219.2	209.9	159.8	193.5	33.8	1272.1	1236.7	932.9	1116.6	183.7
Northwood	283.2	284.3	222.9	301.6	78.7	1297.6	1365.9	1034.1	1356.1	322.0
Oldtown/Middle East	296.4	335.5	292.6	404.5	111.8	1155.2	1206.9	896.6	1103.4	206.9
Orangeville/East Highlandtown	409.1	383.1	307.4	404.8	97.4	1642.1	1578.9	1273.7	1526.3	252.6
Patterson Park North & East	444.7	421.9	330.4	404.1	73.7	1655.7	1590.2	1229.5	1393.4	163.9
Penn North/Reservoir Hill	477.5	444.2	341.5	418.5	77.0	1280.7	1368.4	1175.4	1421.1	245.6
Pimlico/Arlington/Hilltop	423.3	413.4	331.0	422.2	91.3	1446.4	1482.1	1232.1	1562.5	330.4
Poppleton/The Terraces/Hollins Market	574.0	514.8	405.5	478.4	72.9	1611.1	1666.7	1055.6	1500.0	444.4
Sandtown-Winchester/Harlem Park	483.8	466.5	380.4	430.7	50.4	1243.0	1282.9	1027.9	1131.5	103.6
South Baltimore	470.3	465.9	329.7	360.4	30.8	1761.2	1850.7	1582.1	1850.7	268.7
Southeastern	380.8	389.8	308.8	365.8	57.0	1323.3	1172.9	992.5	1293.2	300.8
Southern Park Heights	454.8	429.8	334.9	417.9	83.1	1536.2	1536.2	1260.9	1536.2	275.4
Southwest Baltimore	481.6	473.9	372.2	471.3	99.2	1333.3	1315.8	1052.6	1307.0	254.4
The Waverlies	378.7	383.2	326.5	405.9	79.4	1346.9	1265.3	1040.8	1346.9	306.1
Upton/Druid Heights	515.0	489.3	395.3	485.0	89.7	1607.1	1607.1	1250.0	1375.0	125.0
Washington Village/Pigtown	547.3	577.1	482.6	537.3	54.7	1377.8	1333.3	977.8	1288.9	311.1
Westport/Mt. Winans/Lakeland	351.0	453.4	446.1	431.4	-14.6	1254.9	1294.1	1254.9	1176.5	-78.4
Baltimore City	393.7	373.8	303.4	379.4	76.0	1315.0	1231.5	1036.5	1300.9	264.3

1 For more information on these indicators please visit <http://www.bniajfi.org>.

Children and Family Health: Built Environment and Food Security

Community Statistical Area (CSA)	Liquor Outlet density (per 1,000 Residents)					Fast Food Outlet Density (per 1,000 Residents)			Healthy Food Availability Index
	2011	2012	2013	2014	Change (13-14)	2011	2013	Change (11-13)	2012
Allendale/Irvington/S. Hilton	0.9	0.9	0.6	0.7	0.1	0.6	0.8	0.2	7.8
Beechfield/Ten Hills/West Hills	0.2	0.1	0.1	0.1	0.0	0.7	0.7	0.1	15.6
Belair-Edison	1.1	0.7	0.5	0.4	-0.1	1.0	0.9	-0.1	10.3
Brooklyn/Curtis Bay/Hawkins Point	2.4	1.4	1.3	1.3	0.0	0.8	0.9	0.1	8.6
Canton	7.5	4.9	4.3	4.1	-0.2	1.1	1.2	0.1	16.9
Cedonia/Frankford	1.0	0.8	0.6	0.7	0.1	0.8	0.9	0.1	12.3
Cherry Hill	0.2	0.1	0.1	0.1	0.0	0.7	1.0	0.2	8.8
Chinquapin Park/Belvedere	2.6	0.8	1.3	0.6	-0.6	0.4	0.8	0.4	15.3
Claremont/Armistead	1.3	0.9	1.1	0.9	-0.2	0.9	1.1	0.2	7.4
Clifton-Berea	2.6	1.7	1.9	1.4	-0.5	0.9	1.4	0.5	8.8
Cross-Country/Cheswolde	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dickeyville/Franklinton	0.2	0.2	0.2	0.0	-0.2	0.2	0.0	-0.2	0.0
Dorchester/Ashburton	0.3	0.3	0.2	0.2	0.0	0.8	1.0	0.3	10.0
Downtown/Seton Hill	25.8	8.5	7.9	7.3	-0.6	22.3	25.6	3.3	6.7
Edmondson Village	0.8	0.1	0.4	0.1	-0.3	0.1	0.1	0.0	6.4
Fells Point	10.5	4.1	4.1	4.4	0.3	1.9	2.2	0.3	10.2
Forest Park/Walbrook	0.7	0.5	0.5	0.4	-0.1	0.3	0.4	0.1	7.8
Glen-Fallstaff	0.7	0.4	0.3	0.5	0.1	1.9	2.3	0.3	10.3
Greater Charles Village/Barclay	2.2	1.2	0.9	1.1	0.2	2.1	1.8	-0.4	15.3
Greater Govans	0.4	0.4	0.3	0.3	0.0	0.4	0.7	0.3	8.9
Greater Mondawmin	1.0	0.6	0.4	0.4	0.0	1.8	1.7	-0.1	14.0
Greater Roland Park/Poplar Hill	1.6	0.3	0.4	0.3	-0.1	0.7	0.8	0.1	11.8
Greater Rosemont	1.4	1.0	0.9	0.9	0.1	1.4	1.4	0.0	6.9
Greenmount East	2.4	2.0	1.6	1.6	0.0	1.4	0.8	-0.5	9.6
Hamilton	1.8	0.5	1.2	0.5	-0.7	0.8	0.9	0.2	8.8
Harbor East/Little Italy	12.0	3.3	2.8	2.8	0.0	3.0	3.1	0.2	11.8
Harford/Echodale	0.7	0.7	0.3	0.7	0.4	0.6	0.6	0.0	9.9
Highlandtown	8.1	5.2	4.8	4.8	0.0	2.3	1.9	-0.4	13.9
Howard Park/West Arlington	0.6	0.3	0.2	0.2	0.0	0.9	0.7	-0.2	10.2
Inner Harbor/Federal Hill	11.5	2.6	3.3	2.5	-0.8	4.2	4.4	0.2	12.4
Lauraville	1.4	0.6	0.7	0.5	-0.2	0.6	0.7	0.2	11.5
Loch Raven	0.5	0.1	0.2	0.2	0.0	0.3	0.3	0.0	15.3
Madison/East End	2.6	1.5	1.7	1.3	-0.4	4.6	5.0	0.4	10.1
Medfield/Hampden/Woodberry/Remington	2.8	1.2	1.0	1.0	0.0	1.0	1.0	0.0	10.4
Midtown	5.5	1.9	1.9	1.8	-0.1	2.1	2.6	0.5	13.0
Midway/Coldstream	1.8	1.6	1.2	1.4	0.1	2.1	2.4	0.3	8.0
Morrell Park/Violetville	1.7	1.2	1.1	0.9	-0.2	1.1	1.7	0.6	10.4
Mt. Washington/Coldspring	1.7	0.4	0.2	0.4	0.2	0.2	1.0	0.8	24.8
North Baltimore/Guilford/Homeland	0.6	0.3	0.1	0.3	0.2	1.0	0.7	-0.3	7.5
Northwood	0.2	0.1	0.1	0.1	0.0	0.4	0.4	0.0	8.9
Oldtown/Middle East	1.3	0.4	0.8	0.5	-0.3	3.1	4.1	1.0	8.4
Orangeville/East Highlandtown	5.3	2.8	3.2	2.5	-0.7	1.9	2.5	0.7	8.6
Patterson Park North & East	1.9	1.4	1.2	1.2	0.0	0.8	1.3	0.5	12.7
Penn North/Reservoir Hill	1.6	0.7	0.9	0.6	-0.3	0.3	0.7	0.4	7.0
Pimlico/Arlington/Hilltop	1.4	1.0	0.8	0.7	-0.2	1.6	2.1	0.5	9.8
Poppleton/The Terraces/Hollins Market	3.3	1.8	2.0	1.4	-0.6	3.9	2.4	-1.6	8.5
Sandtown-Winchester/Harlem Park	1.9	1.5	1.3	1.4	0.1	1.0	1.3	0.3	9.4
South Baltimore	2.5	3.6	2.0	3.3	1.2	0.7	1.3	0.5	18.1
Southeastern	3.7	2.4	2.6	2.6	0.0	0.8	1.8	1.0	7.2
Southern Park Heights	1.1	0.8	0.7	0.6	-0.1	0.8	0.5	-0.2	11.7
Southwest Baltimore	3.2	2.6	2.2	2.1	-0.1	2.2	2.3	0.2	10.3
The Waverlies	1.7	0.6	1.2	0.5	-0.6	0.6	1.5	0.9	15.1
Upton/Druid Heights	1.3	1.0	0.7	0.8	0.1	1.8	1.9	0.1	9.8
Washington Village/Pigtown	4.7	3.1	2.4	1.6	-0.7	2.2	2.9	0.7	9.8
Westport/Mt. Winans/Lakeland	1.7	0.8	0.8	0.8	0.0	2.2	2.1	-0.1	14.4
Baltimore City	2.3	1.2	1.1	1.1	-0.1	1.4	1.5	0.2	10.3

¹ For more information on these indicators please visit <http://www.bnaijfi.org>.

Children and Family Health: Social Assistance Programs

Community Statistical Area (CSA)	Percent of Families Receiving TANF				
	2011	2012	2013	2014	Change (13-14)
Allendale/Irvington/S. Hilton	10.2	12.5	11.1	10.9	-0.2
Beechfield/Ten Hills/West Hills	4.5	5.8	4.8	5.4	0.6
Belair-Edison	10.1	11.1	10.1	10.1	-0.0
Brooklyn/Curtis Bay/Hawkins Point	13.8	14.8	14.8	12.9	-1.8
Canton	1.4	0.9	0.6	0.8	0.2
Cedonia/Frankford	8.5	10.5	7.9	7.8	-0.1
Cherry Hill	21.9	23.5	21.3	19.9	-1.5
Chinquapin Park/Belvedere	5.6	7.3	5.6	5.5	-0.1
Claremont/Armistead	7.9	7.7	7.0	8.1	1.1
Clifton-Berea	21.0	25.3	24.1	27.0	2.9
Cross-Country/Cheswolde	0.8	1.7	1.4	1.0	-0.4
Dickeyville/Franklintown	7.9	7.7	7.5	5.8	-1.7
Dorchester/Ashburton	6.3	8.3	7.1	7.4	0.3
Downtown/Seton Hill	6.7	6.9	5.7	10.5	4.8
Edmondson Village	12.0	13.4	11.5	11.1	-0.4
Fells Point	1.6	1.2	1.0	1.1	0.1
Forest Park/Walbrook	8.8	11.3	9.9	10.8	0.9
Glen-Fallstaff	3.3	4.7	4.1	3.9	-0.2
Greater Charles Village/Barclay	8.2	10.5	9.2	9.4	0.1
Greater Govans	8.4	10.2	10.2	9.8	-0.4
Greater Mondawmin	11.4	12.7	12.2	13.3	1.1
Greater Roland Park/Poplar Hill	0.3	0.3	0.2	0.1	-0.1
Greater Rosemont	16.0	18.4	16.1	21.0	4.9
Greenmount East	20.1	22.9	20.6	23.9	3.4
Hamilton	3.5	4.4	4.1	3.3	-0.8
Harbor East/Little Italy	14.8	12.8	14.1	15.4	1.3
Harford/Echodale	4.3	4.1	3.5	4.0	0.5
Highlandtown	3.9	3.2	3.0	3.3	0.2
Howard Park/West Arlington	5.1	6.0	5.7	4.6	-1.1
Inner Harbor/Federal Hill	2.8	3.6	2.6	1.6	-0.9
Lauraville	4.2	5.0	4.0	4.6	0.6
Loch Raven	3.9	5.3	4.4	3.8	-0.6
Madison/East End	24.7	26.9	26.5	29.1	2.6
Medfield/Hampden/Woodberry/Remington	2.7	2.3	2.1	1.7	-0.4
Midtown	5.3	6.9	6.0	4.3	-1.7
Midway/Coldstream	15.4	18.5	16.2	17.4	1.2
Morrell Park/Violetville	3.3	4.1	3.4	4.5	1.1
Mt. Washington/Coldspring	0.3	0.3	0.4	0.2	-0.2
North Baltimore/Guilford/Homeland	0.8	0.7	0.6	0.5	-0.1
Northwood	5.7	6.6	6.5	4.9	-1.6
Oldtown/Middle East	19.9	24.7	19.8	21.0	1.2
Orangeville/East Highlandtown	4.3	6.6	5.8	5.3	-0.4
Patterson Park North & East	9.5	11.3	8.8	9.4	0.7
Penn North/Reservoir Hill	18.8	23.1	18.5	16.5	-2.0
Pimlico/Arlington/Hilltop	11.8	12.7	10.9	13.0	2.1
Poppleton/The Terraces/Hollins Market	17.6	26.1	23.8	22.6	-1.1
Sandtown-Winchester/Harlem Park	22.3	25.0	23.8	24.2	0.4
South Baltimore	1.6	1.2	0.8	0.5	-0.3
Southeastern	7.4	8.8	8.0	7.8	-0.2
Southern Park Heights	14.1	17.5	16.0	13.5	-2.5
Southwest Baltimore	19.7	23.5	21.5	22.7	1.1
The Waverlies	11.8	12.0	11.3	9.8	-1.6
Upton/Druid Heights	23.8	27.6	23.8	24.8	0.9
Washington Village/Pigtown	9.3	13.1	11.0	14.0	3.0
Westport/Mt. Winans/Lakeland	10.8	12.9	11.7	12.0	0.3
Baltimore City	9.4	11.0	9.8	9.7	-0.1

¹ For more information on these indicators please visit <http://www.bniajfi.org>.