

Census
Demographics

Housing and
Community
Development

Children
and Family
Health

SPRING 2017
VITAL SIGNS 15

Crime and
Safety

Measuring Progress Toward
a Better Quality of Life in
Every Neighborhood

Workforce and
Economic
Development

Education
and Youth

Arts and
Culture

Sustainability




BNIA
BALTIMORE NEIGHBORHOOD
INDICATORS ALLIANCE
Jacob France Institute

ub UNIVERSITY
OF BALTIMORE



BNIA

BALTIMORE NEIGHBORHOOD
INDICATORS ALLIANCE

Jacob France Institute

ub UNIVERSITY
OF BALTIMORE

VITAL SIGNS 15 IS MADE POSSIBLE
BY THE GENEROUS SUPPORT OF:



THE ANNIE E. CASEY
FOUNDATION

VITAL SIGNS 15 IS ALSO SUPPORTED BY:



T.RowePrice®
INVEST WITH CONFIDENCE

funding provided by
**T. ROWE PRICE
FOUNDATION, INC.**

BNIA-JFI would like to thank the following: **University of Baltimore, Jacob France Institute, Merrick School of Business, and BNIA-JFI Steering Committee Members** and organizations who generously provided Data Stories.

BNIA-JFI Staff who contributed to *Vital Signs 15*:

Seema Iyer, PhD, Associate Director, Jacob France Institute

Amanda Davis, PhD, Research Associate

Cheryl Knott, GIS Analyst

Nancy Jones, Data Manager

Alison Howland, Research Assistant

Christine Hwang, Research Assistant

Carlos Kaparti, Developer

Alange' Jacobs, Student Assistant

William Pierre, Student Assistant

David Carpenter, Web Developer

Design assistance by **Zak Bickel**

Infographics by **Smile Indias**

Photos courtesy of baltophoto.org and pixabay.com
Licensed under Creative Commons Zero (CC0)

Healthy children and families are the cornerstone of good quality of life in neighborhoods, and research has provided growing evidence that the places where we live, work and play every day significantly impact the ability to lead a healthy lifestyle. The differences by neighborhood are most dramatically evident in the ultimate quality of life indicator, which is life expectancy. Among neighborhoods in Baltimore, there is as wide as a 20-year difference from the highest to the lowest levels of life expectancy.¹

To address these health disparities and increase more equitable health outcomes in all neighborhoods, the Baltimore City Health Department released Healthy Baltimore 2020² in 2016. Key strategic areas of the plan include behavioral health, violence prevention, chronic disease, and life course and core services. In addition to these initiatives, Baltimore City has also had a long-term strategy to improve birth outcomes³ coordinated by the *B'More for Healthy Babies initiative*. Baltimore has also become a leader for addressing food insecurity with the establishment of the Baltimore Food Policy Initiative to ensure healthy food availability in all neighborhoods.

Data

Vital Signs 15 tracks many indicators identified by these initiatives as key to achieving greater health equity for Baltimore's residents across all neighborhoods. In order to ensure consistent communication of health-related data to Baltimore communities, analysis of indicators in this chapter has been closely coordinated with the Baltimore City Health Department.

Children & Family Health data for *Vital Signs 15* indicators come from several sources. State sources include the Maryland Department of Vital Statistics, Maryland Department of the Environment, and Maryland Department of Human Resources. City sources include Baltimore City Health Department, Baltimore City Liquor Board, and research partners at the Johns Hopkins Center for a Livable Future. Indicators are created by

normalizing data by the number of residents in a given area. This will reflect the concentration of an indicator within an area, and allow for comparison across neighborhoods and over time. *Vital Signs 14* includes eighteen indicators for Community Statistical Areas⁴ (CSAs) designed to track the health of adults, children, and infants in Baltimore City and its neighborhoods. These indicators are grouped into the following categories: *birth outcomes; life expectancy and mortality; lead poisoning; built environment and food security; and social assistance programs.*

- 1 The Neighborhood Health Profiles bring together data about major health outcomes and present them for each of 55 Community Statistical Areas in the City of Baltimore. <http://health.baltimorecity.gov/neighborhood-health-profile-reports>
- 2 Healthy Baltimore 2020: A Blueprint for Health (2016) <https://www.hb2020.com/>
- 3 Strategy to Improve Birth Outcomes in Baltimore City (2009) <http://www.healthybabiesbaltimore.com/uploads/file/pdfs/SIBO%20Strategy%202009.pdf>
- 4 CSAs are groups of census tracts that correspond to neighborhoods which vary in size. See *Vital Signs 14* Introduction.

Birth Outcomes⁵

Vital Signs 15 tracks four birth outcome indicators for Baltimore's Community Statistical Areas (CSAs): *teen birth rate*; *percent of births delivered at term*; *percent of babies born with satisfactory birth weight*; and *percent of births where the mother received early prenatal care*.


- Baltimore City's teen birth rate (the number of girls aged 15-19 who have given birth per 1,000 females aged 15-19) has continued to decrease over the past several years and declined further from 33.8 in 2014 to 29.2 in 2015. From 2014 to 2015, the teen birth rate declined in 27 CSAs, remained the same in 9 CSAs, and increased in 17 CSAs. In 2015, the CSAs with the highest teen birth rates were Orangeville/East Highlandtown (126.3), Morrell Park/Violetville (73.9), and Highlandtown (69.0). Four CSAs with zero teen births are Canton, Greater Roland Park/Poplar Hill, Mount Washington/Coldspring, and South Baltimore.
- The percentage of births that were delivered at term (at least 37 weeks gestation) in Baltimore City decreased from 87.3% in 2014 to 86.7% in 2015. In 2015, the CSAs with the highest percentage of births at term were Cross-Country/Cheswolde (95.6%) and Loch Raven (94.2%). The CSAs with the lowest percentage of births at term occurred in Cherry Hill (76.2%), Greenmount East (80.0%), and Sandtown-Winchester/Harlem Park (80.1%).

- The percentage of births where the child was of satisfactory weight (at least 5.5lbs) in Baltimore City decreased from 88.5% in 2014 to 87.5% in 2015. In 2015, the CSAs with the highest percentage of births with satisfactory birth weight were Greater Roland Park/Poplar Hill (98.0%) and Cross-Country/Cheswolde (95.9%); the CSA with the lowest percentage of births with satisfactory birth weight was Brooklyn/Curtis Bay/Hawkins Point (79.2%).
- The percentage of births where the mother received early prenatal care (early being care that began in the first trimester) in Baltimore City increased from 48.5% in 2014 to 50.4% in 2015. In 2015, the CSAs with the highest percentage of births where the mother received early prenatal care were Canton (81.6%) and Mount Washington/Coldspring (74.6%). The CSAs with the lowest percentages of mothers received early prenatal care included Southeastern (33.6%), Greater Rosemont (36.6%), and Southwest Baltimore (37.3%).

Life Expectancy and Mortality⁶

Life expectancy (how long one might expect to live) and mortality rates (chances of dying) are fundamental health outcomes that are increasingly correlated with other indicators about a person's neighborhood. *Vital Signs 15* reports life expectancy at birth and mortality rates for five age categories. These two indicators are inversely

Teen Birth Rate, 2015



⁵ Birth outcome data comes from the Maryland Department of Vital Statistics
⁶ Data and methodology provided by the Baltimore City Department of Health

related; CSAs with low life expectancy have high rates of mortality in the younger age categories.

- In 2015, the life expectancy at birth in Baltimore City was 73.3 years. The CSAs with the highest life expectancy were Cross-Country/Cheswolde (87.1 years), North Baltimore/Guilford/Homeland (84.0 years), and Greater Roland Park/Poplar Hill (83.9 years). The CSAs with the lowest life expectancy were Clifton-Berea (66.9 years), Downtown/Seton Hill (67.5 years), and Greenmount East (68.0 years).
- The infant mortality rate measures the average number of deaths over a 5-year period in persons under the age of one per 1,000 live births. From 2011-2015, the infant mortality rate was 9.9 per 1,000 live births in Baltimore City. The CSAs with the highest infant mortality rate were Pimlico/Arlington/Hilltop (20.0), Cherry Hill (18.8), and Harbor East/Little Italy (16.7). Mt. Washington/Coldspring experienced an infant mortality rate of zero.
- From 2011-2015, Baltimore City's age-specific mortality rate for persons aged 1-14 was 2.2 per 10,000 persons. There were 16 CSAs with zero deaths of persons in this age group. The CSAs with the highest mortality rates were Downtown/Seton Hill (15.5) and Midway/Coldstream (7.4).
- From 2011-2015, Baltimore City's age-specific mortality rate for persons aged 15-24 was 10.8 per 10,000 persons. Greater Roland Park/

Indicators	Lowest Rate	Baltimore City Rate	Highest Rate
Infant Mortality	0.0 Mt. Washington/Coldspring	9.9	20.0 Pimlico/Arlington/Hilltop
Mortality by Age (1-14 years old)	0.0 16 CSAs	2.2	15.5 Downtown/Seton Hill
Mortality by Age (15-24 years old)	0.0 Greater Roland Park/Poplar Hill	10.8	30.6 Pimlico/Arlington/Hilltop
Mortality by Age (25-44 years old)	4.3 Greater Roland Park/Poplar Hill	24.1	55.9 Clifton-Berea
Mortality by Age (45-64 years old)	34.1 Greater Roland Park/Poplar Hill	119.2	198.9 Poppleton/The Terraces/Hollins Market
Mortality by Age (65-84 years old)	177.4 Cross-Country/Cheswolde	379.4	648.4 Downtown/Seton Hill
Mortality by Age (85 and over)	765.1 Cross-Country/Cheswolde	1,315.6	2,000.0 Midway/Coldstream

Poplar Hill experienced a mortality rate of zero for this age group. The CSAs with the highest rates were Pimlico/Arlington/Hilltop (30.6) and Harbor East/Little Italy (23.1).

- From 2011-2015, Baltimore City's age-specific mortality rate for persons aged 25-44 was 24.1 per 10,000 persons, with Greater Roland Park/Poplar Hill (4.3) and Canton (4.7) reporting the lowest rates. The CSAs with the highest rates were Clifton-Berea (55.9) and Southwest Baltimore (48.9).
- From 2011-2015, Baltimore City's age-specific mortality rate for persons aged 45-64 was 119.2 per 10,000 persons. The CSAs with the highest rates were Poppleton/The Terraces/Hollins Market (198.9), Clifton-Berea (198.6), and Downtown/Seton Hill (177.8). The CSAs with

the lowest rates were Greater Roland Park/Poplar Hill (34.1), Mt. Washington/Coldspring (43.8), and Cross-Country/Cheswolde (45.8).

- From 2011-2015, Baltimore City's age-specific mortality rate for persons aged 65-84 was 379.8 per 10,000 persons. The CSAs with the highest rates were Downtown/Seton Hill (648.4) and Clarendon/Armistead (568.6). The CSAs with the lowest rates were Cross-Country/Cheswolde (177.4) and North Baltimore/Guilford/Homeland (196.6).
- From 2011-2015, Baltimore City's age-specific mortality rate for persons 85 and over was 1,315.6 per 10,000 persons. The CSAs with the highest rates were Midway/Coldstream (2,000.0) and Downtown/Seton Hill (1,923.1). The CSAs with the lowest rates

were Cross-Country/Cheswolde (765.1), Morrell Park/Violetville (946.6), and Medfield/Hampden/Woodberry/Remington (991.7).

Lead Poisoning⁷

Although lead-based paint has been banned in the United States since 1978, many Baltimore homes were constructed prior to the ban and continue to contain paint and other sources of lead toxic to human health. When human blood lead levels are high, it can affect many organs and tissues including heart, kidneys, bones, and the nervous system. In children, elevated levels of lead in the blood can lead to permanent learning and behavior disorders. Baltimore has been a leader for remediating the effects of lead poisoning through organizations such as the Green & Healthy Homes Initiative.⁸

- From 2014 to 2015, the total number of children between the ages of 0 and 6 tested for elevated levels of lead in their blood decreased by 4.1%, from 17,961 to 17,222.⁹ In 2015, the greatest number of children tested for elevated blood lead were in Cross-Country/Cheswolde (425 children), Brooklyn/Curtis Bay/Hawkins Point (299 children), and Loch Raven (287 children).
- From 2014 to 2015, the percent of children age 0-6 tested and identified with elevated blood lead levels increased slightly from 1.1% to 1.2%. Of the 47 CSAs that reported

having children tested for elevated levels of blood lead in 2015, only 4 CSAs had children found to have elevated blood lead levels: Southwest Baltimore (8.3%), Dorchester/Ashburton (6.5%), Greenmount East (6.3%) and Midway/Coldstream (5.0%).

Built Environment and Food Security

A neighborhood's built environment (buildings, streets, parks, etc) provide the context for human activity and can directly or indirectly impact the ability of residents to live healthy lives. *Vital Signs 15* tracks the density of off-premise liquor outlets¹⁰ and two indicators of healthy food availability in coordination with the Johns Hopkins Center for Livable Future.

- Between 2014 and 2015, the density of off-premise liquor outlets in Baltimore City, where alcohol can be taken out of the establishment that sells it, remained the same at 1.1 per 1,000 persons. The density of these stores decreased in 24 CSAs. The highest density of liquor stores was in Downtown/Seton Hill (7.3 per 1,000 persons) and Highlandtown (5.0 per 1,000 persons). There were zero liquor stores in Cross-Country/Cheswolde and Dickeyville/Franklintown.

The Johns Hopkins Center for Livable Future

(CLF) has been mapping¹¹ and conducting primary research on food security and accessibility in Baltimore for many years. CLF prepared community-based indicator on fast food/prepared-food and average healthy food availability index (see *Data Story*).

- From 2012 to 2015, the average healthy food availability index for Baltimore City declined from 10.3 to 9.4. The CSAs with the highest average healthy food availability index ranking were Mt. Washington/Coldspring (28.5), Canton (15.2), and South Baltimore (14.0). The CSAs with the lowest average healthy food availability index ranking included Cross-Country/Cheswolde (0.0) Dickeyville/Franklintown (2.0), and Claremont/Armistead (6.6).
- From 2011 to 2013, the density of fast or prepared food in Baltimore increased from 1.4 stores per 1,000 residents to 1.5 stores per 1,000 residents. In 2013, the CSAs with the highest density of fast food outlets per 1,000 residents were Downtown/Seton Hill (25.6), Madison/East End (5.0), and Inner Harbor/Federal Hill (4.4). Twenty-two CSAs had less than 1.0 fast food outlets per 1,000 residents. The CSAs with the lowest density of fast food outlets per 1,000 residents included Cross-Country/Cheswolde (0.0), Dickeyville/Franklintown (0.0) and Edmonson Village (0.1).

⁷ The number of children 0 to 6 years old that are tested for elevated levels of blood lead are reported by the Maryland Department of the Environment Lead Poisoning Prevention Program <http://www.mde.state.md.us/programs/land/Pages/index.aspx>

⁸ Green & Healthy Homes Initiative <http://www.greenandhealthyhomes.org/>

⁹ Due to either non-reporting lead testing for census tracts with low numbers (8,475 children are in census tracts with < 5) or no information on the location of children tested (1,663 children are in unknown census tracts), only 2/3 of the total citywide number of children tested are available at the CSA-level.

¹⁰ Rachel L. Johnson Thornton, et al (2011). Zoning for a Healthy Baltimore: A Health Impact Assessment of the Transform Baltimore Comprehensive Zoning Code Rewrite.

¹¹ The Maryland Food System Map is a project of the Johns Hopkins Center for a Livable Future and is available at <http://mdfoodsystemmap.org/>


Data Story: Health Food Availability Index

The Baltimore City Healthy Food

Availability Index (HFAI) score is a quantitative depiction of the availability of healthy and whole food in supermarkets, small groceries & corner stores, convenience stores and other stores that sell food. This score can be used to evaluate individual stores as well as provide a means through which healthy food availability can be compared between stores.

The Johns Hopkins Center for a Livable Future (CLF) calculated HFAI scores for all food stores in Baltimore, in summer 2016, using an adapted version of the NEMS-S (Nutrition Environment Measures Survey in Stores) tool. The NEMS-S tool was developed by researchers at the Rollins School of Public Health at Emory University to measure the nutritional environment of food retail stores and was designed to assess healthy food availability in grocery and convenience stores. The survey looks for the presence of basic food groups and healthy options within those groups, such as milk, and low fat milk as the healthy option. CLF primarily uses HFAI scores in its analysis of the Baltimore City Food Environment Map¹; however, an average HFAI score for each Community Statistical Area (CSA) in Baltimore has been calculated for Vital Signs. This analysis shows that HFAI scores are fairly evenly distributed across the city. The CSAs with the lowest HFAI averages are in western Baltimore City including Dickeyville/Franklintown, Edmondson Village and Penn North/Reservoir Hill.

Average Healthy Food Availability Index, 2015



¹ To access the map, visit <http://mdfoodsystemmap.org/2015-baltimore-city-food-access-map/>


Social Assistance Programs¹²

Baltimore residents have access to several federal programs aimed at assisting people during times of financial distress. The uptake of these programs ebbs and flows with economic cycles but also varies by neighborhoods in the City. *Vital Signs 15* tracks Temporary Assistance to Needy Families (TANF) a program administered through the Maryland Department of Human Resources.

- Between 2014 and 2015, the percent of families in Baltimore City received TANF support at some point during the year decreased from 9.7% to 8.7%. The percent of TANF recipients decreased in 43 CSAs. The CSAs with the highest percentage of families receiving TANF were Poppleton/The Terraces/Hollins Market (24.3), Madison/East End (22.6%), Clifton-Berea (21.9%), and Upton/Druid Heights (21.3%). The CSAs with the lowest percentage included Greater Roland Park/Poplar Hill (0.1%), and South Baltimore (0.4%).

¹² Source of data is the Maryland Department of Human Resources through a data sharing agreement with the Jacob France Institute. Research has shown that administrative records yield significantly higher counts of participation in government safety-net programs compared with survey (Census) estimates. Lynch et al (2008) "Differences in Estimates of Public Assistance Reciprocity Between Surveys and Administrative Records" www.ubalt.edu/jfi/jfi/reports/TANFJan2008.pdf

**Children and
Family Health:**
Indicator Definitions
and Rankings



For each indicator reported in *Vital Signs 14*, we provide the data source, the years — for which it is reported, and the five CSAs with the highest and lowest values for the indicator; these may not correspond to positive or negative trends.

Birth Outcome Indicators

Teen Pregnancy Rate

Measure of birth among young persons.

Definition: The rate of female teens aged 15–19 that gave birth per 1,000 females aged 15–19.
(MARYLAND DEPARTMENT OF VITAL STATISTICS, 2010, 2011, 2012, 2013, 2014, 2015; U.S. CENSUS, 2010)

Five Highest:

1. Orangeville/East Highlandtown
2. Morrell Park/Violetville
3. Highlandtown
4. Patterson Park North & East
5. Pimlico/Arlington/Hilltop

Five Lowest:

- One CSA did not have any teenage births in 2012: Canton
2. North Baltimore/Guilford/Homeland
 3. Midtown
 4. Greater Charles Village/Barclay
 5. Cross-Country/Cheswolde

Percent of Births Delivered at Term

Measures the portion of births that are considered to be full-term and likely to result in a healthier baby.

Definition: The percentage of births delivered at term measures the percentage of births in a calendar year where the baby is delivered between 37 and 42 weeks of gestation.

(MARYLAND DEPARTMENT OF VITAL STATISTICS 2010, 2011, 2012, 2013, 2014, 2015)

Five Highest:

1. Cross-Country/Cheswolde
2. Loch Raven
3. North Baltimore/Guilford/Homeland
4. Inner Harbor/Federal Hill
5. Greater Roland Park/Poplar Hill

Five Lowest:

1. Cherry Hill
2. Greenmount East
3. Sandtown-Winchester/Harlem Park
4. Howard Park/West Arlington
5. Oldtown/Middle East

Percent of Babies Born with a Satisfactory Birth Weight

Measure of babies born at a healthy weight.

Definition: The percentage of children born with a birth weight of at least 5 ½ pounds out of all births in the area.

(MARYLAND DEPARTMENT OF VITAL STATISTICS 2010, 2011, 2012, 2013, 2014, 2015)

Five Highest:

1. Greater Roland Park/Poplar Hill
2. Cross-Country/Cheswolde
3. North Baltimore/Guilford/Homeland
4. Canton
5. South Baltimore

Five Lowest:

1. Brooklyn/Curtis Bay/Hawkins Point
2. Howard Park/West Arlington
3. Cherry Hill
4. Greenmount East
5. Sandtown-Winchester/Harlem Park

Lead Poisoning Indicators

Percent of Births where the Mother Received Early Prenatal Care

Measure of healthy pregnancies and healthy babies.

Definition: The percentage of births where the mother received prenatal care during the first trimester of the pregnancy in a calendar year out of all births within an area. This information is calculated by the Vital Statistics registration information collected from each live birth.

(SOURCE: MARYLAND DEPARTMENT OF VITAL STATISTICS 2010, 2011, 2012, 2013, 2014, 2015)

Five Highest:

1. Canton
1. Mount Washington/Coldspring
1. Greater Roland Park/Poplar Hill
1. South Baltimore
2. Inner Harbor/Federal Hill

Five Lowest:

1. Southeastern
2. Greater Rosemont
3. Southwest Baltimore
4. Southern Park Heights
5. Pimlico/Arlington/Hilltop

Number of Children Tested for Elevated Blood Lead Levels

Measure of child testing for the potential of elevated blood lead levels.

Definition: This indicator reflects the total number of children aged 0-6 who are tested for the presence of blood lead in a calendar year.

(SOURCE: MARYLAND DEPARTMENT OF THE ENVIRONMENT, LEAD POISONING PREVENTION PROGRAM, 2010, 2011, 2012, 2013, 2014, 2015)

Five Highest:

1. Cross-Country/Cheswolde
2. Brooklyn/Curtis Bay/Hawkins Point
3. Loch Raven
4. Cedonia/Frankford
5. Harford/Echodale

Five Lowest:

Eight CSAs did not report in 2015

Percent of Children with Elevated Blood Lead Levels

Measure of high exposure to lead for young children.

Definition: The number of children aged 0-6 that are found to either have elevated blood lead levels ($\geq 10\text{Mg/dL}$) or lead poisoning ($\geq 20\text{Mg/dL}$) out of the number of children tested within an area in a calendar year.

(SOURCE: MARYLAND DEPARTMENT OF THE ENVIRONMENT, LEAD POISONING PREVENTION PROGRAM, 2010, 2011, 2012, 2013, 2014, 2015)

Five Highest:

1. Southwest Baltimore
2. Dorchester/Ashburton
3. Greenmount East
4. Midway/Coldstream

Five Lowest:

Forty-three CSAs had no children found to have elevated blood lead levels in 2015.

Life Expectancy and Mortality Indicators

Life Expectancy at Birth

Summarizes health over the entire lifespan.

Definition: The average number of years a newborn can expect to live, assuming he or she experiences the currently prevailing rates of death through their lifespan.

(SOURCE: VITAL STATISTICS MORTALITY DATA, 2007-2011, 2008-2012, 2009-2013, 2011-2015; ANALYSIS BY: BALTIMORE CITY HEALTH DEPARTMENT)

Five Highest:

1. CCross-Country/Cheswolde
2. North Baltimore/Guilford/Homeland
3. Greater Roland Park/Poplar Hill
4. Mount Washington/Coldspring
5. Glen-Fallstaff

Five Lowest:

1. Clifton-Berea
2. Downtown/Seton Hill
3. Greenmount East
4. Southwest Baltimore
5. Upton/Druid Heights

Infant Mortality

Measure of death rate in persons under one year of age.

Definition: The number of infant deaths (babies under one year of age) per 1,000 live births within the area in a five year period. This is the most stable and commonly measured indicator of mortality in this age group.

(SOURCE: VITAL STATISTICS MORTALITY DATA, 2007-2011, 2008-2012, 2009-2013, 2011-2015; ANALYSIS BY: BALTIMORE CITY HEALTH DEPARTMENT)

Five Highest:

1. Pimlico/Arlington/Hilltop
2. Cherry Hill
3. Harbor East/Little Italy
4. Greenmount East
5. Southern Park Heights

Five Lowest:

1. Mount Washington/Coldspring
2. North Baltimore/Guilford/Homeland
3. South Baltimore
4. Harford/Echodale
5. Canton

Mortality by Age (1-14 years old)

Measure of death rate for persons between one and 14 years old.

Definition: The number of deaths of persons between the ages of one and 14 per 10,000 persons within the area in a five year period.

(SOURCE: VITAL STATISTICS MORTALITY DATA, 2007-2011, 2008-2012, 2009-2013, 2011-2015; ANALYSIS BY: BALTIMORE CITY HEALTH DEPARTMENT)

Five Highest:

1. Downtown/Seton Hill
2. Midway/Coldstream
3. Greater Mondawmin
4. The Waverlies
5. Allendale/Irvington/S. Hilton

Five Lowest:

Sixteen CSAs reported zero deaths for this age in 2015.

Mortality by Age (15-24 years old)

Measure of death rate for persons
between 15 and 24 years old.

Definition: The number of deaths of persons
between the ages of 15 and 24 per 10,000
persons within the area in a five year period.

(SOURCE: VITAL STATISTICS MORTALITY
DATA, 2007-2011, 2008-2012, 2009-2013, 2011-
2015; ANALYSIS BY: BALTIMORE CITY HEALTH
DEPARTMENT)

Five Highest:

1. Pimlico/Arlington/Hilltop
2. Harbor East/Little Italy
3. Dorchester/Ashburton
4. Sandtown-Winchester/Harlem Park
5. Upton/Druid Heights

Five Lowest:

1. Greater Roland Park/Poplar Hill
2. North Baltimore/Guilford/Homeland
3. Midtown
4. Greater Charles Village/Barclay
5. South Baltimore

Mortality by Age (25-44 years old)

Measure of death rate for persons
between 25 and 44 years old.

Definition: The number of deaths of persons
between the ages of 25 and 44 per 10,000
persons within the area in a five year period.

(SOURCE: VITAL STATISTICS MORTALITY
DATA, 2007-2011, 2008-2012, 2009-2013, 2011-
2015; ANALYSIS BY: BALTIMORE CITY HEALTH
DEPARTMENT)

Five Highest:

1. Clifton-Berea
2. Southwest Baltimore
3. Pimlico/Arlington/Hilltop
4. Greenmount East
5. Greater Rosemont

Five Lowest:

1. Greater Roland Park/Poplar Hill
2. Canton
3. North Baltimore/Guilford/Homeland
4. Inner Harbor/Federal Hill
5. Cross-Country/Cheswolde

Mortality by Age (45-64 years old)

Measure of death rate for persons
between 45 and 64 years old.

Definition: The number of deaths of persons
between the ages of 45 and 64 per 10,000
persons within the area in a five year period.

(SOURCE: VITAL STATISTICS MORTALITY
DATA, 2007-2011, 2008-2012, 2009-2013, 2011-
2015; ANALYSIS BY: BALTIMORE CITY HEALTH
DEPARTMENT)

Five Highest:

1. Poppleton/The Terraces/Hollins Market
2. Clifton-Berea
3. Downtown/Seton Hill
4. Upton/Druid Heights
5. Greenmount East

Five Lowest:

1. Greater Roland Park/Poplar Hill
2. Mount Washington/Coldspring
3. Cross-Country/Cheswolde
4. North Baltimore/Guilford/Homeland
5. Fells Point

Mortality by Age (65-84 years old)

Measure of death rate for persons
between 65 and 84 years old.

Definition: The number of deaths of persons
between the ages of 65 and 84 per 10,000
persons within the area in a five year period.

(SOURCE: VITAL STATISTICS MORTALITY
DATA, 2007-2011, 2008-2012, 2009-2013, 2011-
2015; ANALYSIS BY: BALTIMORE CITY HEALTH
DEPARTMENT)

Five Highest:

1. Downtown/Seton Hill
2. Claremont/Armistead
3. Washington Village/Pigtown
4. Cherry Hill
5. Brooklyn/Curtis Bay/Hawkins Point

Five Lowest:

1. Cross-Country/Cheswolde
2. North Baltimore/Guilford/Homeland
3. Greater Roland Park/Poplar Hill
4. Glen-Fallstaff
5. Mount Washington/Coldspring

Mortality by Age (86 and Over)

Measure of death rate for persons
between 85 years old and above.

Definition: The number of deaths of persons 85
years and older per 10,000 persons within the
area in a five year period.

(SOURCE: VITAL STATISTICS MORTALITY
DATA, 2007-2011, 2008-2012, 2009-2013, 2011-
2015; ANALYSIS BY: BALTIMORE CITY HEALTH
DEPARTMENT)

Five Highest:

1. SMidway/Coldstream
2. Downtown/Seton Hill
3. Belair-Edison
4. Claremont/Armistead
5. South Baltimore

Five Lowest:

1. Cross-Country/Cheswolde
2. Morrell Park/Violetville
3. Medfield/Hampden/Woodberry/
Remington
4. Sandtown-Winchester/Harlem Park
5. Midtown

Social Assistance Indicators

Percentage of Families Receiving TANF

Measure of uptake of federal cash assistance.

Definition: Temporary Assistance for Needy
Families (TANF) is a federal assistance program.
The Act provides temporary financial assistance
while aiming to get people off of that assistance,
primarily through employment.

(SOURCE: MARYLAND DEPARTMENT OF HUMAN
RESOURCES, 2011, 2012, 2013, 2014, 2015; U.S.
CENSUS, 2010)

Five Highest:

1. Poppleton/The Terraces/Hollins Market
2. Madison/East End
3. Clifton-Berea
4. Upton/Druid Heights
5. Oldtown/Middle East

Five Lowest:

1. Greater Roland Park/Poplar Hill
2. South Baltimore
3. Canton
4. Fells Point
5. North Baltimore/Guilford/Homeland

Built Environment and Food Security

Liquor Outlet Density

Measures the concentration of access to off-premise liquor.

Definition: This indicator reflects the number of business establishments that possess a Class A (Off Sale package goods no on-premises consumption - 6 days, 6:00 a.m.- Midnight. No Sunday sales except Sundays between Thanksgiving Day and New Year's Day upon issuance of a special license for each Sunday) or BD7 (tavern) business license that allows them to sell beer, wine, or liquor. Other liquor licenses to restaurants or on-premise consumption were not included in this analysis. This number is provided by 1,000 residents to allow for comparison across neighborhoods.

(SOURCE: BALTIMORE CITY LIQUOR BOARD 2011, 2012, 2013, 2014, 2015 U.S. CENSUS 2010)

Five Highest:

1. Downtown/Seton Hill
2. Highlandtown
3. Canton
4. Fells Point
5. South Baltimore

Five Lowest:

1. Cross-Country/Cheswolde, Dickeyville/Franklinton
2. Beechfield/Ten Hills/West Hills
3. Northwood
3. Cherry Hill
4. Edmondson Village

Fast Food Outlet Density (From Vital Signs 13)

Measures the concentration of prepared foods (ready-made, to-go meals and snacks) locations.

Definition: The Johns Hopkins Center for a Livable Future (CLF) obtained the food permit list from the Baltimore City Health Department in August 2011, which includes all sites that sell food, such as stores, restaurants and temporary locations such as farmers' market stands and street carts. The restaurants were grouped into three categories, including full service restaurants, fast food chains and carryouts. Carryout and fast food chain restaurants were extracted from the restaurant layer and spatially joined with the 2010 Community Statistical Area (CSA) data layer, provided by BNIA-JFI. The prepared foods density, per 1,000 people, was calculated for each CSA using the CSA's population and the total number of carryout and fast food restaurants, including vendors selling prepared foods in public markets, in each CSA.

(SOURCE: BALTIMORE CITY HEALTH DEPARTMENT, 2011, 2013; ANALYSIS BY: JOHNS HOPKINS CENTER FOR A LIVABLE FUTURE)

Five Highest:

1. Downtown/Seton Hill
2. Madison/East End
3. Inner Harbor/Federal Hill
4. Oldtown/Middle East
5. Harbor East/Little Italy

Five Lowest:

1. Cross-Country/Cheswolde
2. Dickeyville/Franklinton
3. Edmondson Village
4. Loch Raven
5. Forest Park/Walbrook

Average Healthy Food Availability Index

The Baltimore City Healthy Food Availability Index (HFAI) is a quantitative depiction of the availability of healthy and whole food in supermarkets, small groceries & corner stores, convenience stores, and other stores that sell food.

Definition: The Johns Hopkins Center for a Livable Future (CLF) calculated HFAI scores for all food stores in Baltimore, in summer 2012, using an adapted version of the NEMS-S (Nutrition Environment Measures Survey in Stores) tool. The NEMS-S tool was developed by researchers at the Rollins School of Public Health at Emory University to measure the nutritional environment of food retail stores and was designed to assess healthy food availability in grocery and convenience stores. CLF obtained a food permit list from the Baltimore City Health Department in August 2011, which includes all sites that sell food, such as stores, restaurants, and temporary locations such as farmers' market stands and street carts. HFAI scores range from zero to 28.5, with higher scores indicating more availability of healthy and whole food in a food store.

(SOURCE: BALTIMORE CITY HEALTH DEPARTMENT, 2011; ANALYSIS BY: JOHNS HOPKINS CENTER FOR A LIVABLE FUTURE (CLF) 2012, 2015)


Five Highest:

1. Mt. Washington/Coldspring
2. Canton
3. South Baltimore
4. Highlandtown
5. Southeastern

Five Lowest:

1. Cross-Country/Cheswolde
2. Dickeyville/Franklintown
3. Claremont/Armistead
4. Edmondson Village
5. Greater Rosemont

**Children and
Family Health:**
Tables



Children and Family Health: Birth Outcomes

Community Statistical Area (CSA)	Teen Birth Rate						Change (14-15)
	2010	2011	2012	2013	2014	2015	
Allendale/Irvington/S. Hilton	55.0	58.1	45.9	38.2	30.6	33.6	3.1
Beechfield/Ten Hills/West Hills	42.8	21.4	42.8	29.4	18.7	37.4	18.7
Belair-Edison	67.6	56.8	58.1	33.8	45.9	28.4	-17.6
Brooklyn/Curtis Bay/Hawkins Point	111.1	94.6	63.8	52.0	49.6	54.4	4.7
Canton	46.5	23.3	0.0	46.5	0.0	0.0	0.0
Cedonia/Frankford	48.9	42.1	38.7	45.5	28.4	35.3	6.8
Cherry Hill	57.6	60.5	63.4	74.9	63.4	54.8	-8.6
Chinquapin Park/Belvedere	50.6	84.4	63.3	16.9	46.4	29.5	-16.9
Claremont/Armistead	48.9	48.9	45.1	48.9	45.1	48.9	3.8
Clifton-Berea	72.0	61.7	77.1	51.4	36.0	36.0	0.0
Cross-Country/Cheswolde	0.0	15.5	6.7	11.1	6.7	6.7	0.0
Dickeyville/Franklinton	21.1	28.2	35.2	70.4	28.2	21.1	-7.0
Dorchester/Ashburton	49.3	49.3	35.2	32.9	16.4	25.8	9.4
Downtown/Seton Hill	65.2	43.5	21.7	10.9	43.5	10.9	-32.6
Edmondson Village	89.5	64.8	49.4	52.5	24.7	34.0	9.3
Fells Point	88.9	44.4	100.0	22.2	33.3	11.1	-22.2
Forest Park/Walbrook	71.8	58.5	50.5	37.2	34.6	37.2	2.7
Glen-Fallstaff	49.5	30.5	26.7	15.2	40.0	17.1	-22.9
Greater Charles Village/Barclay	9.7	11.6	10.7	9.7	6.8	5.8	-1.0
Greater Govans	53.7	68.3	34.1	46.3	56.1	46.3	-9.8
Greater Mondawmin	42.9	32.2	41.1	21.5	16.1	16.1	0.0
Greater Roland Park/Poplar Hill	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Greater Rosemont	80.8	64.7	58.5	57.2	44.8	39.8	-5.0
Greenmount East	99.2	79.9	55.1	74.4	90.9	38.6	-52.3
Hamilton	25.3	10.5	27.4	33.7	18.9	16.8	-2.1
Harbor East/Little Italy	70.4	70.4	49.3	49.3	28.2	28.2	0.0
Harford/Echodale	15.8	45.5	29.7	23.8	23.8	31.7	7.9
Highlandtown	77.6	77.6	94.8	103.4	43.1	69.0	25.9
Howard Park/West Arlington	61.6	44.8	33.6	5.6	64.4	14.0	-50.4
Inner Harbor/Federal Hill	30.0	30.0	10.0	30.0	10.0	10.0	0.0
Lauraville	38.8	34.2	27.4	25.1	18.3	18.3	0.0
Loch Raven	57.8	31.7	18.7	24.3	22.4	26.1	3.7
Madison/East End	81.0	86.1	75.9	55.7	38.0	53.2	15.2
Medfield/Hampden/Woodberry/Remington	58.8	44.1	44.1	7.4	14.7	36.8	22.1
Midtown	8.0	4.8	4.8	3.2	6.4	3.2	-3.2
Midway/Coldstream	53.7	79.4	65.4	58.4	51.4	32.7	-18.7
Morrell Park/Violetville	78.8	14.8	39.4	34.5	49.3	73.9	24.6
Mt. Washington/Coldspring	10.9	10.9	0.0	0.0	10.9	0.0	-10.9
North Baltimore/Guilford/Homeland	3.1	1.6	0.0	0.0	0.8	0.8	0.0
Northwood	15.6	13.4	18.6	16.4	11.2	6.7	-4.5
Oldtown/Middle East	74.2	47.5	38.6	41.5	50.4	44.5	-5.9
Orangeville/East Highlandtown	106.1	111.1	45.5	90.9	65.7	126.3	60.6
Patterson Park North & East	87.1	82.1	104.5	67.2	87.1	59.7	-27.4
Penn North/Reservoir Hill	47.1	61.8	79.4	47.1	58.8	32.4	-26.5
Pimlico/Arlington/Hilltop	63.7	46.6	53.9	56.4	56.4	56.4	0.0
Poppleton/The Terraces/Hollins Market	65.5	89.3	53.6	65.5	47.6	47.6	0.0
Sandtown-Winchester/Harlem Park	69.8	61.9	73.0	46.0	60.3	39.7	-20.6
South Baltimore	0.0	30.8	15.4	46.2	15.4	0.0	-15.4
Southeastern	68.0	68.0	43.7	53.4	63.1	48.5	-14.6
Southern Park Heights	78.2	72.6	54.0	35.4	41.0	24.2	-16.8
Southwest Baltimore	82.4	75.8	66.7	60.1	35.3	37.9	2.6
The Waverlies	53.6	35.7	62.5	53.6	62.5	26.8	-35.7
Upton/Druid Heights	97.4	92.1	76.3	39.5	31.6	39.5	7.9
Washington Village/Pigtown	69.8	64.0	46.5	11.6	52.3	40.7	-11.6
Westport/Mt. Winans/Lakeland	64.9	99.2	30.5	45.8	72.5	45.8	-26.7
Baltimore City	51.1	46.6	41.5	36.1	33.8	29.2	-4.6

For more information on these indicators please visit <http://www.bniajfi.org>.

Children and Family Health: Birth Outcomes

Community Statistical Area (CSA)	Percent of Births Delivered at Term						Change (14-15)
	2010	2011	2012	2013	2014	2015	
Allendale/Irvington/S. Hilton	85.3	86.0	84.3	84.4	89.4	86.8	-2.7
Beechfield/Ten Hills/West Hills	87.5	90.6	89.5	83.7	85.9	80.6	-5.3
Belair-Edison	84.0	82.5	82.0	84.1	86.0	86.0	-0.1
Brooklyn/Curtis Bay/Hawkins Point	83.1	82.3	85.0	87.1	81.2	81.3	0.1
Canton	94.6	93.7	90.6	92.7	90.0	92.1	2.1
Cedonia/Frankford	83.8	86.3	84.8	87.8	86.3	84.8	-1.5
Cherry Hill	80.9	79.6	83.1	84.6	84.0	76.2	-7.8
Chinquapin Park/Belvedere	87.0	89.3	89.4	89.3	84.6	89.8	5.2
Claremont/Armistead	83.0	89.2	89.5	83.3	91.7	86.7	-5.1
Clifton-Berea	82.8	85.6	85.7	82.2	87.3	82.7	-4.6
Cross-Country/Cheswolde	93.2	95.9	92.5	95.1	95.3	95.5	0.2
Dickeyville/Franklinton	85.5	94.2	92.3	89.5	90.6	87.7	-2.9
Dorchester/Ashburton	87.2	85.3	83.7	83.0	85.0	81.9	-3.2
Downtown/Seton Hill	87.5	80.7	80.0	89.7	95.2	88.2	-6.9
Edmondson Village	85.0	88.8	88.3	86.3	83.2	87.3	4.1
Fells Point	94.2	96.2	93.7	89.8	94.5	91.2	-3.3
Forest Park/Walbrook	85.9	85.0	80.4	86.5	85.5	87.7	2.2
Glen-Fallstaff	90.4	89.4	88.8	90.9	90.0	89.1	-0.9
Greater Charles Village/Barclay	86.1	90.7	85.5	90.7	86.8	85.6	-1.2
Greater Govans	87.2	87.1	87.7	83.1	91.7	85.4	-6.3
Greater Mondawmin	78.4	85.9	86.1	84.0	86.6	84.9	-1.7
Greater Roland Park/Poplar Hill	94.3	91.1	83.6	94.4	96.4	92.2	-4.2
Greater Rosemont	87.1	88.6	82.1	84.8	83.8	88.7	4.9
Greenmount East	85.4	85.3	84.4	84.2	85.2	80.0	-5.2
Hamilton	83.1	86.2	88.0	83.6	87.8	88.7	0.9
Harbor East/Little Italy	84.0	88.0	85.6	88.2	83.0	82.4	-0.5
Harford/Echodale	85.8	87.2	86.2	80.4	86.4	87.4	1.0
Highlandtown	92.4	87.9	93.5	93.3	88.6	89.3	0.8
Howard Park/West Arlington	85.0	89.5	82.5	90.4	86.2	80.2	-5.9
Inner Harbor/Federal Hill	92.7	90.8	89.8	91.1	87.6	93.1	5.4
Lauraville	85.8	84.8	86.0	89.6	89.9	92.1	2.2
Loch Raven	83.9	84.3	88.1	83.9	86.3	94.1	7.8
Madison/East End	83.6	85.6	81.8	87.5	82.6	83.2	0.6
Medfield/Hampden/Woodberry/Remington	90.0	92.1	90.9	91.9	89.6	86.3	-3.3
Midtown	89.3	86.3	93.4	94.1	80.5	82.1	1.6
Midway/Coldstream	85.7	81.8	80.9	88.2	88.2	85.2	-2.9
Morrell Park/Violetville	87.5	86.1	88.0	92.5	91.7	90.3	-1.4
Mt. Washington/Coldspring	89.6	90.9	95.3	87.0	92.4	90.9	-1.5
North Baltimore/Guilford/Homeland	91.5	92.2	92.6	89.6	90.1	93.9	3.9
Northwood	85.9	85.7	88.1	87.9	77.5	90.9	13.4
Oldtown/Middle East	87.8	90.7	84.6	84.3	87.2	80.4	-6.8
Orangeville/East Highlandtown	87.6	92.9	88.4	92.3	87.2	89.3	2.1
Patterson Park North & East	89.6	87.8	88.9	86.9	87.6	89.5	1.8
Penn North/Reservoir Hill	79.3	82.9	86.0	81.9	85.6	88.7	3.1
Pimlico/Arlington/Hilltop	83.4	83.1	84.8	88.1	85.0	85.7	0.7
Poppleton/The Terraces/Hollins Market	89.0	92.3	82.4	87.9	81.7	81.7	0.0
Sandtown-Winchester/Harlem Park	80.4	82.1	81.3	81.9	85.8	80.1	-5.7
South Baltimore	97.1	90.2	92.6	95.7	92.1	88.9	-3.2
Southeastern	83.0	89.1	88.1	94.2	87.9	88.2	0.3
Southern Park Heights	85.4	91.6	84.3	83.9	86.8	86.6	-0.2
Southwest Baltimore	85.8	85.5	86.4	89.8	87.2	83.0	-4.2
The Waverlies	82.1	89.2	88.6	87.4	88.1	83.7	-4.4
Upton/Druid Heights	88.3	82.4	86.6	88.5	87.1	81.4	-5.7
Washington Village/Pigtown	84.8	89.0	80.7	84.8	91.6	88.9	-2.7
Westport/Mt. Winans/Lakeland	86.8	82.5	85.7	77.5	85.0	91.1	6.1
Baltimore City	86.5	87.4	86.6	87.5	87.3	86.7	-0.6

For more information on these indicators please visit <http://www.bniajfi.org>.

Children and Family Health: Birth Outcomes

Community Statistical Area (CSA)	Percent of Babies Born with a Satisfactory Birth Weight						Change (14-15)
	2010	2011	2012	2013	2014	2015	
Allendale/Irvington/S. Hilton	87.4	83.8	83.8	85.3	88.5	85.8	-2.7
Beechfield/Ten Hills/West Hills	91.7	90.6	90.1	85.6	85.9	86.8	0.9
Belair-Edison	87.7	84.5	83.8	87.0	87.7	86.8	-0.9
Brooklyn/Curtis Bay/Hawkins Point	89.9	86.7	91.4	86.3	85.0	79.2	-5.8
Canton	94.6	97.6	92.9	95.5	92.0	93.9	1.9
Cedonia/Frankford	84.4	85.7	86.5	91.4	86.6	86.9	0.3
Cherry Hill	88.8	79.0	89.8	84.0	89.3	80.3	-9.1
Chinquapin Park/Belvedere	92.6	87.7	90.2	91.3	89.4	90.8	1.4
Claremont/Armistead	83.0	90.0	91.1	84.2	92.4	90.3	-2.1
Clifton-Berea	83.6	88.1	90.3	81.5	80.3	82.7	2.4
Cross-Country/Cheswolde	95.1	96.8	93.8	95.1	96.3	95.9	-0.4
Dickeyville/Franklinton	85.5	94.2	88.5	88.2	87.5	89.2	1.7
Dorchester/Ashburton	85.7	84.5	87.0	82.1	88.2	82.6	-5.6
Downtown/Seton Hill	80.4	82.5	80.0	89.7	96.4	90.6	-5.8
Edmondson Village	85.0	86.9	86.5	84.3	86.3	87.3	0.9
Fells Point	94.2	94.0	97.2	91.2	97.9	93.4	-4.5
Forest Park/Walbrook	87.3	83.5	79.0	86.5	84.0	90.2	6.2
Glen-Fallstaff	94.5	90.4	92.5	91.3	92.0	90.7	-1.3
Greater Charles Village/Barclay	88.3	90.7	89.1	91.5	89.3	88.5	-0.8
Greater Govans	87.9	87.1	87.7	83.1	89.2	88.1	-1.1
Greater Mondawmin	85.6	87.5	87.8	90.6	85.7	83.3	-2.4
Greater Roland Park/Poplar Hill	94.3	89.3	88.5	96.3	100.0	98.0	-2.0
Greater Rosemont	87.8	90.5	81.3	84.8	85.7	84.8	-0.8
Greenmount East	82.6	82.4	84.4	88.5	84.6	80.9	-3.7
Hamilton	86.4	89.9	91.1	86.1	89.1	88.7	-0.5
Harbor East/Little Italy	85.1	89.2	87.8	90.6	84.1	86.5	2.4
Harford/Echodale	88.1	89.7	89.2	83.0	89.0	87.4	-1.6
Highlandtown	91.6	89.2	92.0	92.7	91.0	89.3	-1.7
Howard Park/West Arlington	86.0	94.2	81.6	89.4	86.9	80.2	-6.7
Inner Harbor/Federal Hill	92.1	93.5	92.1	93.9	94.6	93.1	-1.6
Lauraville	86.6	87.4	87.3	90.3	87.9	92.9	5.0
Loch Raven	88.6	86.0	88.1	86.3	88.1	92.9	4.8
Madison/East End	85.4	83.1	89.4	85.3	84.8	85.4	0.6
Medfield/Hampden/Woodberry/Remington	91.0	93.4	91.8	94.6	91.7	85.9	-5.8
Midtown	90.2	90.4	91.7	91.1	85.6	86.3	0.7
Midway/Coldstream	79.4	85.5	84.2	87.5	88.2	83.6	-4.6
Morrell Park/Violetville	92.5	92.2	93.2	92.5	94.4	91.0	-3.4
Mt. Washington/Coldspring	92.5	92.7	96.9	89.9	89.4	87.3	-2.1
North Baltimore/Guilford/Homeland	90.7	89.4	94.1	88.1	94.3	94.7	0.4
Northwood	84.0	86.3	91.4	88.5	80.1	89.0	8.8
Oldtown/Middle East	87.2	87.9	79.7	86.6	85.3	83.0	-2.2
Orangeville/East Highlandtown	91.0	93.4	91.0	94.4	88.1	90.2	2.1
Patterson Park North & East	91.9	88.8	88.9	86.9	90.3	90.1	-0.2
Penn North/Reservoir Hill	84.3	87.1	84.9	86.1	91.4	88.7	-2.7
Pimlico/Arlington/Hilltop	84.7	84.4	81.2	86.6	85.0	86.5	1.5
Poppleton/The Terraces/Hollins Market	84.9	91.0	83.8	85.9	78.9	85.9	7.0
Sandtown-Winchester/Harlem Park	86.8	85.4	82.8	81.1	83.7	82.0	-1.7
South Baltimore	95.1	91.7	94.9	94.3	92.9	93.8	0.9
Southeastern	83.0	89.1	89.8	92.5	89.7	90.9	1.3
Southern Park Heights	87.7	91.1	83.3	82.0	84.1	83.4	-0.7
Southwest Baltimore	87.0	86.1	88.5	86.7	89.7	87.7	-2.0
The Waverlies	83.8	92.8	87.6	88.5	90.8	88.4	-2.5
Upton/Druid Heights	88.3	82.4	88.1	88.5	85.9	86.8	0.9
Washington Village/Pigtown	92.9	90.2	88.6	83.7	89.2	86.7	-2.5
Westport/Mt. Winans/Lakeland	92.6	83.2	86.6	83.3	87.5	87.1	-0.4
Baltimore City	88.3	88.4	88.2	88.1	88.5	87.7	-0.8

For more information on these indicators please visit <http://www.bniajfi.org>.

Children and Family Health: Birth Outcomes

Community Statistical Area (CSA)	Percent of Births Where Mother Received Prenatal Care						Change (14-15)
	2010	2011	2012	2013	2014	2015	
Allendale/Irvington/S. Hilton	51.9	55.3	57.0	47.3	42.3	50.7	8.4
Beechfield/Ten Hills/West Hills	64.3	67.1	63.0	49.0	58.8	43.1	-15.7
Belair-Edison	63.9	63.3	63.2	44.9	45.8	49.4	3.6
Brooklyn/Curtis Bay/Hawkins Point	50.9	47.2	49.6	43.9	39.7	43.7	3.9
Canton	73.9	79.4	79.5	66.4	68.7	81.6	12.9
Cedonia/Frankford	56.6	61.6	63.8	48.7	46.4	47.7	1.3
Cherry Hill	57.2	52.5	57.2	47.4	46.7	42.2	-4.6
Chinquapin Park/Belvedere	63.9	58.2	49.2	54.4	54.8	57.1	2.3
Claremont/Armistead	47.2	50.8	63.7	47.4	50.3	46.7	-3.7
Clifton-Berea	52.2	56.9	64.0	42.2	38.7	45.7	6.9
Cross-Country/Cheswolde	60.2	68.3	62.5	63.3	58.5	59.6	1.1
Dickeyville/Franklintown	63.6	57.7	55.8	51.3	54.7	55.4	0.7
Dorchester/Ashburton	56.4	58.9	61.0	39.3	52.8	43.5	-9.3
Downtown/Seton Hill	69.6	70.2	64.0	50.0	38.6	50.6	12.0
Edmondson Village	62.6	55.1	60.4	40.2	51.6	47.1	-4.5
Fells Point	59.1	69.2	76.2	62.6	56.6	57.4	0.8
Forest Park/Walbrook	52.8	42.9	63.6	51.9	45.0	43.4	-1.6
Glen-Fallstaff	56.4	60.6	62.6	47.2	42.5	44.6	2.1
Greater Charles Village/Barclay	56.2	63.6	70.3	55.0	46.3	44.6	-1.7
Greater Govans	61.0	57.1	59.4	42.3	43.9	46.4	2.4
Greater Mondawmin	49.6	57.8	65.2	42.5	42.9	43.7	0.8
Greater Roland Park/Poplar Hill	74.3	73.2	86.9	64.8	65.5	74.5	9.1
Greater Rosemont	52.3	49.6	58.2	45.5	44.1	36.6	-7.5
Greenmount East	48.6	64.0	62.6	40.3	40.3	48.7	8.4
Hamilton	68.6	71.7	65.8	55.2	45.6	59.6	14.0
Harbor East/Little Italy	61.7	57.8	64.4	50.6	46.6	59.5	12.9
Harford/Echodale	58.0	64.9	66.4	57.0	56.0	57.3	1.3
Highlandtown	62.6	58.6	74.6	60.0	50.6	56.0	5.4
Howard Park/West Arlington	48.6	69.8	68.0	46.8	42.3	43.0	0.7
Inner Harbor/Federal Hill	74.4	77.7	76.3	65.6	64.5	71.1	6.6
Lauraville	66.1	59.6	62.7	61.9	53.0	59.8	6.8
Loch Raven	54.4	62.8	58.5	46.0	44.0	54.1	10.1
Madison/East End	50.3	53.8	65.3	41.2	39.9	43.1	3.2
Medfield/Hampden/Woodberry/Remington	66.5	69.0	67.9	61.5	66.3	67.9	1.7
Midtown	67.9	58.9	66.1	66.3	52.5	60.0	7.5
Midway/Coldstream	45.2	53.3	51.4	38.9	42.8	53.3	10.5
Morrell Park/Violetville	61.7	65.2	58.1	52.2	58.3	56.0	-2.4
Mt. Washington/Coldspring	64.2	70.9	70.3	71.0	65.2	74.5	9.4
North Baltimore/Guilford/Homeland	63.6	69.5	75.7	67.2	72.3	65.9	-6.4
Northwood	58.3	55.9	57.6	52.1	41.7	59.1	17.4
Oldtown/Middle East	53.8	63.6	67.8	43.6	48.1	54.9	6.8
Orangeville/East Highlandtown	40.4	45.1	58.3	42.6	45.4	41.5	-3.9
Patterson Park North & East	50.8	56.6	70.6	52.7	45.6	47.3	1.7
Penn North/Reservoir Hill	54.3	62.1	61.6	38.9	49.6	42.5	-7.2
Pimlico/Arlington/Hilltop	51.0	57.8	52.9	41.0	36.6	38.1	1.5
Poppleton/The Terraces/Hollins Market	53.4	48.7	67.6	44.4	52.1	53.5	1.4
Sandtown-Winchester/Harlem Park	58.3	59.2	62.2	37.4	35.0	43.2	8.2
South Baltimore	71.8	70.5	80.9	71.4	73.8	71.5	-2.3
Southeastern	50.9	55.4	57.6	43.3	49.1	33.6	-15.5
Southern Park Heights	52.4	47.5	48.1	41.0	40.0	38.0	-2.0
Southwest Baltimore	50.0	45.7	51.2	41.6	39.9	37.3	-2.5
The Waverlies	55.6	63.1	68.6	47.1	59.6	50.0	-9.6
Upton/Druid Heights	60.8	49.7	57.2	38.3	38.0	38.3	0.3
Washington Village/Pigtown	65.7	59.8	67.0	45.7	47.0	50.0	3.0
Westport/Mt. Winans/Lakeland	47.1	51.8	57.1	36.7	36.7	50.8	14.1
Baltimore City	57.0	59.0	62.7	49.5	48.5	50.4	1.9

For more information on these indicators please visit <http://www.bniajfi.org>.

Children and Family Health: Lead Poisoning

Community Statistical Area (CSA)	Percent of Children (aged 0-6) with Elevated Blood Lead Levels						Change (14-15)
	2010	2011	2012	2013	2014	2015	
Allendale/Irvington/S. Hilton	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Beechfield/Ten Hills/West Hills	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Belair-Edison	7.5	2.0	1.4	NA	0.0	NA	
Brooklyn/Curtis Bay/Hawkins Point	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Canton	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cedonia/Frankford	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cherry Hill	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Chinquapin Park/Belvedere	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Claremont/Armistead	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Clifton-Berea	0.0	0.0	0.0	NA	5.0	0.0	-5.0
Cross-Country/Cheswolde	0.0	0.0	0.0	NA	0.0	0.0	0.0
Dickeyville/Franklintown	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dorchester/Ashburton	0.0	0.0	0.0	5.5	4.5	6.5	2.0
Downtown/Seton Hill	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Edmondson Village	0.0	0.0	5.3	0.0	0.0	0.0	0.0
Fells Point	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Forest Park/Walbrook	4.6	3.0	0.0	NA	4.5	NA	
Glen-Fallstaff	0.0	1.7	0.0	0.0	0.0	NA	
Greater Charles Village/Barclay	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Greater Govans	0.0	0.0	0.0	2.6	0.0	NA	
Greater Mondawmin	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Greater Roland Park/Poplar Hill	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Greater Rosemont	1.0	1.6	5.3	0.0	5.2	0.0	-5.2
Greenmount East	3.8	3.6	3.8	4.8	4.8	6.3	1.4
Hamilton	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Harbor East/Little Italy	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Harford/Echodale	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Highlandtown	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Howard Park/West Arlington	0.0	0.0	0.0	N/A	NA	0.0	
Inner Harbor/Federal Hill	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lauraville	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Loch Raven	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Madison/East End	6.1	5.9	4.4	3.8	4.0	NA	
Medfield/Hampden/Woodberry/Remington	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Midtown	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Midway/Coldstream	6.1	5.5	6.1	5.4	6.3	5.0	-1.3
Morrell Park/Violetville	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Mt. Washington/Coldspring	0.0	0.0	0.0	0.0	0.0	0.0	0.0
North Baltimore/Guilford/Homeland	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Northwood	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oldtown/Middle East	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Orangeville/East Highlandtown	0.0	0.0	0.0	1.8	0.0	0.0	0.0
Patterson Park North & East	3.4	2.3	0.0	0.0	0.0	0.0	0.0
Penn North/Reservoir Hill	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pimlico/Arlington/Hilltop	0.0	3.1	0.0	0.0	0.0	NA	
Poppleton/The Terraces/Hollins Market	0.0	0.0	0.0	0.0	NA	0.0	
Sandtown-Winchester/Harlem Park	6.9	0.0	7.4	0.0	2.8	0.0	-2.8
South Baltimore	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Southeastern	0.0	0.0	0.0	NA	0.0	0.0	0.0
Southern Park Heights	0.0	0.0	0.0	NA	0.0	NA	
Southwest Baltimore	5.3	6.9	3.7	5.5	0.0	8.3	8.3
The Waverlies	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Upton/Druid Heights	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Washington Village/Pigtown	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Westport/Mt. Winans/Lakeland	0.0	0.0	0.0	0.0	NA	NA	
Baltimore City	1.6	1.4	1.2	1.2	1.1	1.2	0.1

For more information on these indicators please visit <http://www.bniajfi.org>.

Children and Family Health: Lead Poisoning

Community Statistical Area (CSA)	Number of Children (aged 0-6) Tested for Elevated Blood Lead Levels						
	2010	2011	2012	2013	2014	2015	Change (14-15)
Allendale/Irvington/S. Hilton	386	166	187	336	69	215	211.6%
Beechfield/Ten Hills/West Hills	0	199	0	301	205	194	-5.4%
Belair-Edison	200	256	356	NA	82	NA	
Brooklyn/Curtis Bay/Hawkins Point	0	360	374	115	194	299	54.1%
Canton	96	124	130	129	125	153	22.4%
Cedonia/Frankford	240	199	320	287	253	270	6.7%
Cherry Hill	198	322	382	149	207	111	-46.4%
Chinquapin Park/Belvedere	146	233	138	105	180	188	4.4%
Claremont/Armistead	240	222	244	155	162	67	-58.6%
Clifton-Berea	0	0	0	NA	141	73	-48.2%
Cross-Country/Cheswolde	408	351	391	NA	140	425	203.6%
Dickeyville/Franklintown	110	0	0	80	100	95	-5.0%
Dorchester/Ashburton	0	0	0	127	133	107	-19.5%
Downtown/Seton Hill	49	47	76	38	94	118	25.5%
Edmondson Village	123	207	132	136	182	214	17.6%
Fells Point	137	215	114	160	156	177	13.5%
Forest Park/Walbrook	109	169	191	NA	111	NA	
Glen-Fallstaff	164	302	158	162	143	NA	
Greater Charles Village/Barclay	84	0	107	112	151	72	-52.3%
Greater Govans	54	123	64	194	63	NA	
Greater Mondawmin	203	59	34	154	96	222	131.3%
Greater Roland Park/Poplar Hill	132	57	43	122	99	65	-34.3%
Greater Rosemont	479	496	95	101	115	189	64.3%
Greenmount East	183	167	185	209	229	96	-58.1%
Hamilton	64	177	161	203	248	87	-64.9%
Harbor East/Little Italy	199	154	39	142	52	48	-7.7%
Harford/Echodale	156	297	348	380	404	268	-33.7%
Highlandtown	113	107	105	199	235	115	-51.1%
Howard Park/West Arlington	0	237	0	NA	NA	130	
Inner Harbor/Federal Hill	232	172	239	236	207	210	1.4%
Lauraville	145	33	120	138	200	97	-51.5%
Loch Raven	0	222	190	236	173	287	65.9%
Madison/East End	377	353	318	312	173	NA	
Medfield/Hampden/Woodberry/Remington	156	275	283	313	271	215	-20.7%
Midtown	0	65	116	71	114	92	-19.3%
Midway/Coldstream	114	328	114	242	112	201	79.5%
Morrell Park/Violetville	65	119	108	202	190	57	-70.0%
Mt. Washington/Coldspring	90	122	112	98	103	88	-14.6%
North Baltimore/Guilford/Homeland	239	107	46	256	178	179	0.6%
Northwood	170	254	327	172	240	229	-4.6%
Oldtown/Middle East	171	188	274	138	231	111	-51.9%
Orangeville/East Highlandtown	0	96	0	279	175	101	-42.3%
Patterson Park North & East	410	217	171	228	401	143	-64.3%
Penn North/Reservoir Hill	88	70	0	202	130	195	50.0%
Pimlico/Arlington/Hilltop	0	161	236	237	124	NA	
Poppleton/The Terraces/Hollins Market	88	117	131	43	NA	127	
Sandtown-Winchester/Harlem Park	203	99	95	291	248	104	-58.1%
South Baltimore	121	97	72	163	137	138	0.7%
Southeastern	202	65	64	NA	65	66	1.5%
Southern Park Heights	0	297	0	NA	164	NA	
Southwest Baltimore	506	72	296	236	62	108	74.2%
The Waverlies	100	72	166	146	155	149	-3.9%
Upton/Druid Heights	85	0	68	220	113	134	18.6%
Washington Village/Pigtown	0	0	50	159	171	51	-70.2%
Westport/Mt. Winans/Lakeland	208	232	232	44	NA	NA	
Baltimore City	19,702	19,036	18,723	18,535	17,961	17,222	-4.1%

For more information on these indicators please visit <http://www.bniajfi.org>.

Children and Family Health: Life Expectancy

Community Statistical Area (CSA)	Life Expectancy					Change (14-15)
	2011	2012	2013	2014	2015	
Allendale/Irvington/S. Hilton	70.0	70.4	71.3	71.3	70.9	-0.4
Beechfield/Ten Hills/West Hills	74.1	74.7	75.4	75.4	74.7	-0.7
Belair-Edison	71.5	72.5	72.1	72.9	72.0	-0.9
Brooklyn/Curtis Bay/Hawkins Point	69.7	69.5	69.5	69.3	69.7	0.4
Canton	77.0	77.4	77.3	78.4	78.4	0.0
Cedonia/Frankford	72.8	72.8	72.2	72.7	72.4	-0.2
Cherry Hill	68.7	68.8	69.3	69.8	69.5	-0.3
Chinquapin Park/Belvedere	75.4	74.9	75.0	75.2	75.3	0.1
Claremont/Armistead	73.1	72.7	72.5	72.2	70.9	-1.3
Clifton-Berea	65.1	66.4	66.8	67.2	66.9	-0.2
Cross-Country/Cheswolde	88.0	84.2	85.3	89.6	87.1	-2.5
Dickeyville/Franklintown	72.2	73.4	73.3	73.3	73.2	-0.1
Dorchester/Ashburton	73.4	74.0	73.6	73.9	73.4	-0.5
Downtown/Seton Hill	64.0	65.0	66.0	67.5	67.5	0.0
Edmondson Village	73.2	73.5	72.9	72.4	71.8	-0.6
Fells Point	76.8	76.8	77.2	78.2	78.7	0.5
Forest Park/Walbrook	73.9	73.4	74.5	74.7	74.0	-0.7
Glen-Fallstaff	95.6	78.5	78.6	82.5	79.2	-3.3
Greater Charles Village/Barclay	76.2	75.1	73.1	74.7	74.1	-0.6
Greater Govans	74.0	74.3	73.9	73.3	73.3	0.0
Greater Mondawmin	71.1	71.7	71.2	71.7	70.4	-1.4
Greater Roland Park/Poplar Hill	84.1	84.4	84.4	83.8	83.9	0.0
Greater Rosemont	69.2	70.1	70.0	70.2	70.6	0.4
Greenmount East	67.0	67.4	66.1	67.8	67.9	0.2
Hamilton	75.3	75.4	75.0	74.9	73.8	-1.1
Harbor East/Little Italy	73.5	72.5	72.7	72.3	72.1	-0.2
Harford/Echodale	75.9	76.2	76.0	75.8	75.7	0.0
Highlandtown	74.0	74.4	74.3	74.0	74.5	0.4
Howard Park/West Arlington	74.2	75.0	75.4	76.0	76.1	0.1
Inner Harbor/Federal Hill	77.3	77.8	78.8	78.9	79.2	0.3
Lauraville	74.2	75.0	75.3	76.1	76.5	0.3
Loch Raven	75.2	75.9	76.2	76.6	75.9	-0.8
Madison/East End	66.8	67.4	68.2	68.7	68.9	0.2
Medfield/Hampden/Woodberry/Remington	75.5	75.9	76.4	76.2	76.5	0.3
Midtown	74.8	76.0	76.0	75.7	76.4	0.7
Midway/Coldstream	66.1	67.9	68.8	69.4	69.0	-0.4
Morrell Park/Violetville	72.2	72.7	72.7	73.0	73.6	0.6
Mt. Washington/Coldspring	81.1	81.7	81.4	81.3	81.5	0.3
North Baltimore/Guilford/Homeland	82.2	83.2	83.8	83.9	84.0	0.1
Northwood	75.9	76.2	76.3	76.2	75.6	-0.5
Oldtown/Middle East	75.0	74.0	72.5	72.0	70.4	-1.6
Orangeville/East Highlandtown	72.3	72.9	72.6	72.3	73.0	0.6
Patterson Park North & East	71.4	71.7	71.6	72.6	72.4	-0.2
Penn North/Reservoir Hill	69.2	69.9	70.2	71.3	71.6	0.3
Pimlico/Arlington/Hilltop	68.6	69.1	68.8	68.2	68.2	0.1
Poppleton/The Terraces/Hollins Market	64.7	67.1	67.8	68.8	68.4	-0.3
Sandtown-Winchester/Harlem Park	67.5	68.8	69.7	70.0	70.0	0.0
South Baltimore	74.9	75.0	75.8	77.1	76.7	-0.4
Southeastern	73.5	74.0	72.3	73.8	72.7	-1.1
Southern Park Heights	68.3	69.2	69.6	69.6	70.1	0.5
Southwest Baltimore	67.3	67.8	68.3	68.3	68.0	-0.2
The Waverlies	72.2	72.0	73.2	73.0	72.0	-1.0
Upton/Druid Heights	66.1	67.3	67.9	68.8	68.2	-0.7
Washington Village/Pigtown	70.3	69.8	69.6	70.2	70.1	-0.1
Westport/Mt. Winans/Lakeland	74.5	72.8	71.3	73.8	73.8	-0.1
Baltimore City	73.5	73.9	73.5	73.8	73.6	-0.2

For more information on these indicators please visit <http://www.bniajfi.org>.

* Rate estimated due to small numbers of infant deaths

Children and Family Health: Infant Mortality

Community Statistical Area (CSA)	Infant Mortality Rate					Change (14-15)
	2011	2012	2013	2014	2015	
Allendale/Irvington/S. Hilton	14.8	16.9	14.1	11.4	10.6	-0.8
Beechfield/Ten Hills/West Hills	12.8	11.8	14.7	9.3	8.4	-0.9
Belair-Edison	21.3	15.0	14.3	10.8	10.1	-0.8
Brooklyn/Curtis Bay/Hawkins Point	7.7	7.9	10.2	9.9	9.0	-0.9
Canton	5.7	1.8	1.8	0.0	3.2	3.2
Cedonia/Frankford	13.7	15.2	14.4	14.5	12.2	-2.4
Cherry Hill	15.2	14.8	17.4	19.9	18.8	-1.1
Chinquapin Park/Belvedere	11.1	11.3	11.8	10.6	9.0	-1.6
Claremont/Armistead		3.1	4.9	6.3	8.6	2.3
Clifton-Berea	21.5	17.6	17.8	14.7	14.8	0.1
Cross-Country/Cheswolde	9.2	2.1	2.1	7.7	5.4	-2.3
Dickeyville/Franklinton	25.0	18.6	13.9	17.1	13.2	-3.9
Dorchester/Ashburton	8.5	10.3	12.6	8.1	6.4	-1.7
Downtown/Seton Hill	12.9	9.0	9.4	12.2	8.4	-3.8
Edmondson Village	12.3	12.7	11.3	13.6	9.8	-3.8
Fells Point		4.2	4.2	4.1	5.7	1.5
Forest Park/Walbrook	6.1	10.8	10.6	10.2	10.6	0.3
Glen-Fallstaff	6.8	7.4	8.4	9.8	9.7	-0.1
Greater Charles Village/Barclay	14.3	15.2	9.7	12.4	11.4	-0.9
Greater Govans	15.1	12.4	12.8	10.1	5.7	-4.4
Greater Mondawmin	15.9	17.7	14.6	13.4	5.2	-8.3
Greater Roland Park/Poplar Hill		3.3	3.4	3.4	3.6	0.2
Greater Rosemont	11.1	13.6	15.2	13.3	11.3	-2.0
Greenmount East	20.5	18.2	20.5	19.9	16.2	-3.7
Hamilton	13.2	15.0	16.0	8.3	13.4	5.1
Harbor East/Little Italy	15.5	19.5	20.3	20.5	16.7	-3.8
Harford/Echodale	6.3	6.4	4.1	2.7	2.6	0.0
Highlandtown	4.4	7.3	8.3	10.7	10.3	-0.4
Howard Park/West Arlington	8.8	7.5	7.9	5.7	5.9	0.2
Inner Harbor/Federal Hill	7.1	6.9	5.7	5.6	3.3	-2.3
Lauraville	18.0	14.7	9.7	5.6	4.2	-1.4
Loch Raven	13.6	13.7	14.6	13.8	14.2	0.4
Madison/East End	14.0	14.4	15.5	12.9	12.1	-0.8
Medfield/Hampden/Woodberry/Remington	6.3	7.1	4.4	7.1	6.9	-0.2
Midtown	11.5	7.6	7.8	11.2	9.7	-1.6
Midway/Coldstream	10.6	15.4	8.8	13.0	13.0	0.1
Morrell Park/Violetville	11.3	11.6	10.2	10.1	8.2	-1.9
Mt. Washington/Coldspring	3.2	3.1	3.1	0.0	0.0	0.0
North Baltimore/Guilford/Homeland	4.1	0.0	0.0	1.5	1.5	0.0
Northwood	12.6	13.1	14.9	17.7	14.1	-3.6
Oldtown/Middle East	10.0	10.0	10.4	11.6	12.6	1.0
Orangeville/East Highlandtown	3.1	4.1	5.1	9.8	10.3	0.4
Patterson Park North & East	7.9	7.7	9.7	10.8	10.9	0.1
Penn North/Reservoir Hill	12.8	12.6	14.3	9.4	9.9	0.5
Pimlico/Arlington/Hilltop	18.9	21.0	18.4	23.2	20.0	-3.3
Poppleton/The Terraces/Hollins Market	14.1	10.1	12.4	12.8	15.4	2.6
Sandtown-Winchester/Harlem Park	16.8	13.2	9.7	7.4	10.1	2.7
South Baltimore	5.7	5.2	4.8	1.6	1.5	-0.1
Southeastern	9.1	9.0	9.0	8.9	8.9	-0.1
Southern Park Heights	14.4	14.3	17.2	15.2	15.5	0.4
Southwest Baltimore	14.2	15.0	11.7	11.6	13.9	2.3
The Waverlies	13.5	14.0	11.3	11.3	12.0	0.7
Upton/Druid Heights	14.1	10.3	11.8	10.0	10.0	0.0
Washington Village/Pigtown	13.9	13.3	8.9	4.5	4.6	0.1
Westport/Mt. Winans/Lakeland	17.0	12.7	11.2	1.8	3.5	1.6
Baltimore City	11.7	9.7	10.7	10.4	9.9	-0.5

For more information on these indicators please visit <http://www.bniajfi.org>.

* Rate estimated due to small numbers of infant deaths

Children and Family Health: Mortality

Community Statistical Area (CSA)	Mortality by Age (1-14 years old)					Change (14-15)
	2007-2011	2008-2012	2009-2013	2010-2014	2011-2015	
Allendale/Irvington/S. Hilton	3.2	1.9	1.9	2.6	4.5	1.9
Beechfield/Ten Hills/West Hills	1.8	1.8	0.9	0.9	0.0	-0.9
Belair-Edison	2.2	2.2	1.7	1.7	1.1	-0.6
Brooklyn/Curtis Bay/Hawkins Point	3.1	4.4	3.1	3.1	3.1	0.0
Canton	0.0	0.0	0.0	0.0	0.0	0.0
Cedonia/Frankford	2.3	2.3	2.3	1.4	2.3	0.9
Cherry Hill	3.4	3.4	2.5	1.7	1.7	0.0
Chinquapin Park/Belvedere	1.6	1.6	0.0	0.0	0.0	0.0
Claremont/Armistead	1.1	0.0	0.0	0.0	1.1	1.1
Clifton-Berea	3.1	3.1	3.1	3.1	4.2	1.0
Cross-Country/Cheswolde	0.7	2.2	0.7	0.7	0.0	-0.7
Dickeyville/Franklintown	2.4	2.4	2.4	2.4	2.4	0.0
Dorchester/Ashburton	2.1	3.2	3.2	4.2	3.2	-1.1
Downtown/Seton Hill	15.5	20.7	20.7	20.7	15.5	-5.2
Edmondson Village	1.4	0.0	0.0	0.0	0.0	0.0
Fells Point	0.0	0.0	0.0	0.0	0.0	0.0
Forest Park/Walbrook	4.8	4.8	1.2	1.2	3.6	2.4
Glen-Fallstaff	0.0	2.4	1.6	1.6	1.6	0.0
Greater Charles Village/Barclay	0.0	3.9	3.9	3.9	3.9	0.0
Greater Govans	0.0	0.0	0.0	0.0	0.0	0.0
Greater Mondawmin	6.9	2.7	2.7	1.4	6.9	5.5
Greater Roland Park/Poplar Hill	1.8	0.0	0.0	0.0	0.0	0.0
Greater Rosemont	3.1	3.1	2.1	1.6	0.5	-1.0
Greenmount East	9.2	6.5	3.9	3.9	2.6	-1.3
Hamilton	4.4	4.4	1.8	2.7	3.6	0.9
Harbor East/Little Italy	3.9	1.9	0.0	0.0	0.0	0.0
Harford/Echodale	3.3	3.3	2.7	3.3	1.3	-2.0
Highlandtown	0.0	0.0	0.0	0.0	0.0	0.0
Howard Park/West Arlington	2.4	2.4	2.4	1.2	1.2	0.0
Inner Harbor/Federal Hill	0.0	0.0	0.0	0.0	0.0	0.0
Lauraville	1.9	1.9	1.0	2.9	3.8	1.0
Loch Raven	1.5	0.8	0.0	0.8	0.8	0.0
Madison/East End	1.0	2.1	2.1	5.2	4.2	-1.0
Medfield/Hampden/Woodberry/Remington	2.2	2.2	2.2	2.2	0.0	-2.2
Midtown	2.9	2.9	2.9	2.9	0.0	-2.9
Midway/Coldstream	12.6	8.4	8.4	10.5	7.4	-3.2
Morrell Park/Violetville	2.8	0.0	0.0	0.0	0.0	0.0
Mt. Washington/Coldspring	0.0	0.0	0.0	0.0	0.0	0.0
North Baltimore/Guilford/Homeland	0.0	0.0	0.0	0.0	1.9	1.9
Northwood	0.0	0.0	0.0	0.0	0.9	0.9
Oldtown/Middle East	5.1	5.1	5.1	2.0	4.1	2.0
Orangeville/East Highlandtown	0.0	0.0	0.0	0.0	0.0	0.0
Patterson Park North & East	4.0	2.4	2.4	0.8	1.6	0.8
Penn North/Reservoir Hill	0.0	0.0	0.0	2.2	3.3	1.1
Pimlico/Arlington/Hilltop	1.9	1.0	1.0	1.0	1.0	0.0
Poppleton/The Terraces/Hollins Market	4.0	2.0	2.0	2.0	2.0	0.0
Sandtown-Winchester/Harlem Park	3.4	2.8	2.1	2.1	1.4	-0.7
South Baltimore	4.0	4.0	4.0	4.0	4.0	0.0
Southeastern	0.0	1.8	1.8	3.6	3.6	0.0
Southern Park Heights	6.1	4.6	2.3	2.3	3.8	1.5
Southwest Baltimore	5.4	5.4	3.8	4.9	3.8	-1.1
The Waverlies	1.5	1.5	1.5	3.0	4.5	1.5
Upton/Druid Heights	1.7	3.3	1.7	2.5	4.2	1.7
Washington Village/Pigtown	0.0	2.3	2.3	2.3	2.3	0.0
Westport/Mt. Winans/Lakeland	0.0	0.0	0.0	0.0	1.2	1.2
Baltimore City	2.8	2.5	1.9	2.1	2.2	0.1

For more information on these indicators please visit <http://www.bniajfi.org>.

Children and Family Health: Mortality

Community Statistical Area (CSA)	Mortality by Age (15-24 years old)					Change (14-15)
	2007-2011	2008-2012	2009-2013	2010-2014	2011-2015	
Allendale/Irvington/S. Hilton	18.2	19.0	14.9	14.9	14.9	0.0
Beechfield/Ten Hills/West Hills	18.7	15.2	12.9	11.7	14.0	2.3
Belair-Edison	26.4	23.6	15.0	15.0	14.3	-0.7
Brooklyn/Curtis Bay/Hawkins Point	17.2	13.4	11.5	14.4	14.4	0.0
Canton	6.6	8.8	8.8	6.6	6.6	0.0
Cedonia/Frankford	12.3	12.8	9.1	13.3	13.3	0.0
Cherry Hill	21.9	21.9	16.1	16.1	17.6	1.5
Chinquapin Park/Belvedere	9.0	12.5	12.5	10.8	10.8	0.0
Claremont/Armistead	11.7	10.1	6.7	8.4	8.4	0.0
Clifton-Berea	41.3	31.9	24.0	29.3	21.3	-8.0
Cross-Country/Cheswolde	2.2	5.5	3.3	4.4	4.4	0.0
Dickeyville/Franklinton	24.8	12.4	12.4	3.1	6.2	3.1
Dorchester/Ashburton	13.5	17.2	14.7	24.5	22.1	-2.5
Downtown/Seton Hill	2.9	7.1	5.7	5.7	5.7	0.0
Edmondson Village	4.8	6.4	6.4	9.5	14.3	4.8
Fells Point	7.1	5.3	5.3	7.1	5.3	-1.8
Forest Park/Walbrook	12.2	10.8	6.8	12.2	16.2	4.1
Glen-Fallstaff	2.0	5.0	4.0	4.0	7.1	3.0
Greater Charles Village/Barclay	2.4	2.4	2.1	2.4	2.4	0.0
Greater Govans	14.2	14.2	11.7	11.7	11.7	0.0
Greater Mondawmin	21.6	15.1	10.8	9.7	12.9	3.2
Greater Roland Park/Poplar Hill	5.7	2.8	0.0	0.0	0.0	0.0
Greater Rosemont	16.3	12.4	10.4	15.0	15.6	0.7
Greenmount East	12.2	9.1	6.1	9.1	12.2	3.0
Hamilton	8.1	8.1	6.9	10.4	16.2	5.8
Harbor East/Little Italy	20.2	20.2	17.3	20.2	23.1	2.9
Harford/Echodale	10.6	8.8	7.0	10.6	9.7	-0.9
Highlandtown	9.0	9.0	9.0	11.3	4.5	-6.8
Howard Park/West Arlington	10.9	9.6	8.2	8.2	9.6	1.4
Inner Harbor/Federal Hill	5.4	5.4	3.3	3.3	4.3	1.1
Lauraville	9.8	11.0	11.0	11.0	12.3	1.2
Loch Raven	15.4	12.0	8.6	7.7	7.7	0.0
Madison/East End	23.1	20.4	12.2	9.5	10.9	1.4
Medfield/Hampden/Woodberry/Remington	9.5	8.4	6.3	6.3	4.2	-2.1
Midtown	4.0	2.9	2.9	2.3	2.3	0.0
Midway/Coldstream	36.4	29.9	20.8	18.2	20.8	2.6
Morrell Park/Violetville	21.4	21.4	17.5	19.5	9.7	-9.7
Mt. Washington/Coldspring	0.0	0.0	0.0	5.7	5.7	0.0
North Baltimore/Guilford/Homeland	1.5	1.5	1.5	1.9	1.9	0.0
Northwood	5.5	5.1	4.2	5.5	5.9	0.4
Oldtown/Middle East	4.9	6.1	6.1	9.7	10.9	1.2
Orangeville/East Highlandtown	9.9	8.2	4.9	11.5	8.2	-3.3
Patterson Park North & East	19.6	16.8	11.2	12.1	9.3	-2.8
Penn North/Reservoir Hill	25.0	23.5	14.7	10.3	10.3	0.0
Pimlico/Arlington/Hilltop	23.2	19.6	7.3	18.3	30.6	12.2
Poppleton/The Terraces/Hollins Market	23.9	21.2	18.6	10.6	13.3	2.7
Sandtown-Winchester/Harlem Park	23.1	19.0	15.7	19.8	21.5	1.7
South Baltimore	2.7	2.7	0.0	2.7	2.7	0.0
Southeastern	13.6	6.8	6.8	2.3	4.5	2.3
Southern Park Heights	20.8	17.9	12.3	13.2	12.3	-0.9
Southwest Baltimore	22.0	22.0	16.3	17.0	19.1	2.1
The Waverlies	23.7	23.7	17.8	13.8	9.9	-4.0
Upton/Druid Heights	27.2	22.5	16.6	20.1	21.3	1.2
Washington Village/Pigtown	14.7	17.1	17.1	17.1	17.1	0.0
Westport/Mt. Winans/Lakeland	19.8	18.0	14.4	16.2	14.4	-1.8
Baltimore City	13.5	11.9	9.1	10.4	10.8	0.4

For more information on these indicators please visit <http://www.bniajfi.org>.

Children and Family Health: Mortality

Community Statistical Area (CSA)	Mortality by Age (25-44 years old)					Change (14-15)
	2007-2011	2008-2012	2009-2013	2010-2014	2011-2015	
Allendale/Irvington/S. Hilton	41.9	39.8	29.6	35.2	37.8	2.6
Beechfield/Ten Hills/West Hills	24.0	19.8	13.8	15.0	23.4	8.4
Belair-Edison	30.1	26.2	22.3	27.1	31.5	4.4
Brooklyn/Curtis Bay/Hawkins Point	36.5	34.7	27.2	34.7	33.2	-1.4
Canton	2.8	3.3	2.8	5.1	4.7	-0.5
Cedonia/Frankford	27.8	28.7	22.8	27.1	29.0	1.9
Cherry Hill	47.2	47.2	33.8	35.9	34.9	-1.0
Chinquapin Park/Belvedere	18.3	18.3	13.7	18.3	20.1	1.8
Claremont/Armistead	19.4	19.4	16.9	17.7	20.3	2.5
Clifton-Berea	66.8	59.5	48.7	55.9	55.9	0.0
Cross-Country/Cheswolde	2.6	5.8	3.2	2.6	6.4	3.9
Dickeyville/Franklintown	19.9	19.9	18.3	23.3	24.9	1.7
Dorchester/Ashburton	33.3	28.9	22.2	28.9	33.3	4.4
Downtown/Seton Hill	22.0	15.3	8.6	13.5	14.7	1.2
Edmondson Village	39.7	35.0	28.0	30.4	37.4	7.0
Fells Point	7.7	8.6	6.8	6.4	8.1	1.7
Forest Park/Walbrook	27.9	24.4	15.7	21.8	28.7	7.0
Glen-Fallstaff	13.9	23.1	17.3	16.8	22.5	5.8
Greater Charles Village/Barclay	10.7	11.5	10.7	11.5	14.7	3.2
Greater Govans	29.9	29.2	23.4	30.7	28.5	-2.2
Greater Mondawmin	41.0	38.1	29.3	39.1	44.9	5.9
Greater Roland Park/Poplar Hill	3.2	2.1	2.1	4.3	4.3	0.0
Greater Rosemont	52.6	46.1	38.2	47.0	46.5	-0.5
Greenmount East	54.1	48.4	41.7	45.0	47.3	2.3
Hamilton	19.4	16.7	10.2	17.2	16.7	-0.5
Harbor East/Little Italy	17.9	19.9	16.9	18.9	18.9	0.0
Harford/Echodale	18.6	17.0	15.4	17.8	16.6	-1.2
Highlandtown	11.1	10.6	8.2	10.6	12.3	1.8
Howard Park/West Arlington	40.0	30.7	22.1	24.7	22.1	-2.6
Inner Harbor/Federal Hill	6.9	5.6	3.6	4.3	5.9	1.7
Lauraville	20.1	18.3	15.4	16.0	14.8	-1.2
Loch Raven	24.2	23.7	18.8	21.7	24.7	3.0
Madison/East End	53.7	42.4	33.1	32.0	30.0	-2.1
Medfield/Hampden/Woodberry/Remington	17.4	14.8	11.5	15.0	15.0	0.0
Midtown	17.0	14.9	12.5	12.5	13.2	0.7
Midway/Coldstream	59.8	41.6	30.3	38.1	40.7	2.6
Morrell Park/Violetville	25.6	20.2	16.3	21.7	25.6	3.9
Mt. Washington/Coldspring	5.3	6.6	6.6	10.6	9.2	-1.3
North Baltimore/Guilford/Homeland	9.4	7.2	6.1	7.2	5.5	-1.7
Northwood	30.0	25.9	21.2	18.8	20.0	1.2
Oldtown/Middle East	32.5	28.1	21.4	26.6	31.8	5.2
Orangeville/East Highlandtown	24.2	19.7	14.0	16.5	17.2	0.6
Patterson Park North & East	22.0	19.7	15.0	16.3	17.0	0.7
Penn North/Reservoir Hill	50.0	50.0	40.7	42.3	41.5	-0.8
Pimlico/Arlington/Hilltop	44.4	41.3	35.8	49.9	49.1	-0.8
Poppleton/The Terraces/Hollins Market	49.3	37.0	27.4	23.3	28.7	5.5
Sandtown-Winchester/Harlem Park	56.1	44.3	30.3	43.7	42.6	-1.1
South Baltimore	8.5	10.3	7.9	8.5	7.9	-0.6
Southeastern	29.1	27.9	23.5	24.6	23.5	-1.1
Southern Park Heights	43.9	42.0	31.8	39.4	33.7	-5.7
Southwest Baltimore	48.1	44.1	34.9	49.9	49.9	0.0
The Waverlies	30.4	30.4	19.7	23.2	26.8	3.6
Upton/Druid Heights	51.7	49.3	34.2	36.6	41.3	4.8
Washington Village/Pigtown	30.0	28.1	24.2	31.9	27.1	-4.8
Westport/Mt. Winans/Lakeland	23.8	27.8	24.8	27.8	22.8	-5.0
Baltimore City	27.3	24.0	18.9	23.0	24.1	1.1

For more information on these indicators please visit <http://www.bniajfi.org>.

Children and Family Health: Mortality

Community Statistical Area (CSA)	Mortality by Age (45-64 years old)					Change (14-15)
	2007-2011	2008-2012	2009-2013	2010-2014	2011-2015	
Allendale/Irvington/S. Hilton	134.3	129.4	102.3	126.7	124.5	-2.2
Beechfield/Ten Hills/West Hills	89.2	96.1	71.5	94.3	92.6	-1.7
Belair-Edison	100.6	105.6	86.5	106.0	110.1	4.1
Brooklyn/Curtis Bay/Hawkins Point	145.8	155.4	114.8	147.6	151.8	4.2
Canton	78.8	74.8	57.4	73.5	80.2	6.7
Cedonia/Frankford	95.7	95.4	79.8	97.9	101.2	3.4
Cherry Hill	140.2	142.7	113.4	135.4	135.4	0.0
Chinquapin Park/Belvedere	97.9	107.1	85.9	101.6	106.2	4.6
Claremont/Armistead	127.1	132.1	110.2	133.1	141.0	7.9
Clifton-Berea	195.0	185.6	146.0	182.5	198.1	15.5
Cross-Country/Cheswolde	31.8	58.3	43.5	43.5	45.8	2.3
Dickeyville/Franklintown	106.9	108.9	88.4	106.9	102.8	-4.1
Dorchester/Ashburton	113.2	112.6	89.7	111.4	119.1	7.6
Downtown/Seton Hill	214.5	203.5	157.7	177.8	177.8	0.0
Edmondson Village	120.2	120.2	95.6	124.9	115.5	-9.5
Fells Point	77.1	82.8	60.1	71.5	66.9	-4.5
Forest Park/Walbrook	113.2	114.6	95.2	106.3	107.7	1.4
Glen-Fallstaff	43.7	76.3	63.1	55.9	70.9	15.1
Greater Charles Village/Barclay	109.5	118.7	107.0	131.5	133.3	1.8
Greater Govans	102.8	102.8	84.2	116.6	120.8	4.1
Greater Mondawmin	129.9	134.0	114.1	146.4	162.1	15.7
Greater Roland Park/Poplar Hill	33.2	33.2	29.7	33.2	34.1	0.9
Greater Rosemont	145.8	143.2	111.2	146.2	141.6	-4.5
Greenmount East	167.0	175.2	160.5	173.6	175.2	1.6
Hamilton	71.6	76.4	56.7	89.3	94.6	5.3
Harbor East/Little Italy	116.9	118.5	97.4	125.0	129.9	4.9
Harford/Echodale	80.5	81.8	70.1	86.9	86.1	-0.9
Highlandtown	118.2	109.5	93.4	119.7	119.7	0.0
Howard Park/West Arlington	108.6	108.6	82.2	98.6	103.6	5.0
Inner Harbor/Federal Hill	83.6	86.9	71.6	82.0	75.6	-6.4
Lauraville	83.5	78.7	60.5	77.1	77.1	0.0
Loch Raven	86.9	84.1	67.9	81.3	86.4	5.1
Madison/East End	166.0	176.2	142.1	174.0	172.8	-1.1
Medfield/Hampden/Woodberry/Remington	98.7	97.2	76.2	95.1	97.2	2.0
Midtown	113.2	109.7	87.1	109.1	107.0	-2.1
Midway/Coldstream	155.1	145.7	115.9	142.5	145.7	3.1
Morrell Park/Violetville	135.8	130.7	106.7	142.6	134.9	-7.7
Mt. Washington/Coldspring	52.8	46.3	29.6	43.8	43.8	0.0
North Baltimore/Guilford/Homeland	54.7	53.2	39.4	51.3	48.8	-2.5
Northwood	90.9	89.9	72.2	90.4	96.9	6.6
Oldtown/Middle East	107.1	121.3	105.4	151.4	167.3	15.9
Orangeville/East Highlandtown	145.9	150.8	121.9	146.9	137.9	-9.0
Patterson Park North & East	126.5	137.6	119.2	134.6	133.9	-0.7
Penn North/Reservoir Hill	137.7	130.7	103.3	126.5	123.7	-2.8
Pimlico/Arlington/Hilltop	155.3	157.7	128.9	166.1	157.1	-9.0
Poppleton/The Terraces/Hollins Market	217.2	197.4	151.9	198.9	198.9	0.0
Sandtown-Winchester/Harlem Park	158.5	165.5	126.1	161.0	167.0	6.0
South Baltimore	95.7	86.1	78.1	76.6	79.7	3.2
Southeastern	122.1	122.1	101.8	128.5	146.3	17.8
Southern Park Heights	145.8	144.1	116.2	158.7	152.5	-6.1
Southwest Baltimore	177.6	169.6	131.8	160.8	160.8	0.0
The Waverlies	114.1	121.7	95.1	117.0	122.7	5.7
Upton/Druid Heights	184.5	172.6	140.0	171.0	177.3	6.4
Washington Village/Pigtown	122.4	124.1	102.6	134.0	155.5	21.5
Westport/Mt. Winans/Lakeland	88.1	96.6	91.7	101.5	112.5	11.0
Baltimore City	117.9	114.1	92.8	117.5	119.2	1.7

For more information on these indicators please visit <http://www.bniajfi.org>.

Children and Family Health: Mortality

Community Statistical Area (CSA)	Mortality by Age (65-84 years old)					Change (14-15)
	2007-2011	2008-2012	2009-2013	2010-2014	2011-2015	
Allendale/Irvington/S. Hilton	453.8	430.3	336.1	440.3	456.0	15.7
Beechfield/Ten Hills/West Hills	339.4	329.0	268.4	353.2	344.6	-8.7
Belair-Edison	345.3	335.7	278.4	370.7	408.9	38.2
Brooklyn/Curtis Bay/Hawkins Point	466.6	468.9	378.3	532.3	498.3	-34.0
Canton	373.3	384.2	310.6	384.2	362.4	-21.8
Cedonia/Frankford	434.6	434.6	374.3	452.5	454.7	2.2
Cherry Hill	473.4	442.5	363.6	459.7	500.9	41.2
Chinquapin Park/Belvedere	316.3	311.3	256.5	321.3	311.3	-10.0
Claremont/Armistead	500.0	522.9	380.0	528.6	568.6	40.0
Clifton-Berea	415.4	416.9	335.3	392.7	382.2	-10.6
Cross-Country/Cheswolde	78.3	214.4	155.6	163.2	177.4	14.1
Dickeyville/Franklintown	403.8	410.3	326.9	442.3	435.9	-6.4
Dorchester/Ashburton	393.7	359.7	283.5	350.3	342.1	-8.2
Downtown/Seton Hill	831.1	785.4	557.1	584.5	648.4	63.9
Edmondson Village	359.6	351.3	286.7	384.4	415.9	31.5
Fells Point	398.7	378.9	290.0	339.4	313.0	-26.4
Forest Park/Walbrook	394.0	392.3	292.2	340.6	322.2	-18.4
Glen-Fallstaff	137.3	278.3	218.3	217.4	249.2	31.8
Greater Charles Village/Barclay	385.9	378.1	366.3	378.1	387.9	9.8
Greater Govans	357.3	360.5	295.3	371.9	385.0	13.1
Greater Mondawmin	425.2	418.3	316.3	382.0	380.3	-1.7
Greater Roland Park/Poplar Hill	213.1	209.7	161.1	218.1	204.7	-13.4
Greater Rosemont	461.2	436.0	336.2	422.5	420.5	-1.9
Greenmount East	433.9	445.2	395.5	447.5	431.6	-15.8
Hamilton	424.3	413.9	325.2	415.7	413.9	-1.7
Harbor East/Little Italy	365.3	383.9	303.4	396.3	427.2	31.0
Harford/Echodale	357.1	350.4	274.9	361.2	390.8	29.6
Highlandtown	434.8	398.6	286.2	373.2	376.8	3.6
Howard Park/West Arlington	348.0	348.0	273.3	340.3	330.4	-9.9
Inner Harbor/Federal Hill	343.3	336.7	258.7	326.7	335.0	8.3
Lauraville	422.9	401.1	321.2	372.1	355.7	-16.3
Loch Raven	336.8	342.1	272.6	346.0	368.3	22.3
Madison/East End	504.2	491.6	382.4	474.8	483.2	8.4
Medfield/Hampden/Woodberry/Remington	414.6	405.0	316.9	399.2	406.9	7.7
Midtown	362.6	355.4	276.7	347.0	348.2	1.2
Midway/Coldstream	448.8	422.9	328.7	397.0	391.5	-5.5
Morrell Park/Violetville	458.3	488.6	384.2	429.7	431.3	1.7
Mt. Washington/Coldspring	283.7	257.9	212.0	260.7	249.3	-11.5
North Baltimore/Guilford/Homeland	219.2	209.9	159.8	193.5	196.6	3.1
Northwood	283.2	284.3	222.9	301.6	317.0	15.3
Oldtown/Middle East	296.4	335.5	292.6	404.5	415.7	11.2
Orangeville/East Highlandtown	409.1	383.1	307.4	404.8	411.3	6.5
Patterson Park North & East	444.7	421.9	330.4	404.1	424.4	20.3
Penn North/Reservoir Hill	477.5	444.2	341.5	418.5	410.8	-7.7
Pimlico/Arlington/Hilltop	423.3	413.4	331.0	422.2	407.9	-14.3
Poppleton/The Terraces/Hollins Market	574.0	514.8	405.5	478.4	419.1	-59.2
Sandtown-Winchester/Harlem Park	483.8	466.5	380.4	430.7	408.2	-22.5
South Baltimore	470.3	465.9	329.7	360.4	369.2	8.8
Southeastern	380.8	389.8	308.8	365.8	392.8	27.0
Southern Park Heights	454.8	429.8	334.9	417.9	414.0	-4.0
Southwest Baltimore	481.6	473.9	372.2	471.3	464.9	-6.4
The Waverlies	378.7	383.2	326.5	405.9	424.0	18.1
Upton/Druid Heights	515.0	489.3	395.3	485.0	474.4	-10.7
Washington Village/Pigtown	547.3	577.1	482.6	537.3	507.5	-29.9
Westport/Mt. Winans/Lakeland	351.0	453.4	446.1	431.4	424.1	-7.3
Baltimore City	393.7	373.8	303.4	379.4	379.8	0.4

For more information on these indicators please visit <http://www.bniajfi.org>.

Children and Family Health: Mortality

Community Statistical Area (CSA)	Mortality by Age (85 and over)					Change (14-15)
	2007-2011	2008-2012	2009-2013	2010-2014	2011-2015	
Allendale/Irvington/S. Hilton	1326.5	1381.4	1065.3	1292.1	1216.5	-75.6
Beechfield/Ten Hills/West Hills	1539.7	1349.2	904.8	1365.1	1523.8	158.7
Belair-Edison	1984.3	1842.5	1574.8	1811.0	1905.5	94.5
Brooklyn/Curtis Bay/Hawkins Point	1776.0	1568.0	1376.0	1568.0	1456.0	-112.0
Canton	1539.5	1407.9	1065.8	1276.3	1171.1	-105.3
Cedonia/Frankford	1560.0	1480.0	1184.0	1480.0	1432.0	-48.0
Cherry Hill	1423.1	1461.5	1269.2	1634.6	1519.2	-115.4
Chinquapin Park/Belvedere	1576.5	1694.1	1458.8	1717.6	1576.5	-141.2
Claremont/Armistead	1195.1	1268.3	1170.7	1756.1	1878.0	122.0
Clifton-Berea	1449.3	1468.6	1227.1	1603.9	1671.5	67.6
Cross-Country/Cheswolde	292.2	918.7	707.8	641.6	765.1	123.5
Dickeyville/Franklintown	1488.4	1348.8	1069.8	1395.3	1534.9	139.5
Dorchester/Ashburton	1294.1	1245.7	1003.5	1314.9	1481.0	166.1
Downtown/Seton Hill	2384.6	2000.0	1153.8	1307.7	1923.1	615.4
Edmondson Village	1264.7	1338.2	1176.5	1661.8	1705.9	44.1
Fells Point	1644.4	1488.9	1200.0	1377.8	1311.1	-66.7
Forest Park/Walbrook	1169.8	1301.9	1113.2	1396.2	1386.8	-9.4
Glen-Fallstaff	396.6	1185.5	980.8	942.4	1151.4	209.0
Greater Charles Village/Barclay	886.2	1029.9	1029.9	1018.0	1077.8	59.9
Greater Govans	1270.1	1313.9	1065.7	1518.2	1605.8	87.6
Greater Mondawmin	1074.1	1118.5	866.7	1222.2	1333.3	111.1
Greater Roland Park/Poplar Hill	1317.1	1280.5	1073.2	1390.2	1451.2	61.0
Greater Rosemont	1323.7	1289.9	990.3	1236.7	1275.4	38.6
Greenmount East	1546.2	1630.3	1395.0	1546.2	1512.6	-33.6
Hamilton	1417.6	1272.0	1034.5	1402.3	1425.3	23.0
Harbor East/Little Italy	1117.6	1235.3	941.2	1235.3	1176.5	-58.8
Harford/Echodale	1589.7	1572.6	1205.1	1606.8	1589.7	-17.1
Highlandtown	1728.8	1711.9	1186.4	1372.9	1288.1	-84.7
Howard Park/West Arlington	1144.0	1198.4	957.2	1369.6	1377.4	7.8
Inner Harbor/Federal Hill	1298.0	1245.0	1046.4	1311.3	1231.8	-79.5
Lauraville	1547.7	1527.6	1216.1	1477.4	1376.9	-100.5
Loch Raven	1263.5	1184.1	895.3	1075.8	1068.6	-7.2
Madison/East End	1578.9	1368.4	1157.9	1578.9	1631.6	52.6
Medfield/Hampden/Woodberry/Remington	1041.3	1052.3	854.0	1016.5	991.7	-24.8
Midtown	1058.8	983.2	764.7	1126.1	1058.8	-67.2
Midway/Coldstream	1657.1	1866.7	1390.5	1771.4	2000.0	228.6
Morrell Park/Violetville	907.8	912.6	737.9	898.1	946.6	48.5
Mt. Washington/Coldspring	1562.0	1532.8	1226.3	1591.2	1605.8	14.6
North Baltimore/Guilford/Homeland	1272.1	1236.7	932.9	1116.6	1095.4	-21.2
Northwood	1297.6	1365.9	1034.1	1356.1	1434.1	78.0
Oldtown/Middle East	1155.2	1206.9	896.6	1103.4	1189.7	86.2
Orangeville/East Highlandtown	1642.1	1578.9	1273.7	1526.3	1400.0	-126.3
Patterson Park North & East	1655.7	1590.2	1229.5	1393.4	1377.0	-16.4
Penn North/Reservoir Hill	1280.7	1368.4	1175.4	1421.1	1350.9	-70.2
Pimlico/Arlington/Hilltop	1446.4	1482.1	1232.1	1562.5	1705.4	142.9
Poppleton/The Terraces/Hollins Market	1611.1	1666.7	1055.6	1500.0	1777.8	277.8
Sandtown-Winchester/Harlem Park	1243.0	1282.9	1027.9	1131.5	1043.8	-87.6
South Baltimore	1761.2	1850.7	1582.1	1850.7	1820.9	-29.9
Southeastern	1323.3	1172.9	992.5	1293.2	1263.2	-30.1
Southern Park Heights	1536.2	1536.2	1260.9	1536.2	1565.2	29.0
Southwest Baltimore	1333.3	1315.8	1052.6	1307.0	1368.4	61.4
The Waverlies	1346.9	1265.3	1040.8	1346.9	1714.3	367.3
Upton/Druid Heights	1607.1	1607.1	1250.0	1375.0	1428.6	53.6
Washington Village/Pigtown	1377.8	1333.3	977.8	1288.9	1244.4	-44.4
Westport/Mt. Winans/Lakeland	1254.9	1294.1	1254.9	1176.5	1137.3	-39.2
Baltimore City	1315.0	1231.5	1036.5	1300.9	1315.6	14.7

For more information on these indicators please visit <http://www.bniajfi.org>.

Children and Family Health: Built Environment and Food Security

Community Statistical Area (CSA)	Liquor Outlet Density (per 1,000 Residents)					Change (14-15)
	2011	2012	2013	2014	2015	
Allendale/Irvington/S. Hilton	0.9	0.9	0.6	0.7	0.7	0.0
Beechfield/Ten Hills/West Hills	0.2	0.1	0.1	0.1	0.1	0.0
Belair-Edison	1.1	0.7	0.5	0.4	0.5	0.1
Brooklyn/Curtis Bay/Hawkins Point	2.4	1.4	1.3	1.3	1.3	0.0
Canton	7.5	4.9	4.3	4.1	4.4	0.4
Cedonia/Frankford	1.0	0.8	0.6	0.7	0.7	0.0
Cherry Hill	0.2	0.1	0.1	0.1	0.1	0.0
Chinquapin Park/Belvedere	2.6	0.8	1.3	0.6	0.6	0.0
Claremont/Armistead	1.3	0.9	1.1	0.9	0.7	-0.1
Clifton-Berea	2.6	1.7	1.9	1.4	1.5	0.1
Cross-Country/Cheswolde	0.0	0.0	0.0	0.0	0.0	0.0
Dickeyville/Franklintown	0.2	0.2	0.2	0.0	0.0	0.0
Dorchester/Ashburton	0.3	0.3	0.2	0.2	0.2	0.0
Downtown/Seton Hill	25.8	8.5	7.9	7.3	7.3	0.0
Edmondson Village	0.8	0.1	0.4	0.1	0.1	0.0
Fells Point	10.5	4.1	4.1	4.4	4.2	-0.2
Forest Park/Walbrook	0.7	0.5	0.5	0.4	0.4	0.0
Glen-Fallstaff	0.7	0.4	0.3	0.5	0.5	0.0
Greater Charles Village/Barclay	2.2	1.2	0.9	1.1	1.1	0.0
Greater Govans	0.4	0.4	0.3	0.3	0.2	-0.1
Greater Mondawmin	1.0	0.6	0.4	0.4	0.2	-0.2
Greater Roland Park/Poplar Hill	1.6	0.3	0.4	0.3	0.3	0.0
Greater Rosemont	1.4	1.0	0.9	0.9	0.9	0.0
Greenmount East	2.4	2.0	1.6	1.6	1.6	0.0
Hamilton	1.8	0.5	1.2	0.5	0.7	0.2
Harbor East/Little Italy	12.0	3.3	2.8	2.8	2.8	0.0
Harford/Echodale	0.7	0.7	0.3	0.7	0.5	-0.1
Highlandtown	8.1	5.2	4.8	4.8	5.0	0.1
Howard Park/West Arlington	0.6	0.3	0.2	0.2	0.2	0.0
Inner Harbor/Federal Hill	11.5	2.6	3.3	2.5	2.5	0.0
Lauraville	1.4	0.6	0.7	0.5	0.5	0.0
Loch Raven	0.5	0.1	0.2	0.2	0.2	0.0
Madison/East End	2.6	1.5	1.7	1.3	1.4	0.1
Medfield/Hampden/Woodberry/Remington	2.8	1.2	1.0	1.0	1.0	0.0
Midtown	5.5	1.9	1.9	1.8	1.8	0.0
Midway/Coldstream	1.8	1.6	1.2	1.4	1.1	-0.2
Morrell Park/Violetville	1.7	1.2	1.1	0.9	0.9	0.0
Mt. Washington/Coldspring	1.7	0.4	0.2	0.4	0.4	0.0
North Baltimore/Guilford/Homeland	0.6	0.3	0.1	0.3	0.3	0.1
Northwood	0.2	0.1	0.1	0.1	0.1	0.0
Oldtown/Middle East	1.3	0.4	0.8	0.5	0.5	0.0
Orangeville/East Highlandtown	5.3	2.8	3.2	2.5	2.5	0.0
Patterson Park North & East	1.9	1.4	1.2	1.2	1.2	-0.1
Penn North/Reservoir Hill	1.6	0.7	0.9	0.6	0.5	-0.1
Pimlico/Arlington/Hilltop	1.4	1.0	0.8	0.7	0.8	0.2
Poppleton/The Terraces/Hollins Market	3.3	1.8	2.0	1.4	1.4	0.0
Sandtown-Winchester/Harlem Park	1.9	1.5	1.3	1.4	1.5	0.1
South Baltimore	2.5	3.6	2.0	3.3	3.3	0.0
Southeastern	3.7	2.4	2.6	2.6	2.6	0.0
Southern Park Heights	1.1	0.8	0.7	0.6	0.5	-0.1
Southwest Baltimore	3.2	2.6	2.2	2.1	2.2	0.1
The Waverlies	1.7	0.6	1.2	0.5	0.6	0.1
Upton/Druid Heights	1.3	1.0	0.7	0.8	0.9	0.1
Washington Village/Pigtown	4.7	3.1	2.4	1.6	2.5	0.9
Westport/Mt. Winans/Lakeland	1.7	0.8	0.8	0.8	0.8	0.0
Baltimore City	2.3	1.2	1.1	1.1	1.1	0.0

For more information on these indicators please visit <http://www.bnaijfi.org>.

Children and Family Health: Built Environment and Food Security

Community Statistical Area (CSA)	Fast Food Outlet Density (per 1,000 Residents)			Healthy Food Availability Index		
	2011	2013	Change (11-13)	2012	2015	Change (12-15)
Allendale/Irvington/S. Hilton	0.6	0.8	0.2	7.8	7.5	-0.2
Beechfield/Ten Hills/West Hills	0.7	0.7	0.1	15.6	10.4	-5.2
Belair-Edison	1.0	0.9	-0.1	10.3	8.2	-2.1
Brooklyn/Curtis Bay/Hawkins Point	0.8	0.9	0.1	8.6	8.8	0.2
Canton	1.1	1.2	0.1	16.9	15.2	-1.7
Cedonia/Frankford	0.8	0.9	0.1	12.3	9.0	-3.4
Cherry Hill	0.7	1.0	0.2	8.8	7.9	-0.9
Chinquapin Park/Belvedere	0.4	0.8	0.4	15.3	8.7	-6.6
Claremont/Armistead	0.9	1.1	0.2	7.4	6.5	-0.8
Clifton-Berea	0.9	1.4	0.5	8.8	8.2	-0.6
Cross-Country/Cheswolde	0.0	0.0	0.0	0.0	0.0	0.0
Dickeyville/Franklintown	0.2	0.0	-0.2	0.0	2.0	2.0
Dorchester/Ashburton	0.8	1.0	0.3	10.0	7.7	-2.2
Downtown/Seton Hill	22.3	25.6	3.3	6.7	8.9	2.2
Edmondson Village	0.1	0.1	0.0	6.4	7.2	0.7
Fells Point	1.9	2.2	0.3	10.2	11.3	1.1
Forest Park/Walbrook	0.3	0.4	0.1	7.8	9.9	2.1
Glen-Fallstaff	1.9	2.3	0.3	10.3	9.1	-1.1
Greater Charles Village/Barclay	2.1	1.8	-0.4	15.3	10.9	-4.4
Greater Govans	0.4	0.7	0.3	8.9	9.7	0.8
Greater Mondawmin	1.8	1.7	-0.1	14.0	9.7	-4.2
Greater Roland Park/Poplar Hill	0.7	0.8	0.1	11.8	8.2	-3.5
Greater Rosemont	1.4	1.4	0.0	6.9	7.5	0.6
Greenmount East	1.4	0.8	-0.5	9.6	10.2	0.6
Hamilton	0.8	0.9	0.2	8.8	8.0	-0.9
Harbor East/Little Italy	3.0	3.1	0.2	11.8	10.4	-1.4
Harford/Echodale	0.6	0.6	0.0	9.9	8.7	-1.3
Highlandtown	2.3	1.9	-0.4	13.9	13.9	0.0
Howard Park/West Arlington	0.9	0.7	-0.2	10.2	9.1	-1.1
Inner Harbor/Federal Hill	4.2	4.4	0.2	12.4	8.5	-3.9
Lauraville	0.6	0.7	0.2	11.5	9.3	-2.3
Loch Raven	0.3	0.3	0.0	15.3	10.5	-4.8
Madison/East End	4.6	5.0	0.4	10.1	9.7	-0.4
Medfield/Hampden/Woodberry/Remington	1.0	1.0	0.0	10.4	9.7	-0.7
Midtown	2.1	2.6	0.5	13.0	11.2	-1.8
Midway/Coldstream	2.1	2.4	0.3	8.0	9.1	1.1
Morrell Park/Violetville	1.1	1.7	0.6	10.4	9.1	-1.3
Mt. Washington/Coldspring	0.2	1.0	0.8	24.8	28.5	3.8
North Baltimore/Guilford/Homeland	1.0	0.7	-0.3	7.5	8.0	0.5
Northwood	0.4	0.4	0.0	8.9	9.1	0.3
Oldtown/Middle East	3.1	4.1	1.0	8.4	8.9	0.5
Orangeville/East Highlandtown	1.9	2.5	0.7	8.6	8.9	0.3
Patterson Park North & East	0.8	1.3	0.5	12.7	10.8	-1.9
Penn North/Reservoir Hill	0.3	0.7	0.4	7.0	7.7	0.7
Pimlico/Arlington/Hilltop	1.6	2.1	0.5	9.8	8.0	-1.8
Poppleton/The Terraces/Hollins Market	3.9	2.4	-1.6	8.5	10.7	2.2
Sandtown-Winchester/Harlem Park	1.0	1.3	0.3	9.4	9.1	-0.3
South Baltimore	0.7	1.3	0.5	18.1	14.0	-4.1
Southeastern	0.8	1.8	1.0	7.2	12.3	5.2
Southern Park Heights	0.8	0.5	-0.2	11.7	10.3	-1.4
Southwest Baltimore	2.2	2.3	0.2	10.3	8.9	-1.3
The Waverlies	0.6	1.5	0.9	15.1	10.8	-4.3
Upton/Druid Heights	1.8	1.9	0.1	9.8	8.5	-1.4
Washington Village/Pigtown	2.2	2.9	0.7	9.8	9.0	-0.8
Westport/Mt. Winans/Lakeland	2.2	2.1	-0.1	14.4	11.3	-3.0
Baltimore City	1.4	1.5	0.2	10.3	9.4	-0.9

For more information on these indicators please visit <http://www.bnaijfi.org>.

Children and Family Health: Social Assistance Programs

Community Statistical Area (CSA)	Percent of Families Receiving TANF					Change (14-15)
	2011	2012	2013	2014	2015	
Allendale/Irvington/S. Hilton	10.2	12.5	11.1	10.9	10.6	-0.2
Beechfield/Ten Hills/West Hills	4.5	5.8	4.8	5.4	4.7	-0.8
Belair-Edison	10.1	11.1	10.1	10.1	9.6	-0.5
Brooklyn/Curtis Bay/Hawkins Point	13.8	14.8	14.8	12.9	11.9	-1.0
Canton	1.4	0.9	0.6	0.8	0.4	-0.3
Cedonia/Frankford	8.5	10.5	7.9	7.8	7.7	-0.1
Cherry Hill	21.9	23.5	21.3	19.9	17.8	-2.1
Chinquapin Park/Belvedere	5.6	7.3	5.6	5.5	5.2	-0.3
Claremont/Armistead	7.9	7.7	7.0	8.1	7.7	-0.3
Clifton-Berea	21.0	25.3	24.1	27.0	21.9	-5.1
Cross-Country/Cheswolde	0.8	1.7	1.4	1.0	1.3	0.3
Dickeyville/Franklintown	7.9	7.7	7.5	5.8	4.3	-1.5
Dorchester/Ashburton	6.3	8.3	7.1	7.4	6.7	-0.8
Downtown/Seton Hill	6.7	6.9	5.7	10.5	6.5	-4.0
Edmondson Village	12.0	13.4	11.5	11.1	10.9	-0.3
Fells Point	1.6	1.2	1.0	1.1	0.5	-0.6
Forest Park/Walbrook	8.8	11.3	9.9	10.8	8.5	-2.3
Glen-Fallstaff	3.3	4.7	4.1	3.9	3.9	0.0
Greater Charles Village/Barclay	8.2	10.5	9.2	9.4	7.0	-2.3
Greater Govans	8.4	10.2	10.2	9.8	9.5	-0.3
Greater Mondawmin	11.4	12.7	12.2	13.3	11.3	-2.1
Greater Roland Park/Poplar Hill	0.3	0.3	0.2	0.1	0.1	0.1
Greater Rosemont	16.0	18.4	16.1	21.0	14.5	-6.5
Greenmount East	20.1	22.9	20.6	23.9	16.0	-8.0
Hamilton	3.5	4.4	4.1	3.3	3.5	0.2
Harbor East/Little Italy	14.8	12.8	14.1	15.4	14.5	-0.9
Harford/Echodale	4.3	4.1	3.5	4.0	3.3	-0.7
Highlandtown	3.9	3.2	3.0	3.3	2.5	-0.8
Howard Park/West Arlington	5.1	6.0	5.7	4.6	4.1	-0.4
Inner Harbor/Federal Hill	2.8	3.6	2.6	1.6	2.2	0.5
Lauraville	4.2	5.0	4.0	4.6	3.5	-1.1
Loch Raven	3.9	5.3	4.4	3.8	4.1	0.3
Madison/East End	24.7	26.9	26.5	29.1	22.1	-7.0
Medfield/Hampden/Woodberry/Remington	2.7	2.3	2.1	1.7	1.7	0.0
Midtown	5.3	6.9	6.0	4.3	4.8	0.5
Midway/Coldstream	15.4	18.5	16.2	17.4	15.0	-2.4
Morrell Park/Violetville	3.3	4.1	3.4	4.5	3.5	-1.0
Mt. Washington/Coldspring	0.3	0.3	0.4	0.2	0.7	0.5
North Baltimore/Guilford/Homeland	0.8	0.7	0.6	0.5	0.6	0.1
Northwood	5.7	6.6	6.5	4.9	4.8	-0.1
Oldtown/Middle East	19.9	24.7	19.8	21.0	19.8	-1.2
Orangeville/East Highlandtown	4.3	6.6	5.8	5.3	5.0	-0.4
Patterson Park North & East	9.5	11.3	8.8	9.4	7.9	-1.6
Penn North/Reservoir Hill	18.8	23.1	18.5	16.5	13.5	-3.1
Pimlico/Arlington/Hilltop	11.8	12.7	10.9	13.0	10.1	-2.9
Poppleton/The Terraces/Hollins Market	17.6	26.1	23.8	22.6	24.3	1.7
Sandtown-Winchester/Harlem Park	22.3	25.0	23.8	24.2	19.4	-4.8
South Baltimore	1.6	1.2	0.8	0.5	0.4	-0.1
Southeastern	7.4	8.8	8.0	7.8	7.9	0.1
Southern Park Heights	14.1	17.5	16.0	13.5	13.5	0.0
Southwest Baltimore	19.7	23.5	21.5	22.7	19.1	-3.5
The Waverlies	11.8	12.0	11.3	9.8	9.6	-0.2
Upton/Druid Heights	23.8	27.6	23.8	24.8	21.3	-3.5
Washington Village/Pigtown	9.3	13.1	11.0	14.0	8.8	-5.3
Westport/Mt. Winans/Lakeland	10.8	12.9	11.7	12.0	9.8	-2.2
Baltimore City	9.4	11.0	9.8	9.7	8.7	-1.0

For more information on these indicators please visit <http://www.bniajfi.org>.



BNIA

**BALTIMORE NEIGHBORHOOD
INDICATORS ALLIANCE**

Jacob France Institute

ub UNIVERSITY
OF BALTIMORE

SPRING 2017
VITAL SIGNS 15

Baltimore Neighborhood Indicator Alliance –
Jacob France Institute
University of Baltimore
1420 North Charles Street
Baltimore, Maryland 21201

WEB: bniajfi.org
EMAIL: bnia-jfi@ubalt.edu
FACEBOOK: facebook.com/bniajfi
TWITTER: [@bniajfi](https://twitter.com/bniajfi)

